



SECTION 07

GENERAL PURPOSE CONNECTORS



07

SECTION CONTENTS

↓ XLR Neutrik	2
↓ XLR Amphenol	5
↓ XLR Misc	9
↓ RCA	10
↓ Jack Plug	13
↓ S-Video	15
↓ SCART	15
↓ DIN Plugs	15
↓ Misc	15
↓ Banana 4mm	16
↓ Speaker	16
↓ Alligator	17
↓ Gold Plated Terminators	17
↓ DC Plugs	19
↓ BNC	22
↓ PAL	23
↓ "F"	24
↓ RF	25
↓ Adaptors - Cross Reference	28
↓ Adaptors - AV	30
↓ Adaptors - Communication	33
↓ Wall Plates	40
↓ Terminal Blocks	44
↓ Quick Disconnect	45
↓ Modular & Telephone	46



07 PLUGS & SOCKETS

07 PLUG & SOCKETS

→ XLR Neutrik

“SPEAKON” LOUDSPEAKER CONNECT

Extremely reliable & robust.
Bayonet plus locking pin.
Heavy duty system that can't short out or be plugged into the wrong socket or polarity. Fail safe. High power. Becoming a popular alternative to 4mm Banana or “Mic” connectors.



“SPEAKON” LOUDSPEAKER PLUG

Extremely reliable and robust with bayonet locking
Heavy duty 30A
Becoming popular alternative to Banana & XLR. Suit NL-2MP & 4MP



Type Code
2 pin NL2MP
4 pin NL4MP

“SPEAKON” LOUDSPEAKER PLUG

As above but a four pin version!
Bayonet locking
Heavy duty 30A
This 4 pin plug will only suit 4 pin receptacles NOT ANY 2 PINS!



Type Code
4 pin NL4FX

“SPEAKON” LOUDSPEAKER PLUG METAL

4 POLE MALE
New metal version.
Extremely reliable and robust with bayonet locking
Heavy duty 30A 4 terminals Nickel chromium.



Type Code
4 pin NLT4FX

“SPEAKON” LOUDSPEAKER IN-LINE METAL

4 POLE FEMALE
Heavy duty metal
Extremely reliable and robust with bayonet locking
Heavy duty 30A 4 terminals Nickel chromium.




Type Code
4 pin NLT4MX



“SPEAKON” CHASSIS JACK

Extremely reliable
Fail safe. 30A.
Chassis / panel mount jack.
Standard cut-out.
Robust solution speaker connect.



Type Code
2 pin NL2MP
4 pin NL4MP

“SPEAKON” LOUDSPEAKER JACK

Extremely reliable bayonet & locking.
Robust. 30A.
Large radius mounting jack for speaker bin speaker connect.
Accepts NL2FC & 4FC



Type Code
4 pin NL4MPR

“SPEAKON” COUPLER F-F

Extremely reliable
Made from high impact plastic
Heavy duty 30A
Enables connecting and extending speaker leads.



Type Code
2 pin NL2MM

RCA PANEL MOUNT NEUTRIK

GOLD PLATED RECESSED RCA
Chromium Bezel. Coloured insulator.

Collar Code
Black NF2D0
Red NF2D2
Yellow NF2D4
White NF2D9



BLACK BEZEL VERSION


Collar Code
White NF2DB9

BALUN LINE TRANSFORMER

RCA TO XLR Female
Isolation and balancing adaptor.
Suit long runs between CD and Mixing Desk, etc.
Metal housing.
200Ω/200Ω



XLR Code
Female NA2F-D2B-TX



BALUN LINE TRANSFORMER

RCA TO XLR Male
Isolation and balancing adaptor.
Suit long runs between CD and Mixing Desk, etc.
Metal housing.
200Ω/200Ω



XLR Code
Male NA2M-D2B-TX





→ XLR Neutrik

3.5mm PLUG NEUTRIK

Stereo 3.5mm

Professional Heavy Duty.
Black or Nickel Barrel. All
Metal. Rubber Boot.

Collar	Code
Nickel	NTP3RC
Black	NTP3RCB



1/4" PLUG NEUTRIK

Professional Heavy Duty
Black Barrel. Nickel tip.
6.35mm. All Metal with
Rubber Boot


Type	Code
Mono	NP2C
Stereo	NP3C



1/4" PLUG RIGHT ANGLE NEUTRIK

Professional Heavy Duty
Nickel barrel and tip.
Right Angle
Strain Relief
Mono 6.35mm

Code
NP2RCS



1/4" IN-LINE SOCKET NEUTRIK

LOCKING JACK

Professional
Heavy Duty
All Metal
Rubber Boot
Stereo 6.35mm

Code
NJ3FC6C



1/4" PANEL MOUNT NEUTRIK

LOCKING JACK

Professional
Heavy Duty
Stereo 6.35mm

Code
NJ3FP6C



BNC PANEL MOUNT NEUTRIK

GOLD PLATED RECESSED BNC

Standard XLR Mounting
Extremely robust diecast
Solder terminal rear.

Code
NBB75DSG



ETHERCON XLR PLUG

ADAPTS EXISTING CAT-5 LEAD

Requires a Cat5/6e type RJ45
pre-made ethernet lead assembly,
Converts to a protected plug.

Code
NE8MC



Actually Supplied Empty.
Requires the RJ45 Cable

ETHERNET LEADS TO SUIT
See Section Sixteen COMPUTER

ETHERCON XLR SOCKET

RJ45 SOCKET TO PUSH-DOWN

Accepts the NE8MC Plug above.
Rear terminates to punch-down
terminals for solid core Cat5.

Code
NE8FDV-YK



ETHERNET LEADS TO SUIT
See Section Sixteen COMPUTER

ETHERCON XLR SOCKET

RJ45 SOCKET TO RJ45 SOCKET

Premium Metal construction
Accepts the NE8MC Plug above.
Rear terminates to RJ45 Socket

Code
NE8FDP



ETHERNET LEADS TO SUIT
See Section Sixteen COMPUTER

USB PANEL MOUNT

USB-A TO USB-B

Reversible for both A & B
connection possibilities.
Recessed for protection.

Code
NAUSB



USB LEADS TO SUIT
See Section Sixteen COMPUTER

FIRE-WIRE PANEL MOUNT

FIREWIRE-6 IEE1394

Audio/Visual gets digital!
Standard XLR Metal Fitting.
Recessed for protection.

Code
NA1394-6



FIREWIRE LEADS TO SUIT
See Section Sixteen COMPUTER

HDMI PANEL MOUNT NEUTRIK

DIGITAL INTERCONNECT

Standard XLR Mounting
Extremely robust diecast
HDMI Feed-Through connect
HDMI Socket to Socket Suit
Digital Video/Audio

Colour	Code
Nickel	NAHDMI-W
Black	NAHDMI-W-B





→ XLR Neutrik

NEUTRIK



High quality
Robust Durable
Connectors for
Studio or Field
More available -



Please Enquire!

XLR CONNECTORS

New design connector for fast termination and assembly with rugged die-cast shell, compact design. Only four parts, no screws. Quality rubber & plastic cable strain relief. Heavy duty construction for a sure contact. Three, four & five pin versions available. However, the Neutrik range is extensive and more connectors are available. See www.neutrik.com for info or please enquire! Bulk quantities are available with discounts.



XLR FEMALE PLUG

FX Series. World XLR standard. Heavy duty die-cast shell. Chuck type strain relief. Solder terminals.

Pins	Code
3	NC3FX
4	NC4FX
5	NC5FX



**XLR 5
4
3 PINS**

XLR MALE PLUG

MX Series. World XLR standard. Heavy duty die-cast shell. Chuck type strain relief. Solder terminals.

Pins	Code
3	NC3MX
4	NC4MX
5	NC5MX



**Heavy
Metal
Casing**

XLR FEMALE PLUG - DELUXE

Same as the FX Series, but Black die-cast shell and Gold contacts. World XLR standard. Chuck type strain relief. Solder terminals.

Pins	Code
3	NC3FXB
4	NC4FXB
5	NC5FXB



**Black
Metal
Casing**

XLR MALE PLUG - DELUXE

Same as the FX Series, but Black die-cast shell and Gold contacts. World XLR standard. Chuck type strain relief. Solder terminals.

Pins	Code
3	NC3MXB
4	NC4MXB
5	NC5MXB



**Up To
8mm
Cable**

XLR FEMALE PLUG - RIGHT ANGLE

Ideal solution for mobile equipment and rear cable protection from bumps, etc. Heavy duty die-cast shell. Plug is 360° rotatable at assembly stage then locked.

Pins	Code
3	NC3FRC
4	NC4FRC
5	NC5FRC



XLR MALE PLUG - RIGHT ANGLE


Heavy duty construction. Plug is 360° rotatable at assembly stage then locked. Chuck type cable hold. Solder terminals. 7.5mm cable entry.

Pins	Code
3	NC3MRC
4	NC4MRC
5	NC5MRC



XLR FEMALE CHASSIS


Popular new flush or surface mount design. Both female & male use the same size cut-outs. Die-cast. Solder terminals.



Pins	Code
3	NC3FDL
4	NC4FDL
5	NC5FDL

XLR MALE CHASSIS

Same size cut-outs as the above FDL. Die-cast heavy duty. Solder terminals. Push-lock latch. Flush/surface mount.




Pins	Code
3	NC3MDL
4	NC4MDL
5	NC5MDL

BLANKING PLATE

Same size as the above receptacles. Black plastic. Suit Neutrik type and some Amphenol.

Code
NU-DBA-BL



COLOURED ID TAGS - SUIT XLR PLUGS

Save time and effort connecting and tracing cables. Brightly coloured rings with write-on marker labels. Can be inserted after cable manufacturing.



Collar	Code
Black	XCR0
Brown	XCR1
Red	XCR2
Orange	XCR3
Yellow	XCR4
Green	XCR5
Blue	XCR6
Violet	XCR7
Grey	XCR8
White	XCR9



→ XLR Amphenol

AMPHENOL (AKA: ALCATEL / CANNON)



New manufacture & assembly procedure w/ "Jaw" Cable clamp

METAL BARREL AC3

Female Plug Solder

Cable	Code
6mm	AC3F
8mm	AC3FJ
IDC	AC3FI



METAL BARREL AC3

Male Plug Solder

Cable	Code
6mm	AC3M
8mm	AC3MJ
IDC	AC3MI



METAL BARREL BLACK

Female All Black Solder

Cable	Code
6mm	AC3FB



METAL BARREL BLACK

Male All Black Solder

Cable	Code
6mm	AC3MB



METAL BARREL SOLID PINS

Machined Pins (Solid) Solder

Cable	Code
6mm	AC3MM



PLASTIC BARREL

Tough Black Thermoplastic
Female Plug Solder

Cable	Code
6mm	AC3FCP
8mm	AC3FCPJ



PLASTIC BARREL

Tough Black Thermoplastic
Male Plug Solder

Cable	Code
6mm	AC3MCP
8mm	AC3MCPJ



PLASTIC BARREL IDC

Tough Black Thermoplastic
Female Plug Economy.
No Soldering! IDC

Cable	Code
6mm	AC3FCPI



PLASTIC BARREL IDC

Tough Black Thermoplastic
Male Plug Economy.
No Soldering! IDC

Cable	Code
6mm	AC3MCPI



METAL BOOT AC3

Made tough for
Heavy Duty &
RF Applications

Code
AC-NUT-METAL



COLOUR BOOTS AC3

Code
AC-NUT-BRN
AC-NUT-RED
AC-NUT-ORG
AC-NUT-YEL
AC-NUT-GRN
AC-NUT-BLU
AC-NUT-VIO
AC-NUT-GRY
AC-NUT-WHT



AC3 ADAPTORS

These 3 adaptors require wiring internally. This allows you the flexibility to modify pin connections and / or insert impedance matching circuits, etc.



FEMALE TO FEMALE

No connections. Requires Soldering.

Code
AC3F3FBW

U-Wire



MALE TO MALE

No connections. Requires Soldering.

Code
AC3M3MBW

U-Wire



MALE TO FEMALE

Insert in-line for filters, etc.
No connections. Requires Soldering.

Code
AC3F3MBW

U-Wire



MINI-XLR PLUG

Description	Size	Type	Code
3 PIN	8mmØ	Plug	XLR501-3P
3 PIN	8mmØ	Socket	XLR502-3P



MINI-XLR PLUG

Description	Size	Code
4 PIN	8mmØ	XLR501-4P
4 PIN	8mmØ	XLR502-4P



IDC QUICK & NO-SOLDERING

IDC makes Assembling cables fast No soldering. Crimps inner cable Simply strip the outer jacket off to expose the three inner cables then place in the clamp & screw it together. See the AMPCAT (Free) for Information.



IDC HAND TOOL

Save time and energy Insert entire assembly and punch together.

Code
T2860






07 PLUGS & SOCKETS

→ XLR Amphenol

METAL CHASSIS

Socket Female Wide


Old Code
AXR331P AC3FPZ



METAL CHASSIS

Socket Male Wide


Old Code
AXR334 AC3MP



METAL CHASSIS NARROW

Socket Male


Code
AC3MPNZ



METAL CHASSIS SOLID PIN

Socket Male Machined Pins


Old Code
AXR322 AC3MMPNZ



METAL CHASSIS

Female Socket

Code
AC3FDZ




Also Available in Multi-pin

METAL CHASSIS

Male Socket

Code
AC3MDZ




Also Available in Multi-pin

METAL CHASSIS SOLID PIN

Male Socket Machined Pins


Code
AC3MMDZ



METAL CHASSIS BLACK

Female Socket


Code
AC3FDZB



METAL CHASSIS BLACK

Male Socket

Code
AC3MDZB



BLANKING PLATE

Black plastic


Code
NU-DBA-BL



PLASTIC CHASSIS

Socket Female


Code
AC3FPP



PLASTIC CHASSIS

Socket Male


Code
AC3MPP



PLASTIC CHASSIS

Socket Female Small Flange


Code
AC3FDP



PLASTIC CHASSIS

Socket Female Small Flange


Code
AC3MDP



PLASTIC CHASSIS PCB MOUNT

Socket Female Small Flange


Code
AC3FDPH



PLASTIC CHASSIS NO-LATCH

Socket Female Small Flange Quick-Remove


Code
AC3FDPL



PLASTIC CHASSIS DUAL

Socket Female to Socket Female


Code
AC3F3FPP



PLASTIC CHASSIS DUAL

Socket Male to Socket Male


Code
AC3M3MPP



PLASTIC CHASSIS DUAL

Socket Male to Socket Female

Code
AC3M3FPP



FREE AMPHENOL CATALOGUE

Packed with information on the wide range of AMPHENOL connectors. Additional products are available from this catalogue. Please enquire.

Code
AMPCAT Free





SPEAKER CONNECT

Available in Two colours Blue and White for easy channel identification. High Power 3 pin.



SPEAKER CONNECT

Male Plug

Colour	Code
Blue	PDN12BL
White	PDN12W



SPEAKER CONNECT

Female Plug

Colour	Code
Blue	PDN11BL
White	PDN11W



SPEAKER CONNECT

Type	Colour	Code
Male	Blue	PDN34BL
Male	White	PDN34W



SPEAKER CONNECT

Type	Colour	Code
Female	Blue	PDN31BL
Female	White	PDN31W



HIGH POWER 4 PIN

Durable diecast Heavy duty High current Machined pins Large cable entry



HIGH POWER 4 PIN

9→16mm Cable Entry 12AWG 50V 20A


Type	Code
Female	EP411P
Male	EP412



HIGH POWER 4 PIN

30mmØ Mount 50V 20A

Type	Code
Female	EP413P
Male	EP414



HIGH POWER 8 PIN FEMALE

9→16mm 12AWG 50V 15A

Code
EP811P



HIGH POWER 8 PIN MALE

30mm Diameter Mount. 50V 15A

Code
EP814



AMPHENOL XLR MULTI-PIN METAL



4 PIN

Description	Code
AXR411	AC4F
AXR412	AC4M
AXR431	AC4FPZ
AXR434	AC4MP
Small Flange	AC4FDZ
Small Flange	AC4MDZ




5 PIN

Description	Code
AXR511	AC5F
AXR512	AC5M
AXR531	AC5FPZ
AXR534	AC5MP
Small Flange	AC5FDZ
Small Flange	AC5MDZ



6 PIN

Description	Code
AXR611	AC6AF
AXR612	AC6AMJ
AXR631	AC6AFPZ
AXR634	AC6AMP
Small Flange	AC6AFDZ
Small Flange	AC6AMDZ



7 PIN

Description	Code
AXR711	AC7F
AXR712	AC7M
AXR731	AC7FPZ
AXR734	AC7MP
Small Flange	AC7FDZ
Small Flange	AC7MDZ



MINI-XLR 5 PIN

5 PIN 8mmØ Mini-XLR

Type	Code
Plug	XLR501-5P
Socket	XLR502-5P

4 PIN

Type	Code
Plug	XLR501-4P
Socket	XLR502-4P

3 PIN

Type	Code
Plug	XLR501-3P
Socket	XLR502-3P





07 PLUGS & SOCKETS

→ XLR Amphenol

MUSICIAN RANGE 1/4"

Robust diecast shell
Satin nickel or Black
Silver contact plating
Solder type contacts
Flexible grommet entry



SATIN MONO 1/4"

Satin Nickel finish
Silver contact plating
Solder type contacts



Type Code
Mono ACPM-GN

BLACK MONO 1/4"

Black Metal finish
Silver contact plating
Solder type contacts



Type Code
Mono ACPM-GB

SATIN STEREO 1/4"

Satin Nickel finish
Silver contact plating
Solder type contacts



Type Code
Stereo ACPS-GN

BLACK STEREO 1/4"

Black Metal finish
Silver contact plating
Solder type contacts



Type Code
Stereo ACPS-GB

MUSICIAN RANGE 1/4" RIGHT ANGLE

Robust diecast shell Satin nickel or
Black Silver or Gold plating Solder type
contacts Flexible grommet entry



SATIN MONO 1/4" RIGHT ANGLE

Satin Nickel finish
Silver contact plating
Solder type contacts



Type Code
Mono ACPM-RN

BLACK MONO 1/4" RIGHT ANGLE

Black Metal finish
Silver contact plating
Solder type contacts



Type Code
Mono ACPM-RB

SATIN STEREO 1/4" RIGHT ANGLE

Satin Nickel finish
Gold contact plating
Solder type contacts



Type Code
Stereo ACPS-RN-AU

BLACK STEREO 1/4" RIGHT ANGLE

Black Metal finish
Gold contact plating
Solder type contacts



Type Code
Stereo ACPS-RB-AU

T-SERIES JAWS 1/4"

"Jaws" Cable Clamp
System Easy-Grip diecast
shell Satin nickel or Black
Silver or Gold plating
Solder type contacts



SATIN MONO 1/4"

Satin Nickel finish
Silver contact plating
Solder type contacts



Type Code
Mono TM2PJ

BLACK MONO 1/4"

Black Metal finish
Silver contact plating
Solder type contacts



Type Code
Mono TM2PBJ

SATIN STEREO 1/4"

Satin Nickel finish
Silver contact plating
Solder type contacts



Type Code
Stereo TS3PJ

BLACK STEREO 1/4"

Black Metal finish
Silver contact plating
Solder type contacts



Type Code
Stereo TS3PBJ



→ XLR Amphenol

XLR / 6.35mm DUAL SOCKET

HORIZONTAL MOUNT

XLR 3 pole female receptacle with 1/4" jack.

Type	Code
Mono	ACJC5H
Stereo	ACJC6H



XLR / 6.35mm DUAL SOCKET

VERTICAL MOUNT

XLR 3 pole female receptacle with 1/4" jack.

Type	Code
Mono	ACJC5V
Stereo	ACJC6V



BNC BULK HEAD

BNC TO BNC Satin Nickel finish
Silver contact plating

Code
AC-BNC-JJ-75



BNC BULK HEAD

BNC TO BNC Black Nickel finish
Silver contact plating

Code
AC-BNC-JJ-75B



RCA BULK HEAD

Colour	Code
Red	ACJD-RED
Black	ACJD-BLK
Yellow	ACJD-YEL
White	ACJD-WHT
Blue	ACJD-BLU
Green	ACJD-GRN




→ XLR Misc

XLR WALLPLATE - SINGLE

Stainless steel pre-punched wall plate suits XLR sockets.
Size 71x115mm. Hole diameter 24mm.


Code
XLRP1



XLR PLATE - DOUBLE

Stainless steel pre-punched wall plate suits XLR sockets.
Size 71x115mm. Hole diameter 24mm.

Code
XLRP2



6.35mm RIGHT ANGLE PLUG

Type	Code
Mono	P243
Stereo	P244



XLR CABLE UNBALANCED

Tough but flexible microphone cable.


Size	Code
4.5mmØ	SAC451
6.0mmØ	SAC601



XLR CABLE BALANCED

Tough but flexible microphone cable.

Size	Code
7.0mmØ	SHW1914



→ Adaptors - Proel

XLR AUDIO ADAPTERS

Constructed with solid metal body with external Black ABS covering and 24k Gold plated corrosion free connections.



XLR Female To Female

Code
DHMA340



Ø 6.3 mm JACK - XLR PLUG

MONO

Code
DHMA300



STEREO

Code
DHMA305



Ø 6.3 mm JACK - XLR JACK

MONO

Code
DHMA290



STEREO

Code
DHMA295



Ø 6.3 mm JACK - XLR PLUG

MONO

Code
DHMA320



STEREO

Code
DHMA615



Ø 6.3 mm STEREO JACK - XLR

Code
DHMA625



XLR PLUG - RCA JACK

Code
DHMA500



Ø 6.3 mm STEREO - Ø 3.5 mm JACK

Code
DHPA165



Ø 6.3mm MONO PLUG - RCA JACK

Code
DHPA180



Ø 6.3 mm MONO - RCA

Code
DHPA190





07 PLUGS & SOCKETS

→ RCA

SUPPLIED IN BULK [SINGLES]

RCA PLUGS SOCKETS JACKS

All plugs are supplied in BULK form. Unless indicated as Packaged or Pairs. Suffix stipulates colour code. Some codes require a colour specification when ordered. eg. P351 in what colour? ie. P351YL is a Yellow boot



GOLD PLATED RCA LOCKING

Order One To Receive A Pack of Two

Cable	Stripe	Code
8-9mm	Red	P850
8-9mm	Black	P851



6mm PLATINUM RCA PLUGS

6mm CABLE ENTRY

Stripe	Code
White	P870
Red	P871



8mm PLATINUM RCA

8mm CABLE ENTRY

Stripe	Code
White	P875
Red	P876



RCA PLUGS BLUE METAL

Cable	Insert	Code
7mm	Red	P860
7mm	Green	P861
7mm	Blue	P862



RCA VIDEO & DIGITAL PLUG

Grey with Orange 6 → 8.5mm Cable

Code
P865



6mm ZINC ALLOY GREY GOLD RCA PLUGS

Stripe	Code
White	P880
Red	P881
Green	P882
Blue	P883
Yellow	P884




7mm ZINC ALLOY GREY GOLD RCA PLUGS

Stripe	Code
White	P885
Red	P886
Green	P887
Blue	P888
Yellow	P889



8mm ZINC ALLOY GREY GOLD RCA PLUGS

Stripe	Code
White	P890
Red	P891
Green	P892
Blue	P893
Yellow	P894



GOLD PLATED RCA LARGE

Order One To Receive A Pack of Two

Cable	Stripe	Code
8-9mm	Red	P830
8-9mm	Black	P831



GOLD PLATED RCA STRAIN RELIEF

Order One To Receive A Pack of Two

Cable	Stripe	Code
5-7mm	Red	P824
5-7mm	Black	P825
4-6mm	Red	P820
4-6mm	Black	P821



GOLD PLATED PLUGS RCA

Order One To Receive A Pack of Two

Cable	Stripe	Code
5-7mm	Red	P840
5-7mm	Black	P841
4-6mm	Red	P834
4-6mm	Black	P835





→ **RCA**

P343 GOLD

Gold plated. 6mm cable entry.
Black & Red ID ring
One may be removed if req.

Code
P343



GOLD PLATED PLUGS RCA

Colour ID Ring.
6mm Strain relief.

Colour	Code
Red	P344
Black	P345
Green	P346
Blue	P347
Orange	P348
Yellow	P349
White	P350



RCA CHROME

R, B, OJ, GN, YL, BU, WH
RCA Plug metal. Add colour code.
As above with colour band for ID

Colour	Code
Red	P342RD
Black	P342BK
Yellow	P342YL
Green	P342GN
Blue	P342BU
White	P342WH
Orange	P342OR



P341

RCA plug metal All chrome
with spring strain relief.

Code
P341



RCA PLASTIC

R, B, OJ, GN, YL, BU, WH
RCA plug strain relief P351 then colour code

Colour	Code
Black	P351BK
Red	P351RD
Green	P351GN
Yellow	P351YL
Orange	P351OR
Blue	P351BU
White	P351WH



RCA ECONOMY

RCA Plastic Barrel

Colour	Code
Black	P311B
Red	P311R



RCA GOLD SOLDERED

SATIN SHELL COLOUR BOOT
Premium grade Amphenol brand

Amphenol

Collar	Code
Red	ACPR-SRD
Black	ACPR-SBK
Yellow	ACPR-SYL
White	ACPR-SWH
Blue	ACPR-SBL
Green	ACPR-SGR



RCA GOLD SOLDERED PLUG

COLOUR METAL SHELL
Premium grade Amphenol brand

Amphenol

Collar	Code
Red	ACPR-RED
Black	ACPR-BLK
Yellow	ACPR-YEL
White	ACPR-WHT
Blue	ACPR-BLU
Green	ACPR-GRN



RCA COMPRESSION PLUG RG59

See Compression Page

Collar	Code
Red	P370
Green	P371
Blue	P372
White	P373
Black	P374
Yellow	P375



RCA COMPRESSION GOLD RG59

See Compression Page

Collar	Code
Red	P370GLD
Green	P371GLD
Blue	P372GLD
White	P373GLD
Black	P374GLD
Yellow	P375GLD



RCA COMPRESSION PLUG RG6

See Compression Page

Collar	Code
Red	P380
Green	P381
Blue	P382
White	P383
Black	P384
Yellow	P385



RCA CRIMP PLUG

Suit	Code
RG59	P360
RG58	P361





07 PLUGS & SOCKETS

J302

RCA Fibreglass mounting board

Code
J302



J304

RCA Fibreglass mounting board


Code
J304



RCA PCB MOUNT GOLD


PCB Mount

Collar Code
Red J387R
Black J387B
Yellow J387Y



RCA PCB MOUNT GOLD SWITCHED

Collar Code
Red J381R
Black J381B
White J381W
Orange J381O
Yellow J381Y



RCA PANEL JACKS

Nickel 6mm panel Ø

Collar Code
Red J310R
Black J310B
Blue J310BU
Green J310GN



RCA PANEL JACKS INSULATED

Nickel 8mm panel Ø

Collar Code
Red J370R
Black J370B
Blue J370BU
Green J370GN



GOLD PLATED RCA JACKS

Order One To Receive A Pack of Two

Insert Code
Red J920
Black J921
White J922
Yellow J923
Green J924
Blue J925
Orange J926



GOLD PLATED RCA JACKS INSULATED

Order One To Receive A Pack of Two

Insert Code
Red J930
Black J931
White J932
Yellow J933
Green J934
Blue J935
Orange J936



GOLD PLATED RECESSED JACKS

XLR FITTING Solder Back

Insulator Identifier Neutrik Brand Product

Collar Code
Black NF2D0
Red NF2D2
Yellow NF2D4
White NF2D9



GOLD PLATED RECESSED JACKS

XLR FITTING Solder Back Amphenol Brand Product

Colour Code
Red ACJD-RED
Black ACJD-BLK
Yellow ACJD-YEL
White ACJD-WHT
Blue ACJD-BLU
Green ACJD-GRN



S310R & B

RCA socket

Code
S310B
S310R



S350R & B

RCA socket strain relief

Code
S350B



S340R & B

RCA socket metal

Code
S340B
S340R
S350R



S343 GOLD

Gold plated socket 6mm cable entry

Code
S343



GOLD PLATED INLINE RCA

Order One To Receive A Pack of Two

Cable Stripe Code
5-7mm Red S840
5-7mm Black S841
4-6mm Red S834
4-6mm Black S835



GOLD PLATED SOCKETS

Order One To Receive A Pack of Two

Cable Stripe Code
5-7mm Red S824
5-7mm Black S825
4-6mm Red S820
4-6mm Black S821



GOLD PLATED SOCKETS LARGE

Order One To Receive A Pack of Two

Cable Stripe Code
8-9mm Red S830
8-9mm Black S831



RCA GOLD SOLDERED PLUG

SATIN SHELL COLOUR BOOT
Premium grade Amphenol brand

Amphenol

Collar Code
Red ACJR-SRD
Black ACJR-SBK
Yellow ACJR-SYL
White ACJR-SWH
Blue ACJR-SBL
Green ACJR-SGR



RCA GOLD SOLDERED PLUG

COLOUR METAL SHELL
Premium grade Amphenol brand

Amphenol

Collar Code
Red ACJR-RED
Black ACJR-BLK
Yellow ACJR-YEL
White ACJR-WHT
Blue ACJR-BLU
Green ACJR-GRN





→ Jack Plug

P125

2.5mm subminiature plug

Colour	Code
Red	P125R
Black	P125B



P115

2.5mm stereo plug.

Code
P115



P1254

2.5mm QUAD plug. Four (4) Terminal

Code
P1254



2.5MM STEREO RIGHT-ANGLE PLUG

SOLDER TYPE

2.5mm 3 pole 6mm max cable entry

Code
P115RA



2.5MM QUAD RIGHT/ANGLE PLUG

SOLDER TYPE

Quad 2.5mm 4 pole 6mm max cable entry

Code
P1254RA



P110R & B

3.5mm miniature plug

Colour	Code
Red	P110R
Black	P110B



P150

3.5mm miniature plug strain relief

Colour	Code
Red	P150R
Black	P150B



P140

3.5mm metal plug

Code
P140



P120

3.5mm stereo plug

Code
P120



3.5mm PLUG GOLD PAIR

5mm cable diameter. TWO per blister pack.

Code
P122



3.5MM RIGHT-ANGLE PLUG

Stereo 3.5mm 3 pole 6mm max cable entry

Code
P120RA



3.5MM NEUTRIK RA

All Metal

Colour	Code
Silver	NTP3RC



3.5MM NEUTRIK RA

All Metal

Colour	Code
Black	NTP3RCB



3.5MM QUAD PLUG

3.5mm QUAD plug. Four (4) Terminal Plug

Code
P1354



3.5MM QUAD R/A PLUG

Quad 3.5mm 4 pole 6mm max cable entry

Code
P1354RA



S115

2.5mm stereo socket

Code
S115



S126

2.5mm submini' socket. Mono.

Colour	Code
Red	S126R
Black	S126B



2.5MM QUAD SOCKET

Quad 2.5mm 4 pole 6mm max cable entry

Code
S1254



S110

3.5mm in-line socket Mono

Colour	Code
Red	S110R
Black	S110B



S140 3.5mm mono

Code
S140



S142 3.5mm stereo

Code
S142



S150

3.5mm in-line socket strain relief Mono

Colour	Code
Red	S150R
Black	S150B



S120

3.5mm stereo in-line socket

Code
S120



3.5MM QUAD SOCKET

Four pins, four pole.


Code
S1354



PRE-MADE LEADS

Molded Plugs - Shielded Cable - Blank End

Description	Length	Code
2.5mm Mono Plug to 6.0M Lead	6M	RCC25
3.5mm Mono Plug to 6.0M Lead	6M	RCC35
2.5mm Quad Plug to 2.5M Lead	2.5M	VC1254
3.5mm Quad Plug to 2.5M Lead	2.5M	VC1354





07 PLUGS & SOCKETS

PANEL MOUNT SOCKET

Mono. Switched. Solder tags.

Size	Code
2.5mm	J125
3.5mm	J110



J124 3.5mm stereo

Chassis Mount

Code
J124



J160

3.5mm Mono Switched
Panel Mount

Code
J160



3.5MM STEREO PCB JACK

Unswitched

Code
J123



3.5MM STEREO PCB JACK

Switched

Code
J127



J130 DPDT switch

3.5mm stereo jack

Code
J130



6.35mm PLUG

Plastic Barrel

Type	Code
Mono	P215
Stereo	P220



6.35mm PLUG STRAIN RELIEF

Plastic Mono

Collar	Code
Red	P250R
Black	P250B



6.35mm PLUG STRAIN RELIEF

Plastic Stereo

Collar	Code
Red	P225R
Black	P225B



6.35mm PLUG METAL

Spring strain relief

Type	Code
Mono	P245
Stereo	P224



6.35mm PLUG GOLD PAIR

Buy one to receive a pair.
All metal. Gold Plated.

Type	Code
MONO	P270



6.35mm PLUG GOLD PAIR

Buy one to receive a pair.
All metal. Gold plated.

Type	Code
STEREO	P280



6.35mm HEAVY DUTY PLUG

Neutrik All Metal

Type	Code
Mono	NP2C
Stereo	NP3C



6.35mm RIGHT ANGLE PLUG

Type	Code
Mono	P243
Stereo	P244



6.35mm RIGHT ANGLE HEAVY DUTY

Neutrik Quality

Code
NP2RCS



1/4" T-SERIES METAL PLUGS

Colour	Type	Code
Nickel	Mono	TM2PJ
Nickel	Stereo	TS3PJ
Black	Mono	TM2PBJ
Black	Stereo	TS3PBJ



1/4" MUSICIAN RANGE

Colour	Type	Code
Nickel	Mono	ACPM-GN
Nickel	Stereo	ACPS-GN
Black	Mono	ACPM-GB
Black	Stereo	ACPS-GB



1/4" RIGHT-ANGLE

Colour	Type	Code
Nickel	Mono	ACPM-RN
Nickel	Stereo	ACPS-RN-AU
Black	Mono	ACPM-RB
Black	Stereo	ACPS-RB-AU



6.35mm PLASTIC IN-LINE

Type	Code
Mono	S210
Stereo	S220



6.35mm METAL IN-LINE

Type	Code
Mono	S240
Stereo	S224



6.35mm PLASTIC IN-LINE RED/BLACK

Mono with Strain relief

Colour	Code
Red	S215R
Black	S215B



6.35mm PLASTIC IN-LINE STEREO

Stereo with strain relief

Colour	Code
Black	S225



6.35mm INLINE HEAVY DUTY

Neutrik Quality With Locking.

Code
NJ3FC6C





6.35mm JACK UNSWITCHED

Type	Code
Mono	J213
Stereo	J222



6.35mm JACK 1/2 SWITCHED

Only tip is switched.

Type	Code
Mono	J215
Stereo	J223



6.35mm JACK FULL SWITCHED

DPDT switched.

Type	Code
Stereo	J227



6.35 mm JACK PCB MOUNT

Stereo switched

Code
J228



6.35mm JACK HEAVY DUTY

Neutrik Quality With Locking

Code
NJ3FP6C



XLR / 6.35mm DUAL SOCKET

XLR 3 pole female receptacle with 1/4" jack.

Type	Code
Mono	ACJC5H
Stereo	ACJC6H

HORIZONTAL MOUNT



XLR / 6.35mm DUAL SOCKET

XLR 3 pole female receptacle with 1/4" jack.

Type	Code
Mono	ACJC5V
Stereo	ACJC6V

VERTICAL MOUNT




→ S-Video

S-VIDEO

AKA S-VHS Differs from the 4 Pin Mini-DIN as the Keyway is out. (Not in like MD4P)

- Pin 1 = Luminance Ground
- Pin 2 = Chrominance Ground
- Pin 3 = Luminance Signal
- Pin 4 = Chrominance Signal



S-VIDEO PLUGS

Differs from Mini Din Key way dips out.

Code
MDP4SVHS



S-VIDEO PLUGS GOLD PLATED

ZINC ALLOY GREY

Code
P846
P848



S-VIDEO INLINE SOCKET

Code
MDS4SVHS



S-VIDEO JACK

Chassis mount

Code
MDJ4SVHS



→ SCART

P901 SCART PLUG

21 pin Euro Plug
Adjustable cable entry
21 pin

Code
P901



J902 SCART

Chassis or PCB mount.
21 pin SCART socket.

Code
J902



→ DIN Plugs

DIN PLUG 2 PIN

Code
DP2



DIN PLUG 2 PIN

Screw terminal

Code
DP2S



DIN PLUG 2 PIN R/ANGLE

Solder type

Code
DP2M



DIN INLINE 2 PIN

Code
DS2



DIN JACK 2 PIN

Chassis socket

Code
DJ2



DIN 5 PIN

Type	Code
Plug	DP5
Metal	DP5M
Inline	DS5
Jack	DJ5



DIN PLUGS See DIN Page.

→ Misc

VP80

RGB 8 pin square plug
For Video connections

Code
VP80



VS141

BETA camera 14 pin

Code
VS141



MICROPHONE PLUGS

CB Microphone Plugs. Solder type.
Available in 2, 3, 4, 5, 6, 7, 8 pins.



Type	Plug	Code
4 pin	Plug Straight	NC514-4
4 pin	Plug R/Angle	NC516-4
4 pin	Panel Socket	NC515-4
4 pin	Inline Socket	NC518-4

See Car Plugs Page...





07 PLUGS & SOCKETS

→ Banana 4mm

J724

Banana socket 4mm

Colour	Code
Red	J724R
Black	J724B



J714

Banana socket/binding post 4mm

Colour	Code
Red	J714R
Black	J714B



J715

Banana socket/binding post 4mm large

Colour	Code
Red	J715R
Black	J715B



J720

Dual binding posts, accepts 4mm banana plugs.

Code
J720



GOLD PLATED 4MM POST

Will accept either a 4mm plug and/or up to 5mm wire diameter at R/A. Order One To Receive A Pack of Two

Colour	Code
Red	P780
Black	P781



GOLD PLATED 4MM POST

Up to 7.5mm wire diameter. M2.5 threaded connection post Order One To Receive A Pack of Two

Colour	Code
Red	P770
Black	P771



GOLD PLATED 4MM TERMINATOR

RA post for terminating Up to 4mm wire diameters. Order One To Receive A Pack of Two

Colour	Code
Red	P775
Black	P776



→ Speaker

J702

2 x Push release speaker terminals

Code
J702



J704

4 x Push release speaker terminals

Code
J704



SPEAKER PANEL ROUND

EASY MOUNT 76mm Hole 2x 4mm Red/Black

Code
J705



SPEAKER PANEL SQUARE

Supplied Packaged 2 x 4mm Red/Black

Code
J706



No Packaging BULK

Code
J707

SPEAKER PANEL BI-TERMINAL

Screw binding posts 4 x 4mm Red/Black

Code
J708



4mm GOLD PLATED

Banana plug 4mm Screw terminating

Colour	Code
Red	P756
Black	P758



4mm P754

Banana plug 4mm Screw terminating

Colour	Code
Red	P754R
Black	P754B



4mm P704

Banana plug 4mm Nickel plated

Colour	Code
Red	P704R
Black	P704B



BANANA PLUGS

GOLD PLATED

4mm system Multi-Lam tip Spring cage plug Screw terminal Wire 1.5mm I/D Stackable plugs Colour rubber boot Strain relief accepts 3mm cable Gold plated metal.

Colour	Code
Red	P752RD
Black	P752BK
Green	P752GN
Blue	P752BU
Yellow	P752YL
White	P752WH



4mm GOLD PLATED BANANA 8AWG

Order One To Receive A Pack of Two 4mm cable entry.

Cable	Colour	Code
8awg	Red	P760
8awg	Black	P761



4mm GOLD PLATED BANANA 6AWG

Order One To Receive A Pack of Two 5mm cable entry.

Cable	Colour	Code
6awg	Red	P765
6awg	Black	P766



4mm GOLD PLATED BANANA 4AWG

Order One To Receive A Pack of Two 6mm cable entry.

Cable	Colour	Code
4awg	Red	P769
4awg	Black	P768



STAINLESS STEEL ALLIGATOR CLIP

80mm Heavy Duty

Clips are stainless steel giving protection from erosion and rust for a long term reliable contact Stainless Steel T304-BA jaws and spring that is forward facing for maximum insulation properties and also less likely to break 80mm long plastic body 18mm wide jaw grasp max

Colour	Code
Red	LGC020R
Black	LGC020B
Green	LGC020G

NOTE: CAN NOT BE SOLDERED Requires 6.35mm quick disconnect terminal for wire connection.



REQUIRES 6.35mm SPADE CONNECTOR



→ Alligator

P726, 26mm Alligator

Colour	Code
Red	P726R
Black	P726B



P732, 32mm Alligator

Colour	Code
Red	P732R
Black	P732B



ALLIGATOR CLIP 4MM

4MM TEST PROBE ADD-ON
Suit multi-meters

Colour	Code
Red	P714R
Black	P714B



ALLIGATOR PROBE ADAPTOR

Attach on to probe point ends.

Colour	Code
Red	AC12R
Black	AC12B



P734R & B

Alligator clip 34mm

Colour	Code
Red	P734R
Black	P734B



ALLIGATOR CLIP 10A

Jaw 8mm
Width 8mm

Colour	Code
Red	LGC006R
Black	LGC006B



ALLIGATOR CLIP 20A

Jaw 10mm
Width 10mm

Colour	Code
Red	LGC007R
Black	LGC007B



ALLIGATOR CLIP 15A

Jaw 20mm
Width 10mm

Colour	Code
Red	LGC015R
Black	LGC015B



ALLIGATOR CLIP 30A

Jaw 20mm
Width 12mm

Colour	Code
Red	LGC016R
Black	LGC016B



ALLIGATOR CLIP 200A

Heavy Duty type Full hand grip
Jaw 25mm
Width 23mm
Power 200A

Colour	Code
Red	LGC022R
Black	LGC022B



ALLIGATOR CLIP 600A

Super Heavy Duty Full hand grip
Jaw 35mm
Width 20mm
Power 600A

Colour	Code
Red	LGC023R
Black	LGC023B



→ Gold Plated Terminators

SPADE CONNECTORS

Spade	Boot	Code
4mm	Red	TS300
4mm	Black	TS301



SPADE CONNECTORS

Spade	Boot	Code
6.4mm	Red	TS310
6.4mm	Black	TS311



SCREW CONNECTORS 4mm

Cable	Boot	Code
12awg	Red	TS200
12awg	Black	TS201



SCREW CONNECTORS 4mm

Cable	Boot	Code
8awg	Red	TS500
8awg	Black	TS501



SCREW RIGHT ANGLE 4mm

Cable	Boot	Code
12awg	Red	TS250
12awg	Black	TS251



SCREW RIGHT ANGLE 4mm

Cable	Boot	Code
8awg	Red	TS550
8awg	Black	TS551



RING TERMINALS 4mm

Cable	Boot	Code
12awg	Red	TR85
12awg	Black	TR86



RING TERMINALS 8mm

Cable	Boot	Code
8awg	Red	TR80
8awg	Black	TR81



RING TERMINALS 8mm

Cable	Boot	Code
4awg	Red	TR40
4awg	Black	TR41



OVERSIZED RING TERMINALS

Cable	Code
00 AWG	PRT500
02 AWG	PRT502
04 AWG	PRT504
08 AWG	PRT508





07 PLUGS & SOCKETS

07 PLUG & SOCKETS

→ DIN

DIN PLUG



Description	Code
2 Pin Plug	DP2
2 Pin Screw Terminal	DP2S
2 Pin Plug Right Angle	DP2M
3 Pin Plug	DP3
4 Pin 220°	DP4
5 Pin 180°	DP5
5 Pin 360°	DP5A
5 Pin 240°	DP5B
5 Pin 180° metal	DP5M
6 Pin Plug	DP6
7 Pin Plug	DP7
8 Pin 270°	DP8
13 Pin Plug	DP13

MINI DIN PLUG



Description	Code
3 Pin Micro Plug	MDP3
4 Pin Micro Plug	MDP4
5 Pin Micro Plug	MDP5
6 Pin Micro Plug	MDP6
7 Pin Micro Plug	MDP7
8 Pin Micro Plug	MDP8
9 Pin Micro Plug	MDP9
10 Pin Micro Plug	MDP10
4 Pin SVHS Plug	MDP4SVHS
4 Pin Metal 6mm Cable	P846
4 Pin Metal 8mm Cable	P848

DIN CHASSIS SOCKETS



Description	Code
2 Pin Chassis Socket	DJ2
3 Pin Socket	DJ3
4 Pin 220°	DJ4
5 Pin 180°	DJ5
5 Pin 240°	DJ5B
6 Pin Socket	DJ6
7 Pin Socket	DJ7
8 Pin 270°	DJ8

MINI DIN CHASSIS SOCKETS



Description	Code
3 Pin Micro Socket	MDJ3
4 Pin Micro Socket	MDJ4
5 Pin Micro Socket	MDJ5
6 Pin Micro Socket	MDJ6
7 Pin Micro Socket	MDJ7
8 Pin Micro Socket	MDJ8
4 Pin SVHS Socket	MDJ4SVHS

DIN INLINE SOCKETS



Description	Code
2 Pin Inline Socket	DS2
3 Pin Socket	DS3
4 Pin 220°	DS4
5 Pin 180°	DS5
6 Pin Socket	DS6
7 Pin Socket	DS7
8 Pin 270°	DS8
13 Pin Socket	DS13

MINI DIN INLINE SOCKETS



Description	Code
3 Pin Micro Socket	MDS3
4 Pin Micro Socket	MDS4
5 Pin Micro Socket	MDS5
6 Pin Micro Socket	MDS6
7 Pin Micro Socket	MDS7
8 Pin Micro Socket	MDS8
9 Pin Micro Socket	MDS9
4 Pin SVHS Socket	MDS4SVHS

DIN POWER

30Vdc 7A



Description	Code
4 Pin Plug Male	DPP4
4 Pin Inline Socket	DPS4
4 Pin PCB Jack	DPJ4

MINI DIN GENDER CHANGERS



Socket to socket

Description	Code
3 Pin F→F	CA170
4 Pin F→F	CA172
4 Pin FgF (S-VHS)	AD4SVHS
6 Pin F→F	CA173
8 Pin F→F	CA174



→ DC Plugs

DIN POWER 4 PIN PLUG

10mm Barrel Mini Din 30V-7A

Code
DPP4



DIN POWER 4 PIN INLINE SOCKET

7mm CABLE ENTRY

Code
DPS4



DIN POWER 4 PIN JACK

PCB MOUNT

Code
DPJ4



MERIT AUTOMOTIVE PLUG

12V 16A EURO CAR PLUG

DIN 4165 - Hella Plug 12Vdc 16A max. Popular European car plug. Becoming a new standard in automotive accessories. Smaller in size and a more reliable. "Merit" constructs plugs for BMW. Premium build plug made of Brass fittings High temp plastics 12mm O/D & 5mm Pin

Code
MER101



MERIT AUTOMOTIVE ADAPTOR

12V ACCESSORIES DUAL

Suits both European and Standard Australian type accessories connections. Removable shunt so as to also fit the Hella Plug. Power: 12Vdc 8A max. Screw terminals Chromium steel Fused 8A GBC

Code
MER102



MERIT AUTOMOTIVE SOCKET

12V IN-LINE SOCKET

DIN 4165 - Hella Plug Power: 12Vdc 16A max. European car plug becoming a new standard in automotive accessories. Premium build plug made of Brass fittings & contacts. High temperature plastics. Dust cap ingress protection. Attractive Euro styling too. Accepts cable up to 7mmØ 12mm I/D & 5mm Pin

Code
MER110



MERIT AUTOMOTIVE JACK

12V ACCESSORIES

DIN 4165 - Hella Plug Power: 12Vdc 16A max. Popular European car plug. Premium build panel socket. High temp for high power. Removable Spring hold Dust cap ingress protection. 6.35mm spade connectors. Attractive Euro styling. 12mm I/D & 5mm Pin.

Code
MER112



MERIT AUTOMOTIVE ADAPTOR

ACCESSORIES PLUG

Adapts new to old. Hella Plug DIN4165 12Vdc 16A max. 15cm Accessories socket

Code
MER201



CAR ACCESSORIES PLUG

High Temp Bakelite

Code
P801



CAR ACCESSORIES PLUG FUSED

Code
P810



CAR ACCESSORIES JACK

Cigarette lighter jack

Code
J800



CAR ACCESSORIES INLINE SOCKET

Cigarette In-line socket

Code
J802



CAR ACCESSORIES LEAD 8A

5M HEAVY-DUTY

Car Accessories Plug 5M Long lead 3.5mm X2 cable Bare end wires Fused 8 Amp

Code
DCL50



CAR ACCESSORIES LEAD 3A

2M HEAVY-DUTY

Car Accessories Plug 2M Long lead 3.5mm X2 cable Bare end wires Fused 3 Amp

Code
DCL18



CAR ACCESSORIES TWIN SOCKET

UNDER DASH MOUNT

Two 12V Accessories High temperature sockets (But not for lighters) Bare wire connection Inline 20A fuse 3AG

Code
DPV63



CAR ACCESSORIES EXTENSION

10A CURLY CORD EXTENSION 3m

Code
CA600
MW-CP1



CAR ACCESSORIES SPLITTERS

PLUG TO MULTIPLE SOCKETS

12Vdc Power Splitters. See Section 18 for details...

Type Code
Double DCL30
Triple DCP330
Quad CA700



CAR ACCESSORIES SEE SECTION 18



07 PLUGS & SOCKETS

07 PLUG & SOCKETS

→ DC Plugs

1.0mm P411

1.0mm centre
3.2mm O/D

Barrel Plug	Code
9mm	1.0mm P411



1.3mm P413

1.3mm centre
3.2mm O/D

Barrel Plug	Code
9mm	1.3mm P413



1.3mm MJ99

1.3mm centre
3.2mm O/D

Plug	Code
1.3mm	MJ99



1.3mm DC PLUG WITH LEAD

PRE-MADE 1.8M LEAD

Pre-Made 1.8M DC Lead and plug.

Type	Barrel Plug	Code
Straight	9mm	1.3mm DCL1309ST
R/Angle	9mm	1.3mm DCL1309RA
Straight	12mm	1.3mm DCL1312ST
R/Angle	12mm	1.3mm DCL1312RA



2.1mm P421 SHORT-LONG BARREL

2.1mm centre 5.5mm O/D


Barrel Plug	Code
5mm	2.1mm P421S
5mm	2.1mm P421L



2.1mm DC INLINE

5.5ø x 2.1ømm

Plug	Code
2.1mm DC	MS421



2.1mm DC JACK PCB MOUNT

5.5ø x 2.1ømm

Plug	Code
2.1mm DC	J421



2.1mm DC JACK PCB MOUNT

5.5 x 2.1mm


Plug	Code
2.1mm DC	J427



2.1mm DC PANEL

5.5ø x 2.1ømm


Plug	Code
2.1mm DC	MJ421



2.1mm PANEL DC JACK

O/D 5.5mmø
I/D 2.1mmø
Mount 14mmø

Plug	Code
2.1mm DC	MJ100



2.1mm DC PLUG WITH LEAD

PRE-MADE 1.8M LEAD

Pre-Made 1.8M DC Lead & Plug

Type	Barrel Plug	Code
Straight	9mm	2.1mm DCL2109ST
Straight	12mm	2.1mm DCL2112ST
R/Angle	9mm	2.1mm DCL2109RA
R/Angle	12mm	2.1mm DCL2112RA



2.5mm P425 SHORT-LONG BARREL

2.5mm centre
5.5mm O/D


Barrel Plug	Code
9mm	2.5mm DC P425S
12mm	2.5mm DC P425L



2.5mm DC INLINE JACK

5.5ø x 2.5ømm

Plug	Code
2.5mm DC	MS425



2.5mm DC JACK PCB MOUNT

5.5ø x 2.5ømm

Plug	Code
2.5mm DC	J425



2.5mm DC JACKS PCB MOUNT

5.5 x 2.5mm


Plug	Code
2.5mm DC	J428



2.5mm DC PANEL MOUNT

5.5ø x 2.5ømm


Plug	Code
2.5mm DC	MJ425



2.5mm PANEL DC JACK

O/D 5.5mmø
I/D 2.5mmø
Mount 14mmø

Plug	Code
2.5mm DC	MJ110



2.5mm DC PLUG WITH LEAD

PRE-MADE 1.8M LEAD

Pre-Made 1.8M DC Lead & Plug

Type	Barrel Plug	Code
Straight	9mm	2.5mm DCL2509ST
Straight	12mm	2.5mm DCL2512ST
R/Angle	9mm	2.5mm DCL2509RA
R/Angle	12mm	2.5mm DCL2512RA



2.5mm DC PLUG REVERSIBLE

CHANGEABLE "R" PLUGS

Pre-Made 1.8M DC Lead

Type	Plug	Code
2Amp	1.8M Required	DCL-R2A
5Amp	1.8M Required	DCL-R5A
Straight	DC 2.5mm	FSR04
R/Angle	DC 2.5mm	FLR04



2.5mm PLUG TO PLUG

30cm LEAD

Pre-Made 30cm DC Lead

Plug	Type	Code
2.5mm DC	M-M	KLE01



DC SPLITTER LEADS

SOCKET TO MULTIPLE PLUGS

Pre-Made 30cm DC Lead

Type	Plug	Code
F-M(x2)	2.5mm DC	ADC322
F-M(x4)	2.5mm DC	ADC325
F-M(x5)	2.1mm DC	DCL5



3.1mm P431

3.1mm DC plug
6.3mm O/D

Barrel Plug	Code
9mm	3.1mm DC P431





EIAJ-01 DC PLUG

0.7ø x 2.35ømm

Plug Code
EIAJ-01 MP201



EIAJ-01 R/A DC PLUG

0.7ø x 2.35ømm


Type Plug Code
R/Angle EIAJ-01 MP201RA



EIAJ-01 DC INLINE JACK

Centre 0.7ømm


Plug Code
EIAJ-01 S201



EIAJ-01 DC PANEL MOUNT

Centre 0.7ømm

Plug Code
EIAJ-01 MJ201



EIAJ-02 DC PLUG

1.7ø x 4ømm

Plug Code
EIAJ-02 MP202



EIAJ-02 R/A DC PLUG

1.7ø x 4ømm


Type Plug Code
R/Angle EIAJ-02 MP202RA



EIAJ-02 DC INLINE JACK

1.7ø x 4ømm


Plug Code
EIAJ-02 S202



EIAJ-02 DC PANEL MOUNT

1.7ømm x 4ømm


Plug Code
EIAJ-02 MJ202



EIAJ-02 DC PANEL MOUNT SWITCHED

O/D 4.0mmø
I/D 1.7mmø
Mount 14mmø

Plug Code
EIAJ-02 MJ120



“R” PLUG AND LEAD SYSTEM

1.8M Prepared Lead with “R” Socket and Grommet.

Type	Plug	Code
2Amp 1.8M Required	DCL-R2A	
5Amp 1.8M Required	DCL-R5A	
“R” DC PLUGS TO SUIT DCL		
Straight DC 1.3mm	FSR05	
R/Angle DC 1.3mm	FLR05	
Straight DC 2.1mm	FSR02	
R/Angle DC 2.1mm	FLR02	
Straight DC 2.5mm	FSR04	
R/Angle DC 2.5mm	FLR04	
Straight EIAJ-02	FSR06	
R/Angle EIAJ-02	FLR06	
Straight EIAJ-03	FSR07	
R/Angle EIAJ-03	FLR07	
Straight TRS 2.5mm	MSR01	
R/Angle TRS 2.5mm	MLR01	
Straight TRS 3.5mm	MSR02	
R/Angle TRS 3.5mm	MLR02	



EIAJ-03 DC PLUG

1.7ø x 4.75ømm


Plug Code
EIAJ-03 MP203



EIAJ-03 R/A DC PLUG

1.7ø x 4.75ømm

Type Plug Code
R/Angle EIAJ-03 MP203RA



EIAJ-03 LEAD

1.7ø x 4.75ømm
1.8M Lead to bare end


Plug Code
EIAJ-03 DCL1712RA



EIAJ-03 DC INLINE JACK

1.7ømm x 4.75ømm


Plug Code
EIAJ-03 MS203



EIAJ-03 DC PANEL MOUNT

1.7ømm x 4.75ømm


Plug Code
EIAJ-03 MJ203



3mm PANEL DC JACK EIAJ

O/D 4.75mmø
I/D 1.7mmø
Mount 14mmø

Plug Code
EIAJ-03 MJ203



EIAJ-04 DC PLUG

3.4ø x 5.5ømm
1.0ø Centre Pin


Plug Code
EIAJ-04 MP204



EIAJ-04 R/A DC PLUG

3.4ø x 5.5ømm
1.0ømm Centre Pin


Type Plug Code
R/Angle EIAJ-04 MP204RA



EIAJ-04 DC PANEL MOUNT SWITCHED

Centre 1.0ømm
Inside 3.4ømm


Plug Code
EIAJ-04 MJ204



EIAJ-05 DC PLUG

4.4ø x 6.5ømm
1.4ø Centre Pin


Plug Code
EIAJ-05 MP205



EIAJ-05 DC PANEL MOUNT

Centre 1.4ømm
Inside 4.4ømm


Plug Code
EIAJ-05 MJ205



EIAJ-05 DC PANEL MOUNT SWITCHED

O/D 6.5mmø
I/D 4.3mmø
Mount 14mmø

Plug Code
EIAJ-05 MJ205





07 PLUGS & SOCKETS

→ BNC

BNC COMPRESSION CONNECTORS

New weather proof crimp
See compression page..


Cable	Code
RG58au/cu	P640
RG59u	P642
RG59au	P643
RG6	P644
RG6-Quad	P645



BNC CRIMP

Pin crimp Diameter depends on type of centre conductor. Solid/Multi-core.

Cable	Core	I/D	O/D
RG58U	0.9	3.0	5.5
RG58CU	1.2	3.0	5.5
RG59U	0.7	3.5	7.0
RG59AU	0.9	3.5	7.0
RG6	1.0	5.0	7.5



BNC CRIMP RG58u

Cable	Pins	Code
RG58u	0.9mmØ	P659



BNC CRIMP RG58cu

Cable	Pins	Code
RG58cu	1.2mmØ	P660



BNC CRIMP RG59u

Cable	Pins	Code
RG59u	0.7mmØ	P662



BNC CRIMP RG59au

Cable	Pins	Code
RG59au	0.9mmØ	P661



BNC CRIMP RG6

Cable	Pins	Code
RG6	1.1mmØ	P663



BNC CRIMP RG174

Cable	Code
RG174	BNC7001



BNC CRIMP RG59 HEAVY-DUTY

Barrel crush
Suit Code
RG59u P632



BNC CRIMP RG6 HEAVY-DUTY

Barrel crush
Suit Code
RG6 P634



BNC CRIMP RG213 HEAVY-DUTY

Barrel crush
Suit Code
RG213 P667



BNC CRIMP RG213 RIGHT-ANGLE

Right Angle

Suit	Code
RG8 & RG213	BNC7002



BNC NEUTRIK RG59U

Premium VSWR Gold pin.
75Ω 500Vac With boot.
Pin = 0.6mm I/D = 6.1mm

Code
NBNC7



BNC NEUTRIK RG59

Twist-On cable entry.
75Ω 500Vac With boot.
Pin = 0.8mm I/D = 6.1mm

Code
NBNC9



BNC NEUTRIK RG6

Strain relief boot.
75Ω 500Vac With boot.
Pin = 1.0mm I/D = 7.0mm


Code
NBNC11



P601

BNC plug solder type
Suit 1.2mm RG58 cable


Code
P601



P602

BNC plug solder type
Suit 0.9mm RG59 cable

Code
P602



P651

BNC plug screw terminating

Code
P651



P653

BNC right angle screw terminating


Code
P653



P664

BNC Twist-On RG58


Code
P664



P665

BNC twist on, RG59U

Code
P665



P603

Suit RG213
Heavy duty twist-on
Compression assembly

Code
P603



BNC LOAD TERMINATOR

BNC Plug with load

Type	Code
50Ω	BNT50
75Ω	BNT75
93Ω	BNT93





J600

BNC panel socket
silver plated

Code
J600



COUNTER-SUNK BNC

Metal Chassis BNC→BNC Rear.
Plate 31x26mm
Silver

Code
AC-BNC-JJ-75



COUNTER-SUNK BNC

Metal Chassis "Amphenol" Type
BNC→BNC 31x26mm
Black

Code
AC-BNC-JJ-75B



COUNTER-SUNK BNC

Metal Chassis
Solder rear 31x26mm

Code
NBB75DSG



P682

BNC female - female
Panel Mount.

Code
P682



J605 RG58 crimp

BNC panel mount.

Code
J605



J606 RG59U crimp

BNC panel mount.


Code
J606



P670

BNC female crimp RG58


Code
P670



P672

BNC female crimp RG59

Code
P672



BNC7022

BNC female crimp RG174

Code
BNC7022



REVERSE BNC MALE CRIMP

Cable Code
RG174 BNC2001



REVERSE BNC FEMALE CRIMP

Cable Code
RG174 BNC2022



→ PAL

PAL COMPRESSION CONNECTORS

Nickel Plated Barrel

Cable	Code
RG59	P542
RG6	P543
RG6-Quad	P544



S512

TV coax in-line socket
screw terminal Plastic

Code
S512



S511

TV coax in-line
socket screw terminal
Plastic Deluxe style

Code
S511



S535

TV coax right angle
screw terminating
Plastic socket.


Code
S535



P535

TV coax right angle
screw terminating
Plastic plug.


Code
P535



S520

TV coax metal in-line
socket screw terminal
Metal socket.

Code
S520



P515

TV coaxial plug
screw terminating
Plastic plug.


Code
P515



P540

TV coaxial plug
Screw terminating
Metal plug.

Code
P540



P541 CRIMP PLUG

Suit RG6, etc.
(6-7mmØ)

Code
P541



S521 CRIMP SOCKET

Suit RG6, etc.
(6-7mmØ)

Code
S521






07 PLUGS & SOCKETS

→ PAL

J500 FEMALE

75Ω coax chassis
PAL Socket
Female

Code
J500



J501 MALE

75Ω coax chassis
PAL Socket Male

Code
J501



J561

75Ω PCB mount PAL
Socket Female


Code
J561



J510

Panel Mount
PAL Socket
Female


Code
J510



J512

Female chassis mount.
Suit 14-17mm hole.

Code
J512



CJ500

Coax cable joiner
Screw terminating

Collar Code
Black CJ500B
White CJ500W



→ "F"

"F" PLUG - TWIST ON RG59

O/D 6mmØ, RG59

Code
FT59



"F" PLUG - TWIST ON RG6

O/D 6.5mmØ, RG6

Code
FT65



"F" PLUG - TWIST ON RG6-QUAD

O/D 6.5mmØ, RG6

Code
FT65Q



"F" CRIMP 6.0mm OD

Attached Crimp Collar

Code
FL59



"F" CRIMP DELUXE 6.5mm OD

Attached Crimp Collar
For added strain relief.

Code
FL65



F70 Suit 6.5mm OD SLIP-ON

Quick disconnect type

Code
F70



"F" CRIMP GILBERT RG6

Suit RG6 Cable Gilbert USA
standard Unsealed

Code
F322



"F" CRIMP GILBERT IP

Suit RG6 Cable Gilbert USA
standard Sealing Grommet

Code
F325



"F" CRIMP RG11

Suit RG11 Cable
Separate Pin


Code
F335



"F" CRIMP RG11

Suit RG11 Cable
Integrated pin

Code
F336



"F" CRIMP FEMALE RG59

Suit RG59 Cable
6.0mm O/D Push On

Code
FS59



"F" CRIMP FEMALE RG6

Suit RG6 Cable
6.5mm O/D Push On

Code
FS65



"F" COMPRESSION CONNECTORS

Nickel Plated Barrel

Cable Code
RG59 F331
RG6 F333
RG6-Quad F334



DC BLOCKER

Blocks Line Voltage

Code
RL-ACC130



FTM75 "F" TERMINATOR 75Ω

75Ω "F" Male

Code
FTM75





SMA58

SMA male crimp, RG58

Code
SMA58



SMA174

SMA Male crimp type
suit RG174 cable.

Code
SMA174



SMA174R

SMA Male crimp Right Angle
suit RG174 cable.

Code
SMA174R



SMA CHASSIS CRIMP

MALE RG58

Code
SMA258



SMF58

SMA female crimp type
suit RG58 cable.

Code
SMF58



SMA175

SMA female crimp type
suit RG174U cable.

Code
SMA175



SMA176

SMA female crimp type
RG174U BULKHEAD TYPE

Code
SMA176



SMA MALE CRIMP

Reverse SMA Male Crimp Gold Plated

Suit	Code
RG58	SMA158
RG174	SMA2801



SMA FEMALE CRIMP

Reverse SMA Female Crimp type

Suit	Code
RG58	SMF158
RG174	SMA2809



SMB105

SMB Male
Crimp type

Suit	Code
RG174	SMB105



SMB101

SMB Female
Crimp type

Suit	Code
RG174	SMB101



N PLUGS CRIMP

Cable	Code
RG174	N7301
RG58CU	N120
RG213	N112
LL400	N113



"N" SCREW-ON PLUG

Screw-down compression

Cable	Code
RG58	N115
RG213	N110



N7302

"N" Male crimp RG8 &
RG213 cable. Right Angle

Code
N7302



N126

"N" Male Right/Angle LL400 RG213
Cable Screw-down compression

Code
N126



N125

"N" male right angle for RG58 type cable.
Screw-down compression

Code
N125



N127

"N" Female
LL195 RG58cu Cable

Code
N127



N128

"N" Female
RG213 Cable

Code
N128



N129

"N" Female
LL400 LMR400 RG8u Cable

Code
N129



N145

"N" type female
chassis mount.

Code
N145



N150

"N" female waterproof Earthed
chassis mount Solder rear terminal

Code
N150



N152

"N" female waterproof Earthed
chassis mount RG58 Crimp rear

Code
N152



N154

"N" female waterproof
Earthed chassis mount
RG8 & RG213 Collar twist

Code
N154





07 PLUGS & SOCKETS

TNC CRIMP

Suit	Code
RG58	TNC28
RG59	TNC29
RG213	TNC7402



TNC7401

TNC Male crimp
Suit RG174 cable

Code
TNC7401



TNC218

TNC thread-on plug

Code
TNC218



TNC45

TNC panel mount
crimp type RG58.

Code
TNC45



TNC CRIMP

TNC female crimp type
to suit RG58 cable.

Suit	Code
RG58	TNC99
RG213	TNC7416



TNC7415

TNC Female crimp
Suit RG174 cable

Code
TNC7415



TNC232

TNC chassis mount.

Code
TNC232



REVERSE-TNC FEMALE CRIMP

Reverse TNC Socket

Suit	Code
RG58	TNC98



REVERSE-TNC MALE CRIMP

Reverse TNC Plug

Suit	Code
RG174	TNC2401



REVERSE-TNC MALE CRIMP

Reverse TNC Plug

Suit	Code
RG58	TNC27



REVERSE-TNC FEMALE CRIMP

Reverse TNC Socket

Suit	Code
RG174	TNC2415



TAC105

Twin Axial
Female plug

Code
TAC105



FME158

FME Male RG58

Code
FME158



FME8015

FME Male RG174

Code
FME8015



FME100

FME Female crimp RG58

Code
FME100



FME8001

FME Female crimp RG174

Code
FME8001



LPC101

Lucent WiFi Crimp
Suits MC Cards, etc.
LMR100 RG174 Cable

Code
LPC101



CAL711 Lucent

Fly lead 50cm Lucent
MC-Card WiFi Connector
to SMA-RP Plug

Code
CAL711



MCX101 Mini UHF

MCX 6GHz Gold Plated
RG174

Code
MCX101



MCX102 Mini UHF

MCX 6GHz Gold Plated
RG174 Right Angle

Code
MCX102



MCX103 Mini UHF

MCX 6GHz Gold Plated
RG58 Coax Crimp

Code
MCX103



MCX112 Mini UHF

MCX 6GHz Gold Plated
rg58 Coax Crimp

Code
MCX112



MCX111 Mini UHF

MCX 6GHz Gold Plated
RG174 Female

Code
MCX111



MMCX101 Micro-Mini UHF

MMCX 6GHz Gold Plated
RG174 RG178 RG188 RG316

Code
MMCX101





PL259A

UHF Plug for **RG58**
Short Barrel Type
Code
PL259A



PL259R

UHF Plug for **RG213-JU**
REDUCER for **RG58**
Code
PL259R



PL259S

UHF Plug with strain relief suit **RG58**
Code
PL259S



PL259SRA

Right angle strain relief suit **RG58**
Code
PL259SRA



PL259 CRIMP

Suit	Code
RG58	PL259-58
RG59	PL259-59



PL259-CL58

Suit **RG58** Cable
Screw Collar (Short)
Code
PL259-CL58



PL259 SCREW COLLAR HEAVY-DUTY

Suit	Code
RG58	PL259-SC58
RG213	PL259-SC213




PL259-213

Suit **RG213** Cable
Locking Collar
Code
PL259-213



SO239

Panel socket UHF
Code
SO239



IL239-58 IL239-213

RG58u Twist-On Wide Bandwidth
Code
IL239-58

RG213u Twist-On Wide Bandwidth
Code
IL239-213



PM239

Panel socket UHF
Code
PM239



SPM239

Panel Socket PL259 Solder
Gold pin wide-band
Code
SPM239



SPM239-58

Panel Socket PL259 Solder
Twist-On RG58u
Code
SPM239-58




SPM239-213

Panel Socket PL259 Solder
Twist-On RG213
Code
SPM239-213



M259 MINI-UHF

Suit	Code
RG174	M259-174
RG58	M259-58
RG59	M259-59



S259-58

Mini UHF crimp inline socket RG58 coax
Code
S259-58



S259-174

Mini UHF crimp inline socket RG174 coax
Code
S259-174



RCA CRIMP PLUG

Suit	Code
RG59	P360
RG58	P361



→ RF Misc

GOLD PINS BNC TNC

Suit BNC,TNC,etc. 10 pcs.

Type	Code
0.7mm hole	BNP7
0.9mm hole	BNP9
1.2mm hole	BNP12



CRIMP FERULES

Suit crimp plugs. 10pcs

Type	Code
RG58 type	FER58
RG59 type	FER59



STRAIN RELIEF BOOTS

Suit	Colour	Code
RG58 Cable	Black	58SRB-BK
RG58 Cable	Blue	58SRB-BU
RG58 Cable	Green	58SRB-GN
RG58 Cable	Red	58SRB-RD
RG58 Cable	White	58SRB-WH
RG58 Cable	Yellow	58SRB-YL
RG59U Cable	Black	59SRB-BK
RG59U Cable	Blue	59SRB-BU
RG59U Cable	Green	59SRB-GN
RG59U Cable	Red	59SRB-RD
RG59U Cable	White	59SRB-WH
RG59U Cable	Yellow	59SRB-YL
RG6 Cable	Black	6SRB-BK
RG6 Cable	Blue	6SRB-BU
RG6 Cable	Green	6SRB-GN
RG6 Cable	Red	6SRB-RD
RG6 Cable	White	6SRB-WH
RG6 Cable	Yellow	6SRB-YL





07 PLUGS & SOCKETS

→ Adaptors - Cross Reference

BNC Male

BNC Male	AD1190
BNC Female, right angle	P680
BNC Female X 2	P695
BNC Female X 2	P697
Banana binding posts X 2	BP60
F Female	AD280
FME Male	FME140
FME Female	FME146
N Male	N157
N Female	N156
Mini UHF Female (S259)	MUF439
PAL Female	AD235
RCA Female	AD230
SO239	AD240
SMA Female	SMA430
TNC Female	TNC254

BNC Male x 2

BNC Female	P696
------------	------

BNC Female

BNC Male x 2	P696
BNC Female X2	P693
BNC Female	P694
BNC Male right angle	P680
F Male	AD290
F Female	AD291
FME Female	FME145
SMA Female	SFB148
Mini UHF Male (S259)	MUF339
UHF Male (PL259)	AD210
N Male	N155
PAL Male	AD292
PAL Female	AD294
RCA Male	AD260
SMA Male	SMA230
TNC Male	TNC268
TNC Female	AD1175

BNC Female x 2

BNC Male	P697
BNC Female	P693
BNC Male	P695

F Male

F Female R/Angle	AD328
BNC Female	AD290
F Male	AD315
PAL Female	AD310
RCA Female	AD330
F Female Quick disconnect	F72

F Female

Male R/Angle	AD328
F Male Quick disconnect	F72
RCA Male	AD340
BNC Male	AD280
BNC Female	AD291
F Female [Short Version]	AD327
F Female [Long Version]	AD327L
MCX Male	AD1152
PAL Male	AD320
PAL Female	AD325
SMA Female	AD1106
SMA Male	AD1105



FME Male

BNC Male	FME140
FME Male	FME120
Mini UHF Male (M259) SHORT	FME150
Mini UHF Male (M259) LONG	FME265
N Male	FME160
MC Lucent (Patch Lead)	CAL712
MMCX (Patch Lead)	CAL807
TNC Male	FME130
UHF Male (PL259)	FME259
SMA Male	AD1112
SSMB (Patch Lead)	CAL805

FME Female

BNC Male	FME146
FME Female	AD1111
N Female	AD1075
SMA Male	AD1103
SMA Female	AD1104
BNC Female	FME145
TNC Female	FME110
Mini UHF Female (S259)	FME250

MCX Male

F Female	AD1152
N Male	AD1141
N Female	AD1142
PAL Female	AD1151
SMA Female	AD1140

MCX Female

SMA-RP Male	AD1143
-------------	--------

N Male

BNC Male	N157
BNC Female	N155
FME Male	FME160
N Male	N130
N Female x 2 (T type)	N140
UHF Female (SO239)	N160
SMA Female	AD1071
SMA Male	AD1072
SMA-RP Male	AD1001
SMA-RP Female	AD1006
TNC-RP Male	AD1042
TNC-RP Female	AD1044
MCX Male	AD1141

N Female

BNC Male	N156
N Female	N135
TNC Male	TNC278
SMA Female	AD1073
SMA Male	AD1074
FME Female	AD1075
SMA-RP Female	AD1005
SMA-RP Male	AD1012
TNC-RP Male	AD1041
MCX Male	AD1142
UHF Male	AD1076

N Female x 2

N Male (T type)	N140
-----------------	------

PAL Male

PAL Female	AD510
PAL Male	AD511
RCA Female	AD513
BNC Female	AD292
F Female	AD320

PAL Female

PAL Female	AD500
PAL Male	AD510
RCA Female	AD503
RCA Female (chassis)	AD504
RCA Male	AD505
3.5mm Male Mono	TVA25
BNC Male	AD235
BNC Female	AD294
F Male	AD310
F Female	AD325
MCX Male	AD1151

3.5mm Mono Male

3.5mm Female Mono R/Angle	AD114
PAL Female	TVA25
RCA Female	AD13
RCA Female x 2	AD1130
3.5mm Female Stereo	AD113
6.35mm Female Mono	AD12
6.35mm Female Stereo	AD123
3.5mm Female Stereo x 2	API89105
3.5mm Female Stereo (Airline)	AD215
3.5mm Female Stereo R/Angle	AD216

3.5mm Mono Female

Male Mono R/Angle	AD114
RCA Male	AD31
2.5mm Male Mono	AD11
6.35mm Male Mono	AD21
3.5mm Male Stereo	API89105
3.5mm Male Mono x 2	AD215
3.5mm Male Stereo R/Angle	AD216

3.5mm Stereo Male

6.35mm Female Stereo	AD122
RCA Female x 2	AD1230
3.5mm Female Stereo x 2	AD1210
2.5mm Stereo Female	AD115

3.5mm Stereo Female

2.5mm Male Stereo	AD112
2.5mm Male Stereo	AD111
6.35mm Male Stereo	AD212
3.5mm Male Mono	AD113
6.35mm Male Mono	AD213

3.5mm Stereo Female x 2

3.5mm Male Stereo	AD1210
6.35mm Male Stereo	AD2210

6.35mm Mono Male

RCA Female	AD23
3.5mm Female Mono	AD21
3.5mm Female Stereo	AD213
6.35mm Female Stereo	AD223
RCA Female x 2	AD2130
6.35mm Female Mono x 2	AD2120
RCA Female	DHPA190

6.35mm Mono Female

RCA Male	AD32
3.5mm Male Mono	AD12
RCA Male	DHPA180

6.35mm Mono Female x 2

6.35mm Male Mono	AD2120
------------------	--------

6.35mm Stereo Male

6.35mm Female Stereo	AD2220
RCA Female x 2	AD2230
3.5mm Female Stereo	AD212
3.5mm Female Stereo x 2	AD2210
3.5mm Stereo Female	DHPA165



→ Adaptors - Cross Reference

6.35mm Stereo Male x 2

3.5mm Stereo Female	DHPA170
---------------------	---------

6.35mm Stereo Female

3.5mm Male Mono	AD123
3.5mm Male Stereo	AD122

6.35mm Stereo Female x 2

6.35mm Male Stereo	AD2220
--------------------	--------

RCA Male

BNC Female	AD260
F Female	AD340
PAL Female	AD505
RCA Female X 2	AD3130
RCA Female X 2 [gold]	AD965
RCA Male [gold]	AD950
RCA Female [gold Long R/Angle]	AD960
RCA Female [gold Short R/Angle]	AD962
SVHS Female	SVHS321
UHF Female (SO239)	AD270
3.5mm Mono Female	AD31
6.35mm Mono Female	AD32
RCA Male	AD40

RCA Female

RCA Female	AD33
RCA Female Pair	AD34
RCA Female Triple	AD35
RCA Female 3-Way	AD3131
BNC Male	AD230
F Male	AD330
PAL Male	AD513
PAL Female	AD503
PAL Female (chassis)	AD504
RCA Male [gold short R/Angle]	AD962
RCA Male [gold long R/Angle]	AD960
RCA Female [gold]	AD955
SVHS Male	SVHS322
UHF Male (PL259)	AD220
3.5mm Male Mono	AD13
6.35mm Male Mono	AD23

RCA Female x 2

RCA Male	AD3130
RCA Male [gold]	AD965
3.5mm Male Mono	AD1130
3.5mm Male Stereo	AD1230
6.35mm Male Mono	AD2130
6.35mm Male Stereo	AD2230

RCA Female x 3

SCART Male	AD904
SCART Male w/ I/O rev SW	AD905
SCART Male	AD906

SMA Male

BNC Female	SMA230
F Female	AD1105
FME Male	AD1112
FME Female	AD1103
N Male	AD1072
N Female	AD1074
UHF Female (PL259)	AD312
SMA Male	AD1101
SMA Female R/Angle	SMA390
SMA-RP Male	AD1003
SMA-RP Female	AD1008
TNC Female	SMA150
TNC-RP Female	AD1046

SMA Female

BNC Male	SMA430
BNC Female	SFB148
F Female	AD1106
FME Female	AD1104
MCX Male	AD1140
MMCX Male	AD1120
MMCX Female	AD1121
N Male	AD1071
N Female	AD1073
Mini UHF (M259)	SMA319
Lucent MC Lead	CAL716
MMCX (Patch Lead)	CAL808
SMA Female	AD1102
SMA Female (panel mount)	SMA291
SMA Female (wall plate mount)	SMA292
SMA Male R/Angle	SMA390
SMA-RP Male	AD1002
SMA-RP Female	AD1007
TNC Male	SMA451
TNC Female	SMA452
TNC-RP Male	AD1043
TNC-RP Female	AD1045

SMA-RP Male

N Male	AD1001
SMA Female	AD1002
SMA Male	AD1003
SMA-RP Male	AD1011
N Female	AD1012
MCX Female	AD1143
Lucent MC (Patch Lead)	CAL711

SMA-RP Female

MMCX Male	AD1122
N Female	AD1005
N Male	AD1006
SMA Female	AD1007
SMA Male	AD1008
TNC-RP Male	AD1009
SMA-RP Female	AD1010

S-Video Male

RCA Female	SVHS322
------------	---------

S-Video Female

SVHS Female	AD4SVHS
RCA Male	SVHS321
SCART Male	AD904
SCART Male w I/O switch	AD905

TNC Male

BNC Female	TNC268
FME Male	FME130
SMA Female	SMA451
TNC Female (push on)	TNC75
TNC Female, R/A	TNC240
Mini UHF Female (S259)	TNC274
2 x TNC Female (T type)	TNC224

TNC Female

BNC Male	TNC254
BNC Female	AD1175
FME Female	FME110
SMA Male	SMA150
SMA Female	SMA452
Mini UHF Male (M259)	MUF250
TNC Male (push on)	TNC75
TNC Male R/Angle	TNC240
TNC Female (Panel mount)	TNC246
TNC Female	TNC262

TNC Female x 2

TNC Male (T type)	TNC224
-------------------	--------

TNC-RP Male

N Female	AD1041
N Male	AD1042
SMA Female	AD1043
TNC-RP Male	AD1047
SMA-RP Female	AD1009

TNC-RP Female

N Male	AD1044
SMA Female	AD1045
SMA Male	AD1046
TNC-RP Female	AD1048
SMA-RP Male	AD1004

UHF Male (PL259)

UHF Male	AD2259
SO239 R/Angle	AD259RA
BNC Female	AD210
FME Male	FME259
N Female	AD1076
RCA Female	AD220

UHF Female (SO259)

UHF Male (PL259)	AD259RA
BNC Male	AD240
RCA Male	AD270
SMA Male	AD312
Mini UHF Male (M259)	MUF379
UHF Female (SO239)	PL258
UHF Female x 2 (T type)	P698
N Male	N160

UHF Mini Male (M259)

BNC Female	MUF339
FME Male (Short body)	FME150
FME Male (Long body)	FME265
TNC Female	MUF250
Mini UHF Male (M259) R/Angle	M259RA
UHF Female (SO239)	MUF379

UHF Mini Female (S259)


BNC Male	MUF439
FME Female	FME250
Mini UHF Male (M259) R/Angle	M259RA
TNC Male	TNC274
SMA Female	SMA319

XLR Male

6.3mm Stereo Female	DHMA615
XLR Male	DHMA500
6.3mm Mono Female	DHMA320
6.3mm Stereo	DHMA305
6.3mm Mono	DHMA300

XLR Female

6.3mm Stereo Female	DHMA625
6.3mm Stereo	DHMA295
6.3mm Mono	DHMA290





07 PLUGS & SOCKETS

07 PLUG & SOCKETS

→ Adaptors - AV


AUDIO & COMMUNICATION ADAPTORS

Power Adaptors - SECT 12 AC POWER
Computer Adaptors - SECT 16 COMPUTER
Antenna Adaptors - SECT 9 ANTENNA ACCESSORIES
Mobile Phone - SECT 17 CELLULAR ACCESSORIES

AD112

2.5mm plug stereo 3.5mm socket stereo

Code
AD112



AD111

2.5mm Stereo Plug TO
3.5mm Stereo Socket

Code
AD111



AD115

2.5MM-3.5MM STEREO

2.5mm Stereo Socket TO 3.5mm Stereo Plug

Code
AD115



AD12

3.5mm plug to 6.35mm mono socket


Code
AD12



AD21

6.35mm plug to 3.5mm socket


Code
AD21



AD23

RCA socket to 6.35mm plug.


Code
AD23



AD31

RCA plug to
3.5mm socket

Code
AD31



AD32

RCA plug to 6.35mm socket


Code
AD32



AD13

3.5mm plug to
RCA socket


Code
AD13



AD123

3.5mm mono plug to
6.35mm stereo socket.

Code
AD123



AD215 AIRLINE HEADPHONE ADAPTOR

Dual 3.5mm Mono Plugs to a single stereo
3.5mm socket.


Code
AD215



AD122

3.5mm stereo plug to
6.35mm stereo socket


Code
AD122



AD212

6.35mm stereo plug to
3.5mm stereo socket

Code
AD212



AD113

3.5mm mono plug to 3.5mm stereo socket

Code
AD113



AD114

3.5mm Mono Plug to 3.5mm Mono Socket
Right Angle Adaptor

Code
AD114



AD216

3.5MM RIGHT-ANGLE ADAPTOR

Stereo 3.5mm Male to Female Stereo socket.


Code
AD216



AD223

6.35mm mono plug to
6.35mm stereo socket


Code
AD223



AD213

6.35mm mono plug to
3.5mm stereo socket


Code
AD213



AD11

2.5mm plug to
3.5mm socket

Code
AD11



AD33

RCA socket to RCA socket Gold Plated

Code
AD33



AD34

RCA socket Pair RCA socket Pair Gold Plated

Code
AD34



AD35

RCA socket Triple RCA socket
Triple Gold Plated

Code
AD35



RCA GENDER BENDER F-F GOLD

Order One To Receive A Pack of Two
SOCKET TO SOCKET

Code
AD955



RCA GENDER BENDER M-M

PLUG TO PLUG

Code
AD40



RCA GENDER BENDER M-M GOLD

Order One To Receive A Pack of Two
PLUG TO PLUG

Code
AD950





→ Adaptors - AV


RCA RIGHT ANGLE ADAPTOR

Order One To Receive A Pack of Two Plug to Socket **Pair** Gold Plated.

Type Code

Short AD962

Long AD960



RCA DOUBLE ADAPTOR

Order One To Receive A Pack of Two Gold Plated

Code

AD965



AD3131

RCA Socket to 2 x RCA Sockets

Code

AD3131




AD3130

RCA plug to 2 x RCA sockets

Code

AD3130




AD2130

6.35mm plug to 2 x RCA sockets

Code

AD2130




AD2230

6.35mm stereo plug to 2 x RCA sockets

Code

AD2230




AD1130

3.5mm plug to 2 x RCA sockets

Code

AD1130




AD1230

3.5mm stereo plug to 2 x RCA sockets

Code

AD1230




AD1210

3.5mm stereo plug to 2 x 3.5mm stereo sockets

Code

AD1210




AD2220

6.35mm stereo plug to 2x 6.35mm stereo skt'

Code

AD2220




AD2120

6.35mm plug to 2 x 6.35mm sockets

Code

AD2120




AD2210

6.35mm stereo plug to 2 x 3.5mm stereo skts'

Code

AD2210



6.3mm to XLR

Jack Mono 6.3mm to XLR Female

Code

DHMA290



6.3mm to XLR

Jack Stereo 6.3mm to XLR Female

Code

DHMA295



6.3mm to XLR

Jack Mono 6.3mm to XLR Male

Code

DHMA300



6.3mm to XLR

Jack Stereo 6.3mm to XLR Male

Code

DHMA305



6.3mm to XLR

Jack Mono 6.3mm Female to XLR Male

Code

DHMA320



6.3mm to XLR

Jack Stereo Female 6.3mm to XLR Male

Code

DHMA615



6.3mm to XLR

Jack Stereo Female 6.3mm to XLR Female

Code

DHMA625



XLR to RCA

XLR Male to RCA Female

Code

DHMA500





07 PLUGS & SOCKETS

→ Adaptors - AV

6.3mm to 3.5mm

Jack Stereo Male 6.3mm to Jack Stereo Female 3.5mm

Code
DHPA165



6.3mm to 6.3mm

Jack Stereo Male 6.3mm to 2 Jack Stereo Female 6.3mm

Code
DHPA170



RCA to 6.3mm

RCA Male to Jack Mono Female 6.3mm

Code
DHPA180



6.3mm to RCA

Jack Mono Male 6.3mm to RCA Female

Code
DHPA190



AD4SVHS

S-VHS Gender Changer
Metal case. F→F

Code
AD4SVHS



See Also The DIN Plug Page



KEYWAY DIPS OUT.
(NOT IN LIKE MDP4)
Mini DIN Gender Changers:
◀ See The DIN Plug Page ▶

SVHS322 FORMAT CONVERTER

Passive circuitry
RCA Socket to SVHS Plug

Code
SVHS322



SVHS321 FORMAT CONVERTER

Passive circuitry
RCA Plug to SVHS Socket


Code
SVHS321



AD904

SCART to SVHS & Composite, Stereo, Input. Suit TV.


Code
AD904



AD905

SCART to SVHS & Composite, Stereo In/Out Switchable


Code
AD905



SCART TO RGB/YUV

Input or Outputs to YUV or RGB 3x RCA (Only - No Audio)

Code
AD906



AD500

PAL coaxial joiner socket to socket

Code
AD500



AD511

PAL coaxial joiner Plug to plug

Code
AD511



AD510

PAL coaxial joiner plug to socket

Code
AD510



AD513

PAL coax plug to RCA socket

Code
AD513



AD292

PAL coax plug to BNC socket

Code
AD292



AD503

PAL coax socket to RCA socket

Code
AD503



AD504

Panel mount PAL Socket to RCA Socket

Code
AD504



AD505

PAL Socket to RCA Plug


Code
AD505



AD235

Plug adaptor BNC plug to PAL socket

Code
AD235



AD294

PAL socket to BNC socket

Code
AD294



TVA25

3.5mm to PAL Socket
Suit little TVs.

Code
TVA25



AD1151

PAL Socket to MCX Male

Code
AD1151



MORE BALUN

For Splitters and other antenna accessories for TV
See Section 09 ANTENNA ACCESSORIES






→ Adaptors - Communication

AD259RA

Right-Angle PL259 → SO239 Adaptor


Code
AD259RA



AD210

Plug adaptor PL259 plug to BNC socket

Code
AD210



AD220

Plug adaptor PL259 plug to RCA socket

Code
AD220



AD230

Plug adaptor BNC plug to RCA socket

Code
AD230



AD240

Plug adaptor BNC plug to SO239 socket


Code
AD240



AD260

Plug adaptor RCA plug to BNC socket

Code
AD260



AD280

Plug adaptor BNC plug to "F" socket


Code
AD280



AD290

Plug adaptor "F" plug to BNC socket


Code
AD290



AD310

Plug adaptor "F" plug to PAL socket

Code
AD310



AD320

Plug adaptor PAL plug to "F" socket

Code
AD320



AD329

Right Angle PAL plug to "F" socket


Code
AD329



AD325

F socket to PAL 75 ohm socket.

Code
AD325



F72

"F" Quick Disconnect Spring clamp
"F" Plug to "F" Socket threaded

Code
F72



AD315

F plug to F plug line joiner


Code
AD315



AD327

"F" socket Line joiner
Available in two lengths

Length Code
20mm AD327
27mm AD327L



AD328

"F" Right Angle Male → Female

Code
AD328



AD330

"F" Male to RCA Female


Code
AD330



AD340

"F" Female to RCA Male

Code
AD340



AD291

"F" Female to BNC Female

Code
AD291



AD1190

BNC adaptor 2 Male


Code
AD1190



P694

BNC adaptor 2 female silver plated

Code
P694



BNC "T" ADAPTORS

Silver plated BNC Y adaptor. All Female. F→FF

Code
P693



BNC "T" ADAPTORS

Silver plated BNC Y adaptor Male M→FF

Code
P695



BNC "T" ADAPTORS

Silver plated BNC Y adaptor Male M→FF


Code
P697



BNC "T" ADAPTORS

Silver plated BNC
Y adaptor Female F→MM

Code
P696



BP60

Dual binding posts to
BNC adaptor.

Code
BP60






07 PLUGS & SOCKETS

→ Adaptors - Communication

P680

BNC "L" adaptor


Code
P680



SMA150

SMA male - TNC female


Code
SMA150



SMA230

SMA male - BNC female

Code
SMA230



SFB148

BNC Female SMA Female

Code
SFB148



AD1102

Plug adaptor
SMA Female to
SMA Female

Code
AD1102



SMA291

Panel Mountable SMA
Female to SMA Female


Code
SMA291



SMA292

Panel Mountable HEX Collar for Wall
plates SMA Female to SMA Female

Code
SMA292



SMA390

SMA male - female R/A

Code
SMA390



AD1106

SMA FEMALE - "F" FEMALE

Code
AD1106



AD1105

SMA MALE - "F" FEMALE

Code
AD1105



SMA451

SMA female - TNC Male

Code
SMA451



SMA430

BNC Male - SMA Female

Code
SMA430



SMA452

TNC Female SMA Female

Code
SMA452



AD1101

Plug adaptor SMA Plug to
SMA Plug

Code
AD1101



AD1103

Plug adaptor SMA Plug to
FME Socket

Code
AD1103



AD1104

Plug adaptor SMA Socket to
FME Socket

Code
AD1104



AD1003

Plug adaptor SMA Plug to
SMA-RP Plug

Code
AD1003



AD1008

Plug adaptor SMA Plug to
SMA-RP Socket

Code
AD1008



AD1046

Plug adaptor SMA Plug to
TNC-RP Socket

Code
AD1046



AD1072

Plug adaptor
SMA Plug to
"N" Plug

Code
AD1072



AD1074

Plug adaptor SMA Plug to
"N" Socket

Code
AD1074



AD1112

Plug adaptor SMA Plug to
FME Plug

Code
AD1112



AD1002

Plug adaptor SMA Socket to
SMA-RP Plug

Code
AD1002



AD1007

Plug adaptor SMA Socket to SMA-RP Socket

Code
AD1007



AD1043

Plug adaptor SMA Socket to TNC-RP Plug

Code
AD1043



AD1045

Plug adaptor SMA Socket to TNC-RP Socket

Code
AD1045





→ Adaptors - Communication

AD1071

Plug adaptor SMA Socket to "N" Plug

Code
AD1071



AD1073

Plug adaptor SMA Socket to N" Socket

Code
AD1073



AD1076

Plug adaptor PL259 Male to "N" Socket

Code
AD1076



AD1140

Plug Adaptor SMA Socket to MCX plug

Code
AD1140



AD1120

Plug Adaptor SMA Socket to MMCX plug

Code
AD1120



AD1121

Plug Adaptor SMA Socket to MMCX Socket

Code
AD1121



AD1122

Plug Adaptor SMA-RP Male to MMCX Male

Code
AD1122



N156

BNC Male to "N" Female


Code
N156



N155

"N" male to BNC female adaptor.


Code
N155



N130

"N" male to male inline adaptor.

Code
N130



N135

"N" female to female inline adaptor.


Code
N135



N140

"N" T adaptor. Male to two females.

Code
N140



N157

"N" male to BNC male adaptor

Code
N157



N160

"N" male to PL259 female adaptor.

Code
N160



AD1071

Plug adaptor "N" Plug to SMA Socket

Code
AD1071



AD1072

Plug adaptor "N" Plug to SMA Plug

Code
AD1072



AD1001

Plug adaptor SMA-RP Plug to "N" Plug

Code
AD1001



AD1006

Plug adaptor "N" Plug to SMA-RP Socket

Code
AD1006



AD1042

Plug adaptor "N" Plug to TNC-RP Plug

Code
AD1042



AD1044

Plug adaptor "N" Plug to TNC-RP Socket

Code
AD1044



AD1073

Plug adaptor "N" Socket to SMA Socket

Code
AD1073



AD1074

Plug adaptor "N" Socket to SMA Plug

Code
AD1074



AD1075

Plug adaptor "N" Socket to FME Socket

Code
AD1075



AD1005

Plug adaptor SMA-RP Socket to "N" Socket

Code
AD1005



AD1012

Plug adaptor "N" Socket to SMA-RP Plug

Code
AD1012



AD1041

Plug adaptor "N" Socket to TNC-RP Plug

Code
AD1041





07 PLUGS & SOCKETS

→ Adaptors - Communication

AD1141

Plug adaptor "N" Male to MCX Male

Code
AD1141



AD1142

Plug adaptor "N" Socket to MCX Plug

Code
AD1142



AD1143

Plug adaptor SMA-RP Male to MCX Male

Code
AD1143



AD1152

Plug adaptor "F" Female to MCX Male

Code
AD1152



TNC75

TNC Female to TNC Push-On Male Quick disconnect

Code
TNC75



TNC TO TNC


Type	Code
"T" Adaptor	TNC224
"L" Adaptor	TNC240



TNC246

TNC female to female with mounting nut.


Code
TNC246



TNC254

TNC female to BNC plug adaptor.

Code
TNC254



AD1175

TNC Female to BNC Female

Code
AD1175



TNC262

TNC female to female inline adaptor.

Code
TNC262



TNC268

TNC male to BNC female adaptor.


Code
TNC268



TNC274

TNC male adaptor to mini-UHF M259 female

Code
TNC274



TNC278

TNC MALE
"N" FEMALE

Code
TNC278



AD1041

Plug adaptor TNC-RP Plug to "N" Socket

Code
AD1041



AD1042

Plug adaptor TNC-RP Plug to "N" Plug

Code
AD1042



AD1043

Plug adaptor TNC-RP Plug to SMA Socket

Code
AD1043



AD1047

Plug adaptor TNC-RP Plug to TNC-RP Plug

Code
AD1047



AD1009

Plug adaptor TNC-RP Plug to SMA-RP Socket

Code
AD1009



AD1044

Plug adaptor TNC-RP Socket to "N" Plug

Code
AD1044



AD1045

Plug adaptor TNC-RP Socket to SMA Socket

Code
AD1045



AD1046

Plug adaptor TNC-RP Socket to SMA Plug

Code
AD1046



AD1048

Plug adaptor TNC-RP Socket to TNC-RP Socket

Code
AD1048



AD1004

Plug adaptor TNC-RP Socket to SMA-RP Plug


Code
AD1004



FME110

FME→TNC Female/female

Code
FME110



SMA150

SMA male - TNC female

Code
SMA150



SMA452

TNC Female SMA Female

Code
SMA452





→ Adaptors - Communication

MUF250

Mini UHF male TNC female


Code
MUF250



FME110

FME→TNC Female/female

Code
FME110



FME120

FME→FME Male/male


Code
FME120



FME130

FME→TNC Male/male

Code
FME130



FME140

FME→BNC Male/male


Code
FME140



FME145

FME → BNC Female → Female

Code
FME145



FME146

FME → BNC Female → Male


Code
FME146



FME150

FME→Mini UHF Male to male

Code
FME150



FME265

FME→Mini UHF Male to male


Code
FME265



FME250

FME→Mini UHF Female to female

Code
FME250



FME259

FME Male to PL259 Male


Code
FME259



FME160

FME→“N” Male to male

Code
FME160



AD1112

Plug adaptor FME Plug to SMA Plug

Code
AD1112



AD1111

Plug adaptor FME Socket to FME Socket

Code
AD1111



AD1075

Plug adaptor FME Socket to “N” Socket

Code
AD1075



AD1103

Plug adaptor FME Socket to SMA Plug

Code
AD1103



AD1001

Plug adaptor “N” Plug to SMA-RP Plug

Code
AD1001



AD1002

Plug adaptor SMA-RP Plug to SMA Socket

Code
AD1002



AD1003

Plug adaptor SMA-RP Plug to SMA Plug

Code
AD1003



AD1004

Plug adaptor SMA-RP Plug to TNC-RP Socket

Code
AD1004



AD1011

Plug adaptor SMA-RP Plug to SMA-RP Plug

Code
AD1011



AD1012

Plug adaptor SMA-RP Plug to “N” Socket

Code
AD1012



AD1005

Plug adaptor “N” Socket to SMA-RP Socket

Code
AD1005



AD1006

Plug adaptor SMA-RP Socket to “N” Plug

Code
AD1006



AD1007

Plug adaptor SMA-RP Socket to SMA Socket

Code
AD1007



AD1008

Plug adaptor SMA-RP Socket to SMA Plug

Code
AD1008





07 PLUGS & SOCKETS

→ Adaptors - Communication

AD1009

Plug adaptor SMA-RP Socket to TNC-RP Plug

Code
AD1009



AD1010

Plug adaptor SMA-RP Socket to SMA-RP Socket

Code
AD1010



CAL711 Lucent

Adaptor lead 50cm SMA-RP Female to Lucent MC-Card WiFi Connector

Code
CAL711



CAL716 Lucent

Adaptor lead 50cm SMA Female to Lucent MC-Card WiFi Connector

Code
CAL716



SMA319

Mini UHF-SMA F/F

Code
SMA319



M259RA

M259 Plug→Socket right angle.

Code
M259RA



MUF250

Mini UHF male - TNC female adaptor.

Code
MUF250



MUF339

Mini UHF Male - BNC female adaptor.


Code
MUF339



MUF439

Mini UHF Female - BNC male adaptor.


Code
MUF439



MUF379

Mini UHF male to UHF PL259 female

Code
MUF379



PL258

Female to female SO239 to SO239

Code
PL258



AD2259

PL259 → PL259

Code
AD2259



AD259RA

Right-Angle PL259 → SO239 Adaptor.


Code
AD259RA



PL259T

PL259 UHF Plug To 2x SO239 "T" Adaptor.

Code
PL259T



P698

SO239 UHF x3 "T" Adaptor

Code
P698



AD210

Plug adaptor PL259 plug to BNC socket

Code
AD210



AD220

Plug adaptor PL259 plug to RCA socket

Code
AD220



AD240

Plug adaptor BNC plug to SO239 socket


Code
AD240



AD270

Plug adaptor RCA plug to SO239 socket

Code
AD270



AD312

Plug Adaptor SMA Male to SO239 UHF

Code
AD312



BNC END CAP

MALE

With chain

Code
CP-BNC-M



BNC END CAP

FEMALE

Cap is Female

Code
CP-BNC-F



N END CAP

MALE

No centre pin

Code
CP-N-M



N END CAP

FEMALE

Seals & protects

Code
CP-N-F



UHF END CAP

PL259 MALE

Close out dirt

Code
CP-UHF-M



UHF END CAP

SO239 FEMALE

W/ retaining chain

Code
CP-UHF-F






→ Plugs & Sockets

CAR ANTENNA PLUG

Screw terminating type.

Code
CAP20



CAR ANTENNA PLUG

Standard solder type.

Code
CAP10



CAR ANTENNA SOCKET

Screw terminating type.


Code
CAS50



CAR ANTENNA SOCKET

Standard solder type.

Code
CAS10



CAR ANTENNA ADAPTOR

Standard to the new European

Plug

Code
AD653



Lead

Code
CAL653




CAR ANTENNA ADAPTOR

European to Standard

Plug

Code
AD655



Lead

Code
CAL655



CAR ANTENNA EXTENSION LEADS

Length	Code
0.6M	CAL60
1.2M	CAL120
3.6M	CAL360
5.0M	CAL500



CAR ANTENNA INPUT

"PIG TAIL"

Hangs out the back of the car stereo.

Code
APT1



MICROPHONE PLUGS

Type	Code
2 pin	NC514-2
3 pin	NC514-3
4 pin	NC514-4
5 pin	NC514-5
6 pin	NC514-6
7 pin	NC514-7
8 pin	NC514-8



MICROPHONE PLUGS RIGHT ANGLE

Type	Code
2 pin	NC516-2
3 pin	NC516-3
4 pin	NC516-4
5 pin	NC516-5
6 pin	NC516-6
7 pin	NC516-7
8 pin	NC516-8



MICROPHONE PANEL MOUNT SOCKETS

Type	Code
2 pin	NC515-2
3 pin	NC515-3
4 pin	NC515-4
5 pin	NC515-5
6 pin	NC515-6
7 pin	NC515-7
8 pin	NC515-8



MICROPHONE INLINE SOCKETS


Type	Code
2 pin	NC518-2
3 pin	NC518-3
4 pin	NC518-4
5 pin	NC518-5
6 pin	NC518-6
7 pin	NC518-7
8 pin	NC518-8



RUBBER GROMMETS

CHASSIS MOUNT 10pcs

Please Order ONE to Receive a bag of 10.



A	B	C	D	E	Code
11	8.0	4.5	1.6	4.5	GM210
15	9.5	6.3	1.6	7.0	GM310
18	13	9.5	1.6	6.8	GM410

STRAIN RELIEF BUSHING

CABLE CLAMPS

Chassis mount

6.2Ø→7.4Ø 10pcs

Code
SRC510

7.4Ø→8.2Ø 10pcs

Code
SRC610





07 PLUGS & SOCKETS

07 PLUGS & SOCKETS

→ Wall Plates

BLANK

CLIPSAL® COMPATIBLE

Blank wall plate
future expansion or
customisation
Hole punch markers

Code
CWP-BLANK



SINGLE

White 118x72mm Two piece plate.

Type Code
1 CWP01
Label WPL100



DOUBLE

Type Code
2 CWP02
Label WPL200

TRIPLE

Code
CWP03



QUAD

Code
CWP04



FIVE

Code
CWP05



SIX

Code
CWP06



ARCHITRAVE

CLIPSAL® STYLE

Accepts a switch or
any of the following
inserts. Surrounds
hides screws and
eases painting.
Compatible with
Clipsal® 2000 series.

Hole Code
1 CWP101
2 CWP102



BLANK INSERT PLUGS

For blanking off
empty unused holes
or for custom fitting
connectors

Code
WPI200



USB 3.0 SOCKET

USB 2.0 & 3.0
150mm Dongle
Socket to Socket

Code
WPI298



CLIPSAL AV RCA TO RCA INSERT

GLOD PLATED


Colour Code
Black WPI1321
White WPI1322
Red WPI1323
Green WPI1324
Blue WPI1325
Yellow WPI1326



RCA TO RCA

CHROME


Colour Code
Black WPI221
White WPI222
Red WPI223
Green WPI224
Blue WPI225
Yellow WPI226



RCA TO "F"

CHROME / SOLDER


Colour Code
Black WPI281
White WPI282
Red WPI283
Green WPI284
Blue WPI285
Yellow WPI286



RCA TO "F" FLUSH

CHROME / SOLDER

Colour Code
Black WPI211
White WPI212
Red WPI213
Green WPI214
Blue WPI215
Yellow WPI216



HDMI INSERT

CLIPSAL® COMPATIBLE

Socket to Socket Gold
plated pins Inline type

Code
WPI295



HDMI INSERT R/A

CLIPSAL® COMPATIBLE

Socket to Socket Gold
plated pins Right-Angle

Code
WPI296



HDMI DONGLE

CLIPSAL™ COMPATIBLE

HDMI 1.4 Compliant
Socket to socket
150mm long lead. Gold
plated pins.

Code
WPI297



PAL TO "F"

"F" REAR
PAL Socket Quick
"F" Socket Quick
install Flush
mount

Code
WPI250




PAL TO "F" R/A

CLIPSAL® COMPATIBLE "F" RIGHT/ANGLE

PAL Socket to "F"
Socket Quick install

Code
WPI251




BNC TO BNC

BNC REAR

BNC Socket to
BNC Socket
Quick install
Wide-bandwidth

Code
WPI255




BNC TO "F"

"F" REAR

BNC Socket to
"F" Socket Quick
install Wide-
bandwidth

Code
WPI265



"F" TO "F"

PAY-TV Approved
Chrome Wide-Band
Socket to socket

Code
WPI245



SMA TO SMA

SMA REAR

SMA Socket to
SMA Socket
Wide-bandwidth

Code
WPI290



SPEAKER BINDING POST 4mm

Gold plated post
Colour ID Band
4mm plug entry or
Screw side-entry
Loose speaker wire

Colour Code
Red WPI271
Black WPI272



RJ45 CAT5e ETHERNET

CAT-5e Ethernet RJ45
8-Pin Socket to Socket
(Clipsal Compatible).

Code
WPI241





→ Wall Plates

CAT5e

CLIPSAL® COMPATIBLE
Punch tool insert 8P8C
Certified CAT5e Compliant.



Colour Code

White	DA103WHT
Black	DA103BLK
Red	DA103RED
Blue	DA103BLU
Yellow	DA103YEL
Green	DA103GRN

CAT6

CLIPSAL® COMPATIBLE
Punch tool insert 8P8C
Certified CAT6 Compliant.

Colour Code

White	DA600WHT
Black	DA600BLK
Red	DA600RED
Blue	DA600BLU
Yellow	DA600YEL
Green	DA600GRN

VOICE JACK

CLIPSAL® COMPATIBLE
Punch tool insert as used
in voice communications.
2 line / Dual Appearance
Certified CAT3



Socket	Colour	Code
8P4C	White	DT100WHT
8P4C	Black	DT100BLK
8P4C	Blue	DT100BLU

VOICE JACK

CLIPSAL® COMPATIBLE
As used in voice communications.
Certified CAT3 2 Pins wired
Single line Dual appearance



Socket	Colour	Code
8P2C	White	DT1002WHT

VOICE JACK

CLIPSAL® COMPATIBLE
Punch tool insert 2 line
/ 2 appearance as used
in voice communications.
Certified CAT3 4 Pins wired



Socket	Colour	Code
6P4C	White	TD1006P

CABLE JOINER

PUNCH TOOL TYPE
Krone® 110 compatible
Eight in / Eight out
Enclosed case
50x25mm



Type	Code
CAT5e	DA215C5E
CAT6	DA215C6

RJ45 CAT5e 8P8C CAP

PUNCH DOWN
Dust cap

Code
CSM-CVR



VGA & 3.5mm

VGA D15 Female
3.5mm Stereo Socket
Code PK3307



VGA & 3.5mm RIGHT-ANGLE

VGA D15 Female
3.5mm Stereo Socket
Code PK3309



VGA & AUDIO

Clipsal® Compatible
D15HD VGA and Dual
RCA Sockets Rear are
all Sockets to Sockets
With 3.5mm adaptor
Code WPD15FSA



DVI WALL PLATE

SOCKET→SOCKET
Code WPD29DF



HDMI PC

HDMI, VGA,
Stereo 3.5mm,
3x RCA.
Code PRO1310



VGA USB

VGA, 3.5mm Stereo,
USB
Code PRO1314



VGA USB +

USB, VGA,
3.5mm Stereo
and 3x RCA.
Code PRO1309



VGA UNIVERSAL

CLIPSAL® COMPATIBLE
VGA Socket plus 4 blank
sockets for customisation.
Includes blanking caps.
Code WPI401



HDMI COMPONENT

HDMI WITH 3x RCA SOCKETS
Type Socket Pigtail
Code WP-HDMI24 WP-HDMI24PT



HDMI A/V

HDMI WITH 3x RCA SOCKETS
Type Socket Pigtail
Code WP-HDMI26 WP-HDMI26PT



HDMI

Socket to Right/Angle
2x Sockets to Right/Angle
Type Single Double
Code WP-HDMI1 WP-HDMI2



HDMI SINGLE

Socket To Socket
Type Socket Pigtail
Code WP-HDMI21 WP-HDMI21PT



HDMI DOUBLE

2x Socket to Socket
Type Socket Pigtail
Code WP-HDMI22 WP-HDMI22PT



HDMI "F"

HDMI WITH "F" CONNECTOR
Type Socket Pigtail
Code WP-HDMI28 WP-HDMI28PT





07 PLUGS & SOCKETS


07 PLUG & SOCKETS

→ Wall Plates

WALL PLATE - SINGLE

Quality Wall plate
Flush mounting
Standard size
Requires inserts

Code
WP321



WALL PLATE - DOUBLE

Quality Wall plate
Flush mounting
Standard size
Requires inserts

Code
WP322



WALL PLATE - TRIPLE

Quality Wall plate
Flush mounting
Standard size
Requires inserts


Code
WP323



WALL PLATE - QUAD

Quality Wall plate
Flush mounting
Standard size
Requires inserts

Code
WP324



WALL PLATE - HEX

Quality Wall plate
Flush mounting
Standard size
Requires inserts

Code
WP326



BLANK INSERT

Blank off a
spare wall plate
hole for future
expansion.

Code
WP100



COMMUNICATIONS PORT

RJ45 CAT5/6 PUSH-DOWN

Collar Code
White WPI52
Red WPI54
Yellow WPI56

RJ12 TELEPHONE

Code
WPI50

FACE COLLAR ONLY

Code
WPIN-JACK



PAL TO "F" INSERT

Professional Quality
Fast installation
PAL Socket with "F"
Screw rear.

Code
WPI12



"F" TO "F" INSERT

Professional Quality
Fast installation
"F" Socket front "F"
Socket Rear.

Code
WPI20



SMA TO SMA INSERT

Professional Quality
Fast installation
SMA Socket front
SMA Socket Rear.

Code
WPI22



BNC TO "F" INSERT

Professional Quality
Fast installation
BNC Socket with
"F" Type Socket
Rear for crimp type
solution.

Code
WPI60



HDMI

SEE PAGE 09-06

Snap-in Insert Suits wall
plates See Section 9...

HDMI SOCKET

Socket to Socket Gold
plated pins

Code
WPI95



RCA SOCKET TO "F"

RCA Front - "F" Socket rear.

Colour Code
Red WPI80
Green WPI82
Blue WPI84
Yellow WPI86
White WPI87



RCA SOCKET [SINGLE]

RCA Yellow (Video)
Rear Solder terminals

Code
WPI31

Black Socket To Socket

Code
WPI32



AUDIO PAIR [L&R]

RED & WHITE RCA PAIR
Professional Quality Fast
installation Two items
supplied. Rear soldering
terminals.

Code
WPI30



RCA TRIPLE [RGB]

RED GREEN BLUE RCA
Professional Quality Fast
installation RCA Sockets
with Solder terminals.
Three items supplied.

Code
WPI33



S-VIDEO

4-PIN MINI-DIN
Socket to Socket
Gold plated

Code
WPI70



4MM BINDING POSTS X2

RED & BLACK PAIR
Gold plated speaker
terminals for bare wire
connection or 4mm
Banana plugs. Screw
terminals.

Code
WPI40





WALL PLATE 4mm

Suits speaker wiring, power, etc.

Description	Code
2 x Banana Sockets	WP30



WALL PLATE RCA

DUAL RCA SOCKETS

Code
WP22KT



QUAD RCA SOCKETS


Code
WP24KT



"F" ENTRY BOX

"F" to "F" sockets through plate for minimum loss. Teflon insulator.

Code
TVS70



PAY TV APPROVED

"F" WALL SOCKET

"F" to "F" sockets through plate for minimum loss. Teflon insulator.

Code
TVS60



PAY TV APPROVED

PLASTER MOUNTING BRACKET

Plaster board type.

Code
UMB5



WALL PLATE L BRACKET

Code
UMB10



MOUNTING BRACKET LARGE

Code
UMB12



WALL PLATE STAND-OFFS 13mm

UNIVERSAL TYPES Suits Most Power Points and TV Wall Plates

Code
MBL2



WALL PLATE STAND-OFFS 35mm

UNIVERSAL TYPES Suits Most Power Points and TV Wall Plates

Code
MBL1



METAL MOUNTING BOX

UNIVERSAL TYPE

Suits TV Wall Plates & Power Points, etc.


Code
MWB10



WALL PLATE PAL SOCKET

Flush mount screw terminated. 75Ω I/O Includes Tap-off for multiple installations.

Code
TVS5
TVS5A



WALL PLATE PAL SOCKET ("F" BACK)

Wiring your house with "F" connectors? (Back of plate) to PAL socket (Front of plate).

Code
TVS65



DOUBLE WALL PLATE PAL

Flush mount 1x75Ω Coax input to splitter & 2x75Ω sockets

Code
TVS6



TV/FM SPLITTER SOCKET

Single saddle & screw to two 75Ω PAL Sockets. One socket goes direct to TV and the other is filtered for the FM band to reduce interference.

Code
TVS67



CABLE DROP HOOD

Horizontal wall plate Clipsal® Compatible. Feed cables neatly into a wall cavity. Plate 70x115mm Two Piece Type. New! Slim Version



Hole	Colour	Code
35x65mm	White	WP-HOOD1
35x65mm	Black	WP-HOOD2
15x50mm	White	WP-HOOD3

CABLE-DROP HOOD

WALL PLATE OPENING (REVERSE TYPE)

Hood for bringing out cable from wall. Horizontal Mounting Wall Plate: 70x115mm



Hole	Colour	Code
35x65mm	White	WPHOOD1R
35x65mm	Black	WPHOOD2R

RECESSED POWER POINT

Compatible with all wall outlets, (Does not include wall outlet itself). Metal bracket. White. 70mm/90mm depth.



Code
WP-REC1




07 PLUGS & SOCKETS

→ Terminal Blocks

TERMINAL BLOCK 5mm Pitch

20A 300V
14-22AWG
1mm Pins
Label face.


Type	Code
2Way	MTB812
3Way	MTB813



TERMINAL BLOCK 0.2" Pitch

20A 300V
14-22AWG
1mm Pins
Label face.


Type	Code
2Way	MTB832
3Way	MTB833



LOW-PROFILE 5mm Pitch

15A 300V
14-22AWG
0.9mm Pins
Label face.


Type	Code
2Way	MTB012
3Way	MTB013



LOW-PROFILE 0.2" Pitch

15A 300V
14-22AWG
1mm Pins
Label face.


Type	Code
2Way	MTB1012
3Way	MTB1013



LARGE GAUGE 10mm Pitch

30A 300V (UL)
32A 750V (IEC)
10-26AWG
1mm Pins


Type	Code
2Way	MTB952
3Way	MTB953



LARGE GAUGE 10mm Pitch

40A 600V
6-20AWG
Double Anchor
Solder Pins
Heavy duty

Type	Code
2way	MTB1162




PLUGGABLE 5mm Pitch

12A 300V
12-28AWG
2 Way

Description	Code
Plug	MTB3492
PCB	MTB3292

3 Way


Description	Code
Plug	MTB3493
PCB	MTB3293



SPRING LOCK 5mm Pitch


13A 250V
14-28AWG
1mm Pins
Spring clamp lever action

Type	Code
3Way	MTB5013



SEALED CRIMP CONNECTORS

NEW DESIGN FOR A SURE CONNECTION
Quick and easy cable joining for many applications including computer and phone telecommunications, etc. Small gauge cable joiner solution. The crimp action crushes the cable into the blade terminal and floods the connection internally with silicone sealant. This pushes the oxygen out and prevents moisture getting in. The result is a long lasting, weather resistant seal for a reliable non-corrosive connection.



JOINER

Connect two cable ends together.
Order ONE to receive a bag.
Suit 19-26AWG

BAG OF 20


Code
TM44020

BAG OF 100

Code
TM44100



Squish With Pliers
A Sealant Is Then
Released Flooding
The Chamber



CABLE "A"

CABLE "B"

SPLICER


For intersecting an existing cable
Buy ONE to receive a bag.
Suit 19-26AWG

BAG OF 20

Code
TM45020

BAG OF 100

Code
TM45100



SPLICE CABLE

EXISTING CABLE



→ Quick Disconnect

CRIMPING COLOUR CODES

22-18 AWG = RED
16-14 AWG = BLUE
12-10 AWG = YELLOW



Please note that items are packaged in boxes of 100 (ie. Order 1 to receive 100), unless indicated.

QUICK DISCONNECT- SPADE F/M

Type	TAB.	AWG	Code
Female	6.4mm	22-18	TM20251
Female	6.4mm	16-14	TM20252
Female	6.4mm	12-10	TM20253
Female	4.7mm	22-18	TM20181
Female	4.7mm	16-14	TM20182
Female	2.8mm	22-18	TM20111
Male	2.8mm	22-18	TM21111
Male	4.7mm	22-18	TM21181
Male	4.7mm	16-14	TM21182
Male	6.4mm	22-18	TM21251
Male	6.4mm	16-14	TM21252
Male	6.4mm	12-10	TM21253



QUICK DISCONNECT - SPADE F [Insulated]

TAB.	AWG	Code
6.4mm	22-18	TM22251
6.4mm	16-14	TM22252
6.4mm	12-10	TM22253
4.7mm	22-18	TM22181
4.7mm	16-14	TM22182
2.8mm	22-18	TM22111
2.8mm	16-14	TM22112



BULLET CONNECTORS

Type	TAB.	AWG	Code
Male	4mm	22-18	TM24151
Male	4mm	16-14	TM24152
Male	5mm	16-14	TM24192
Male	5mm	12-10	TM24193
Female	4mm	22-18	TM25151
Female	4mm	16-14	TM25152
Female	5mm	16-14	TM25192
Female	5mm	12-10	TM25193



RING TERMINALS

Stud.	AWG	Code
8mm	16-14	TM10142
8mm	12-10	TM10143
6.4mm	22-18	TM10121
6.4mm	16-14	TM10122
6.4mm	12-10	TM10123
5.3mm	22-18	TM10101
5.3mm	16-14	TM10102
5.3mm	12-10	TM10103
4.3mm	22-18	TM10081
4.3mm	16-14	TM10082
4.3mm	12-10	TM10083
3.7mm	22-18	TM10061
3.7mm	16-14	TM10062



SPADE TERMINALS

Stud.	AWG	Code
6.4mm	22-18	TM11121
6.4mm	16-14	TM11122
6.4mm	12-10	TM11123
5.3mm	22-18	TM11101
5.3mm	16-14	TM11102
5.3mm	12-10	TM11103
4.3mm	22-18	TM11081
4.3mm	16-14	TM11082
4.3mm	12-10	TM11083
3.7mm	22-18	TM11061
3.7mm	16-14	TM11062



QUICK DISCONNECT KIT

300 PIECES IN A BOX

Suit 22-14 AWG

Most popular crimps. Box 210x110x30mm.

Code
TMK300




MORE CONNECTORS

240VAC MAINS

See Section 12 AC POWER

AUTOMOTIVE

See Section 18 CAR AUDIO ACCESSORIES



SCREW TERMINATORS

Single ended connectors.

Order one to receive 10.


QTY Code
10 pcs. SC40



WIRE CONNECTION NUTS


Bare end of wires & twist in.

AWG Code
22-18 TM43001
16-14 TM43002



CLOSED END CRIMPS

AWG Code
22-18 TM41001
16-14 TM41002
12-10 TM41003




TELEPHONE SOLDERLESS TERMINALS

Solderless terminals of brass.

Available in bags of 20 or 100 pieces.

Small 4mm terminal size.

QTY Code
20 PT20
100 PT100



TAP SPLICES

AWG Code
22-18 TM42001
16-14 TM42002
12-10 TM42003



BUTT SPLICES

AWG Code
22-18 TM40001
16-14 TM40002
12-10 TM40003



TERMINAL STRIP APPROVED

Similar to TB1240 below,

except full approved.

12 connectors. Black.

Code
TB240



TERMINAL STRIPS IN ALL SIZES

NYLON WITH BRASS + STEEL SCREWS


Heavy duty quality for reliability.

5A to 60A. Insulation Voltage

380V. 12 Terminals with

mounting Holes between each.

Cut to length.



Imax	Length	Ømax	Code
5A	110mm	3.6mm	TS1236
10A	130mm	4.0mm	TS1240
15A	130mm	4.8mm	TS1248
30A	150mm	5.1mm	TS1251
60A	190mm	6.7mm	TS1267



07 PLUGS & SOCKETS

→ Modular & Telephone

TELEPHONE / HANDSET LEADS

Male to male - CROSS WIRED

Length	Pins	Type	Code
1.8M	4P4C	Curly	TC12
3.6M	4P4C	Curly	TC14

Length	Pins	Type	Code
0.1M	6P4C	Straight	TC10
2M	6P4C	Straight	TC20
4M	6P4C	Straight	TC22
1.8M	6P6C	Straight	TC26
3.6M	6P6C	Straight	TC28

Length	Pins	Type	Code
1.8M	8P8C	Straight	TC32
3.6M	8P8C	Straight	TC34




EXTENSION CABLES

Male to male - DIRECT WIRED

Length	Pins	Colour	Type	Code
1.8M	4P4C	Beige	Curly	TC40
3.6M	4P4C	Beige	Curly	TC42

Length	Pins	Colour	Type	Code
2M	6P4C	Beige	Straight	TC44
4M	6P4C	Beige	Straight	TC46
1.8M	6P6C	Beige	Straight	TC48
3.6M	6P6C	Beige	Straight	TC51

Length	Pins	Colour	Type	Code
1.8M	8P8C	Beige	Straight	TC52
3.6M	8P8C	Beige	Straight	TC54
10M	8P8C	Beige	Straight	TC55
3M	6P4C	Beige	Straight	TC72
5M	6P4C	Beige	Straight	TC74
10M	6P4C	Beige	Straight	TC76
2M	6P4C	Black	Straight	TC80
3M	6P4C	Black	Straight	TC82
5M	6P4C	Black	Straight	TC84
10M	6P4C	Black	Straight	TC87



CAT5e MOD-8 CRIMP PLUGS

MULTI-STRAND CABLE

Code MOD81

SOLID-CORE CABLE
Round cable entry

Code MOD82

See Section 16 COMPUTER for CAT5/5e/6 Items...



MODULAR DOUBLE ADAPTOR

TELEPHONE SPLITTER


4/6 pin plug 6P4C to two female sockets

Code TD101

RJ45/8P8C

Split communications

Code CA104



"Y" ADAPTOR SOCKETS


Double adaptors. All sockets type.

6P6C

Code TD163

8P8C


Code TD183



ANSWERING MACHINE ADAPTOR

Disconnects the answering machines' line when you pick up the phones' line. Stops it rudely interrupting !

Code MPS2



MODULAR GENDER CHANGERS


PIN 1 TO PIN 1

*6 PIN

Code MOD49

8 PIN


Code MOD50



MODULAR PRIVACY SWITCH

Adapts two telephone devices to share the one line without interruption. This is done by disconnecting the unused device so it cannot then interrupt the unit that was used first. Suit FAX, Modems, Answer, etc.

Code MPS1



MODULAR GENDER CHANGERS

PIN 1 TO PIN 4/6/8

4 PIN


Code MOD58

6 PIN

Code MOD59

*8 PIN


Code MOD60



6P6C TO 8P6C ADAPTORS

6 Pin Male to 8 Pin Female (RJ45 → RJ12)

Code TDAD68



2 METRE ADAPTOR LEAD

6 → 8 Pin (4 pins wired)


Code TC86



MODULAR PLUGS

Crimp Plugs supplied 10 pieces per bag *Please note: 4P4C means Miniature 4 pin type ie. Physically smaller than 6P4C (Standard RJ12) Multi-Strand or Solid. Crimp tools, see section 14 TOOLS & TEST EQUIPMENT

Pins	Code
*4P4C	MOD4M
*6P4C	MOD4
6P6C	MOD6
8P8C	MOD8
10P10C	MOD10



TELEPHONE CABLE

Multi-Core Multi-Strand Classic Cream Jacket Cable

Core	Type	Code
4	Flat	FMC4
6	Flat	FMC6
8	Flat	FMC8
4	Round	TC4-100
4	Round	TC4-300




MORE CABLE - SECTION 13 CABLE & ACCESSORIES



TELEPHONE PLUG


No Longer Available!
Please consider using
P606M Adaptor to
Modular Phone Plug.



DOUBLE ADAPTOR

Double Adaptor
All Telecom type

Code
TD2401



TELEPHONE SOCKET

IN-LINE


Code
S610

WALL SOCKET

Code
S613

MODE 3 WALL SOCKET


Code
S611



DOUBLE ADAPTOR


P605 Plug to 2 x 6P4C

Code
TD2406



P605 TO S610 & 6P4C


Code
TD2408



SOLDERLESS TERMINALS

Copper Crimp type
for S610 etc.


QTY	Code
20	PT20
100	PT100



TELEPHONE CABLE

Fully Austel
Approved Used
with popular
standard phones
(2 Pins Wired)

Length	Code
2 Metres	TC160



MODULAR ADAPTORS


Standard phone plug
adapted to:

6P4C

Code
P606M


8P4C

Code
P608M



EXTENSION CABLES


Length	Code
5metre	TXT5
10metre	TXT10
15metre	TXT15



ADAPTOR

Standard Socket
to Modular socket

Code
S610M



RETRACTABLE TELEPHONE LEAD

6P4C (RJ12) EXTENSION

Plug to 2x Sockets
Extension up to 15M


Code
ERM4015



ADAPTOR

Telecom Socket
to Modular Plug.
S610 TO 6P4C
Two wires. Suit any
standard telephone
connection.

Code
TC150



INDUCTION MICROPHONE

Pickup induction coil type (Not a microphone as such).
Place on a standard telephone earpiece and it records
to any standard mic input. 1M cable. 3.5mm plug.

Code
TIC1





07 PLUGS & SOCKETS


07 PLUG & SOCKETS

→ Modular & Telephone

TELEPHONE WALL MOUNT

NEW Type now supplied: Wall mount a Telstra phone with its mounting plate. 200mm connection lead included. Adapts from the standard 6P4C on today's phones to the NEW 8P4C wall socket (future compatible). IDC push terminals rear.

Code
MOD84I



STANDARD WALL PLATES

Suit Code
4/6 Pin MOD65



WALLPLATE & INSERT

MORE AVAILABLE - SEE PREVIOUS PAGES...

Suit Clipsal® Type keystone / collar. With removable finger plate for painting. TD1006P is for common telephone Voice Jack CAT3, others are 8 pin CAT5

Description	Code
Wall plate.	CWP01
4 Pins wired of 6	TD1006P
4 Pins wired of 8	DT100WHT
2 Pins wired of 8	DT1002WHT
8 Pins wired of 8	DA103WHT



Wall plate and insert sold separate.


SURFACE MOUNT SOCKET

Suit 4/6 Pin
Standard plug or 7.5mm 4 pin. (Inc. adaptor.)

Code
MOD66

Suit 8 Pin

Code
MOD68



MODE 3 SOCKET 8P8C

WITH SHORTING BAR

Surface mount
Screw terminated
RJ45 8P8C socket

Code
MOD83



TWIST STOPPER

Stop your handset cord from tying you up in knots. Allows 360° rotation. Standard 4P4C Plug to socket.

Code
TS01



PABX MUSIC ON HOLD RECORDER

DIGITAL SOUND PLAYER
Four channel, programmable, Recorder/Playback for use with a PA or phone system. Digital storage up to 10min. Triggers on external switch, PABX or Line-In silence. Compact, easy to operate.

Code
MOH540



Data Sheet Available
www.wescomponents.com/datasheets

PABX MUSIC ON HOLD

Connects any music source to a majority of commander and PABX systems via 3.5mm plug. Compact, easy to setup, requires music source.

Code
PABX-MH



SLIMLINE SURGE PROTECTOR

Protects equipment from spikes, etc. Suit fax, modem, and expensive cordless phones. Phone line protected too. (May require TC40 extension lead)



TELEPHONE LINE SURGE PROTECTOR

Highly effective Gas Arrester type voltage spike protection inline Male to Female RJ12 6P2C Modems, phones, & fax machines.

Code
LPU01



OVERSEAS MODEM ADAPTOR

Suit mobile travellers with Laptops and inbuilt modems. 7 adaptors from RJ11/12 to most popular world plugs. Suit more than 60 countries. Guide and carry bag included. Click to: www.korjo.com.au See section 12 AC POWER for OS power

Code
MA14






→ Modular & Telephone

ADSL IN-LINE FILTER

ADSL2/2+ POTS FILTER

Filters ADSL signal from the ADSL line to your analogue phone. New high quality low pass 4 stage filter for cordless phones. RCIT.0004 ETSI/ Telstra



Code
DSL002

ADSL/2/2+ FILTER/SPLITTER

EXTERNAL

RoHS Compliant
IDC Terminations
ACA Compliant
4 Stage Filter
Minimises Noise
Mode-3 Compatible
Surge Arrestor



Code
DSL101

ADSL/2/2+ WALL PLATE FILTER/SPLITTER

For new wall plate installations. Uses IDC terminals for the incoming line. Includes 170mm connection cord. Side entry non-filtered RJ socket for modem.



Code
DSL018

RJ ADAPTOR

REDUCING SLEEVE

Inserted into a RJ45 socket this adaptor will enable an RJ12 plug to fit snugly without side movement
Converts RJ45 to RJ12
CAT5/6 to telephone MOD
Order one to receive 10



X10

Code
MOD-RS2

ADSL/2/2+ IN-LINE FILTER/SPLITTER

Splits the incoming ADSL line into one filtered RJ socket for the phone & non-filtered RJ socket for an ADSL/2/2+ modem



Code
DSL008

TELEPHONE RINGER TONE

Adjustable Pitch
Adjustable Volume
Loud 90dB output.
Does not require a power supply Line-powered RJ12



Code
TR001B

ADSL/2/2+ MODE-3 SECURITY

ALARM SPLITTER/FILTER

Mode-3 Connection
RoHS and RCIT.0004.
AS/ACIF SO41:2005
Hard wired input
Multiple outputs
Internal IDC pins and/or RJ Sockets



Code
DSL019

TELEPHONE HANDSET

LAND-LINE

Curly cord phone Keypad on handset RJ12 4P2C Lead 1.2M*
Desk or Wall mount base Also compatible with standard wall sockets eg. MOD841 & DSL018
Ring volume switch Compact 185x65x75mm



Code
SLP001

ADSL/2/2+ FILTER/SPLITTER

Ideal for wiring from first point. One filter for the whole house. Can be hard wired or use the modular connections.



Code
DSL0042+

VOIP PHONES

ADSL Section 16... COMPUTER





07 PLUGS & SOCKETS

07 PLUG & SOCKETS


AUTOMOTIVE QUICK DISCONNECT

Code
QD2P




AUTOMOTIVE QUICK DISCONNECT

Code
QD4P



AUTOMOTIVE QUICK DISCONNECT


Code
QD6P



UNIVERSAL CAR HARNESS

5 Pin Locations
Includes Fuse
Holder

Code
UWH1



4 PIN CAR STEREO HARNESS

Code
WH10
WH12
WH14



"ISO" STEREO HARNESS MALE

Male "ISO" Connector to Bare
Wire ends with EIA Colour.
X2 (Power & Speaker)

Code
APP7201



"ISO" STEREO HARNESS

Female "ISO"
Connector to
Bare Wire ends
with EIA Colour.
X2 (Power & Speaker)

Code
APP7200



2 PIN CAR STEREO HARNESS

Code
WH18



3 PIN CAR STEREO HARNESS

Code
WH20




4 PIN CAR STEREO HARNESS

Code
WH22

PLUG ONLY
With Fuse Holder

Code
WH16



6 PIN CAR STEREO HARNESS

Code
WH24



9 PIN CAR STEREO HARNESS

Code
WH26



DC POWER LEADS

Suit CB radio, etc.
Plug to Bare wire.
Fused. Red/Black.

Type Code
2 Pin DCL2
3 Pin DCL3

12x6mm



18x6mm



UNIDEN RADIO DC LEAD

2 PIN POWER
Inline fuse 2A
2M x 18AWG lead

Square/Round

Code
DCL510

Arch/Round

Code
DCL505



Specific Harnesses for
most makes of Cars



MORE !!
See Section 18