

SECTION 17



SECTION CONTENTS	
→ Batteries	2
→ Chargers	2
→ Car Solutions	4
	4
Wiring Harness	5
	5
	6
	10
↓ FM Transmitters	12
	13
◆ Power Plugs and Adaptors	13
	14
	17
→ Bluetooth Solutions	18
	18
	19
→ Headphones	20
→ Mini Hands Free	21
→ GPS Navigation Cases	22
	22
Antennas - Connectors - Accessories	23
Patch Cables ■	23
	24
↓ Coax Cables - Premade	26
↓ Coax Cable	27
	27
↓ Antennas - Cellular / Data	28
	33
	34
	35
→ Carrying & Styling	36
↓ Slip-In Cases & Socks	36
↓ Leather Cases	37
♥ Sport Cases	39
	40
▼ Fashion Cases	41
♥ Screen Protector	43
Data & Memory Solutions	44
	44
▼ Tools	44
♦ Spare Parts	45
	46
	47

→ iPhone & iPod



48



→ Batteries

BAT - CELLINK CERTIFIED REPLACEMENT BATTERIES

EXCELLENT LONG-RANGE CELLS Only Premium Grade Cells are used. Precision plastics for a correct fit. Optimised performance for long life. As good or even better than original. Batteries are supplied blister packaged.







www.cellink.com.au

To find the battery for your phone please contact us with your model number or do a search for it on our website.

→ Chargers

↓ AC Mains

CTC SERIES - TRAVEL CHARGERS RESELLER PACKAGED

The Cellink AC Travel Charger pack is a lightweight & compact, switchmode, multi-voltage (100 - 240V AC) travel charger device that is the perfect companion when travelling the world or just from work to home. This series of chargers directly replace the original charger for your mobile phone. Designed to charge all popular battery types, Li-Polymer, Li-Ion, Ni-MH an Ni-Cd.

Its advanced integrated circuitry contains automatic voltage and current control, which ensures your phone is powered and battery are charged at the correct specification at all times. Fully approved.

See the web for a CTC charger to suit your mobile phone....

www.cellink.com.au





BAC SERIES - TRAVEL CHARGERS BULK

AVAILABLE IN BULK WITH NO PACKAGING

The Cellink AC Travel Charger pack is a lightweight & compact, switchmode, multi-voltage (100 - 240V AC) travel charger device to directly replace the original charger for your mobile phone. Fully approved.

Compact switch-mode power-packs sold in bulk to save you money if packaging is not required (See CTC Series).







Brand	Model	Code
Samsung	A401, A411, A701, A711, D900, Z510, plus more	BAC6186
Samsung	A551, 561, F480, G600, G800,I450, I900, plus more	BAC6246
Sony Ericsson	C510, C702, K750i, S600, W550, W850, Z520, Z750i, plus more	BAC470
Nokia	E51, E65, E71, N85, N95, N96, 3120C,6101, 6120, plus more	BAC4220
Mini-USB	Universal. Motorola, HTC, Blackberry and others	BAC1000
Micro-USB	Universal. Motorola, Samsung, Blackberry, HTC, LG, Nokia, Plus more	BAC1001
LG	C1100, 3300, KG245, TU500, TU550,U300, U400, U8110, 8120, plus more	BAC6555
LG	KF310, KF700, KF750, KG800, KM900, KP105, KU830, KU970 plus more	BAC6628
ZTE	F150, F250, F850 range, T2\6\7\90\100\106\165i,\870 + more	BAC8102
Apple	iPhone, iPad, iPod, most models.	BAC9002
Apple	iPhone, iPad, iPod, most models.	BAC9003





BAC6246



BAC470



BAC1000





BAC6555



BAC6628





(L) Phone: 02-9798-9233

Fax: 02-9798-0017

BAC4220

BAC1001



↓ Emergency Charger

UNIVERSAL PHONE CHARGER

USES ONE "AA" BATTERY!

Key-Fob sized solution for those devastating moments losing power and control! Suits a large range of Cellular mobile phones Includes the following cables - Micro USB, Mini USB, Nokia 2.0, 3.5mm, Samsung, Motorola, ZTE, HTC, Nokia, BlackBerry, Huawei, LG, SonyEricssson.

Requires "AA" Battery

Code MPC1002

www.cellink.com.au



UNIVERSAL EXTERNAL PHONE BATTERY

SUITS MANY BRANDS & MODELS

A lithium-polymer battery extends the power backup. Compact size and easy to use design. LED status indicator. 5.0V DC 600mA output. Kit includes mains charger and USB charger adaptor. Carry pouch and charger adaptor for Nokia, Samsung, LG, Motorola, Sony Ericsson, Apple. Size: 100x61x13mm.

Capacity Volts Colour Code 4000mAh 5.0Vdc Black MPC1003 5000mAh 5.0Vdc White MPC1004





↓ USB

UTC EMERGENCY PHONE CHARGER USB

Charge via USB port for Flexible charging

This handy USB charger lets you charge your compatible mobile phone, device, or accessory from the USB port on your laptop or computer. Especially suited to multimedia devices which consume a lot of power. Travel light with the USB Charger and use with a Laptop USB port, etc. USB Charger range is compatible with many phones and accessories.

For a USB Charger to suit your mobile phone, please visit our website at www.cellink.com.au





www.cellink.com.au

↓ In Car

ELI SERIES IN-CAR-CHARGERS PACKAGED

ON THE GO WITH POWER ALWAYS AT HAND....

Simply insert into the vehicle's accessory or cigarette lighter outlet, connect to the phone for instant phone charging power. Designed with the latest switchmode technology, results in compact, light & efficient 12V/24V input. Short circuit and overload protection.

www.cellink.com.au







BCC SERIES IN-CAR-CHARGERS BULK

BCC Series Car Chargers are Sold in bulk. [See ELI Series for blister packed deluxe car chargers]

Simply insert into the vehicle's accessory cigarette lighter outlet, connect to the phone for instant phone charging power. Designed with the latest switchmode technology, results in compact, light & efficient 12V/24V input. Fully regulated. Short circuit and overload protection. Black (except*).

Brand	Model	Code
Samsung	A401, A411, A701, A711, D900, Z510, plus more	BCC6186
Samsung	A551, 561, F480, G600, G800,I450, I900, plus more	BCC6246
Sony	C510, C702, K750i, S600, W550, W850, Z520, Z750i, plus more	BCC470
Nokia	E51, E65, E71, N85, N95, N96, 3120C,6101, 6120, plus more	BCC4220
Mini-USB	Universal. Motorola, HTC, Blackberry, Plus more	BCC1000
Micro-USB	Universal. Motorola, Samsung, Blackberry, HTC, LG, Nokia, Plus more	BCC1001
LG	KF310, KF700, KF750, KG800, KM900, KP105, KU830, KU970 plus more	BCC6628
ZTE	F150, 165, 250, 850 Series, T2, 6, 7, 90, 100, 106, 165i, 870, and more	BCC8102
Apple	White. iPhone, iPad, iPod, most models.	BCC9002
Apple*	Black. iPhone, iPad, iPod, most models.	BCC9003







(L) Phone: 02-9798-9233



Fax: 02-9798-0017



→ Car Solutions

♦ Power Plugs and Adaptors

POWER TO THE PEOPLE

ACCESSORIES PLUG Bakelite. 5A fused.

Code P810

ACCESSORIES SOCKET

Description Code Inline Socket J802 Chassis Socket J800



ACCESSORIES EXTENSION LEAD

Curly cord 10A 3M extended

Code CA600



ACCESSORIES EXTENDER

Splits to Two sockets out. Right angle side entry or Locking angle adjustment. Suitable for holding up accessories etc. White colour media style.

Code API89192



ACCESSORIES DOUBLE ADAPTOR

CABLE TYPE

5A fused drop cable type. Accessories only.

Code

DCL30

MOULDED TYPE

15A fused sturdy hold type. High temp ceramic 12V Sockets. Accepts lighter.

Code DCP320



ACCESSORIES SPLITTER

TRIPLE ADAPTOR

Code Length DCP330 1 2m

QUADRUPLE ADAPTOR

Code Length 1.2m CA700

DOUBLE + USB Plus Two USB 5V Charge/Power USB

Code Length 1.2M ADM50USB



CAR VOLTAGE FILTERS

12VDC CLEANUP

Protect valuable and sensitive electronics from the noisy hostile car voltage system. See Section 18... CAR AUDIO ACCESSORIES

IGNITION SINK

Code NS12

VOLTAGE CHOKE

Description	Code
5A Bare	NS5
10A Bare	NS10
5A Boxed	NS15S
10A Boxed	NS20



TRUCK VOLTAGE 24V

24V to 12V DOWN CONVERTERS

See Section 18... CAR AUDIO ACCESSORIES

Brand	Description	Code
GSL	3A Linear	DC24123
GSL	5A Linear	DC24125
GSL	7A Linear	DC24127
Aerpro	10A Linear	AP828
GSL	10A Linea	DC241210
Aerpro	15A Linear	AP8285
GSL	20 AMP Switch Mode	DC241220
GSL	30A Switch Mode	DC241230
Aerpro	30A Linear	AP830
Aerpro	30A Switch Mode	AP829
GSL	50A Switch Mode	DC241250



BATTERY ELIMINATOR

Dont have a car ...?

12V 10W power pack has a car accessories socket so you can use any mobile phone accessory for the car inside with your 240V mains.

Volts Power Code 13.8Vdc 850mA SMP860



NOKIA PLUG ADAPTOR

ADAPT EXISTING POWER SOLUTIONS

ELI4221 from Nokia 3.5mm to 2.5mm Plug

Code ELI4221

ELI4222 from Nokia Nokia 2.5mm & 3.5mm to Micro-USB

Code ELI4222



12Vdc ACCESSORIES POWER

3-12VDC 800mA REGULATED

Car accessories plug converts cigarette lighter output to 3/4.5/6/7.5/9/12 Volts 800mA max current fused 500mA regulated output. Includes 6x DC plugs.


Code CA709

MANY MORE TYPES

See Power Section 12... AC POWER









Fax: 02-9798-0017





♦ Wiring Harness

CAR STEREO INTEGRATOR - INLINE SPEAKER WIRE ISO PLUG TYPE

ISO INLINE SPEAKER ADAPTOR [STEREO]

Connects in-line with the speaker wiring ISO type connectors used by most car audio. On a positive trigger, the car speakers are interrupted by relay and then the 3.5mm plug audio is fed to the speakers.

Code

RMC113

OEM WIRING LOOMS - See Section 18 CAR AUDIO ACCESSORIES

Access original connectors by purchasing plugs to suit the dash and/or brand radio. Make installations quicker & professional.



CAR STEREO INTEGRATOR - INLINE SPEAKER WIRE CUT TYPE

INLINE SPEAKER SCREW TERMINAL BOX


Connects in-line with the speaker wiring. Screw terminal 4-Wire (Stereo) switch box. On a positive trigger, the car speakers are interrupted by relay and then the 3.5mm plug audio is fed to the speakers.

Code

RMC112

OEM WIRING LOOMS - See Section 18 CAR AUDIO ACCESSORIES

Access original connectors by purchasing plugs to suit the dash and/or brand radio. Make installations quicker & professional.



INSTALLERS AUTOMOTIVE - SEE SECTION 18 CAR AUDIO ACCESSORIES

AUTO ELECTRICIANS

We have a car stereo section of accessories specifically for installers...

See Section 18 **CAR AUDIO ACCESSORIES**









♦ Speakers

MINI-SPEAKER

SUIT CAR KITS, etc.

Compatible with DS4000. Suit other audio uses 3.5mm mono plug. 5W Nom.

110x65x55mm

Z Code

4Ω CS8

125x125x60mm

Z Code

4Ω CS6

80 CS7



MINI-SPEAKER ROUND

MINI-SPEAKER CUBE

SP20

SUIT CAR KITS, etc.

Compatible with DS4000. Alternative to supplied communications speaker. Suit other audio as uses 3.5mm mono plug. 3 Watt. Weather resistant design. Only 60x60mmØ in size Plus mounting bracket.

80

Impedance Code 40 CS4





Impedance Code

HANDS FREE MICROPHONES

Compact 6mmØ Mic head Suitable for replacement in Car Kit installations 3.5M long cable to plug:

2.5mm PLUG

Code HFM70

3.5mm PLUG

Code HFM66



MICROSCOPIC INSTALL

HANDS FREE MICROPHONES

Recommended for temporary installations, etc. wont damage the car 3.5M cable. 15mmØ Mic.

2.5mm PLUG

Code HFM25


3.5mm PLUG

Code HFM20













→ Car Solutions

♦ Bluetooth

DRIVESAFE 4200 KIT WITH COLOUR DISPLAY

WITH FM STEREO TRANSMISSION & MP3

Super-Deluxe Bluetooth Car Kit system. DS4000 Series Kit with Special controller Advanced intelligent system integrates with up to four Bluetooth mobile phones. Thumb-wheel menu driven 5cm LCD display Access your phonebook, call history, etc. Control MP3 audio stored on your phone. Built-In FM Transmission for A2DP stereo playback AVRCP control of MP3 multimedia Hands-Free via car FM and/or speaker box.

- BLUETOOTH 2.0, 1.2, 1.1 COMPLIANCE. Convenient wireless connection to your mobile phone in your pocket or purse, answer with the press of a button. Multiple pairing of up to 4 phones.
- NEW DESIGN, RE-ENGINEERED, NEW EXPERIENCE. Latest generation Bluetooth chipset to bring you faster secure connection, better compatibility and large memory for storing your phone book entries together with advanced noise & sound distortion reduction technology for extra clarity in conversations.
- CAR SPEAKER INTEGRATION (OPTIONAL). Inline connection to car speakers allows interrupting your music while on a call, using the car speakers for voice. Resumes radio when conversation finished.
- UPGRADE CONNECTION TO PC (OPTIONAL). Access to the website for Bluetooth & Firmware upgrades. PC connection cables optional extra DS4010 & DS4011 www.viseeo.com
- PHONE BOOK. Compatibility with a majority of phone books. Displays incoming/outgoing calls as names. Bluetooth multiple pairing of up to 4 phones.
- FM TRANSMITTER FOR STEREO. Allows you to playback music stored on your Bluetooth enabled Mobile Phone. Tune-in to listen in
- REMOTE CONTROL. Wireless controller with steering wheel strap allows effortless control of phone, menu and media playback functions. w/ Jockey wheel.
- TEXT-TO-SPEECH. Keep your eyes on the road with built-in voice for reading out the display for you. TTS can be enabled / disabled.

Code DS4200





DS4200 OPTIONAL EXTRAS (4)

DS4200 has the ability to be upgraded to give you many years of use and to be compatible with newer versions of phones. For this ability, you will need the specific upgrade cable set to perform the CPU software or Bluetooth firmware upgrade. Please see the instruction manual for further information.

Description	Code
CPU Firmware Upgrade Cable	DS4010
Bluetooth Firmware Upgrade Cable	DS4011
Inline Speaker Wire - Cut Type	RMC112
Inline Speaker Wire - ISO Type	RMC113
















Fax: 02-9798-0017





17-6



→ Car Solutions

↓ Bluetooth

DRIVESAFE 4000 SERIES BLUETOOTH KIT

WIRELESS CONNECTION TO A MAJORITY OF MOBILE PHONES ESSENTIALLY INVISIBLE FOR A PROFESSIONAL INSTALLATION HEAR THE CALLER VIA DS-SPEAKER OR CAR SPEAKERS*

In-Car installation kit for wireless hands-free mobile phone answering. Bluetooth connection compatible with a majority of mobile phones. On-Dash illuminated controller for answering and volume control. Compact connection box and speaker system for hidden solution. Just connect to accessories power, fast and easy vehicle installation. Optional car stereo intergration with RMC112 / RMC113 wiring looms.

- BLUETOOTH 2.0, 1.2, 1.1 COMPLIANCE. Convenient, no-fuss wireless connection to your mobile phone in your pocket or purse, answer with the press of a button. Multiple pairing of up to 4 phones.
- NEW DESIGN, RE-ENGINEERED, NEW EXPERIENCE. Incorporated the latest Bluetooth chipset to bring you fast connection, better compatibility, with advanced noise and sound distortion reduction technology.
- *CAR SPEAKER INTEGRATION OPTIONAL RMC WIRING LOOMS. Optional: While connecting to the radio speakers, the DS4000 will automatically mute the radio when dialing out or receiving a call and un-mute the radio volume when you have finished. Basic unit includes a "mute" wire for compatible car stereo connection

Versions 1.1, 1.2, 2.0 **Profiles** HFP, HSP Range 10 Metres Up to 4 phones Devices Size Box 42x34x13mm Size Speaker 85x80x55mm

Code DS4000



Bluetooth

DS4000 OPTIONAL EXTRAS

Description Code Inline Speaker Wire - Cut Type RMC112 Inline Speaker Wire - ISO Type RMC113



(Optional RMC112)




Inline ISO Terminals Stereo Connect Cable (Optional RMC113)

Also available are optional phone cradles with charging and a connection for optional antenna











→ Bluetooth Solutions

♦ Car Handsfree - No Installation Type

BLUETOOTH TO FM RADIO

HANDS FREE THROUGH CAR STEREO

Connects to your phone via Bluetooth. Connects to any car audio system via the FM Radio via built-in transmitter. No installation required solution. Inbuilt advanced microphone pickup Noise cancelling and reduced echo, etc.

Includes 3.5mm stereo audio input on the unit for also transmitting any stereo audio device, iPOD, MP3 player. Automatically mutes audio switch to call Update any car audio system to a modern bluetooth handsfree mp3 compatible unit! Extra compact. Rechargeable (charger inc.)

Code ABT300



BLUETOOTH HANDSFREE KIT

CAR VISOR MOUNT

Universal Handsfree Bluetooth Speaker Phone car kit Full duplex. DSP: Noise suppression processor and built-in echo cancellation. Built-in rechargeable battery. Bluetooth V2.0+EDR, Class II Range up to 10 metres. Charging time approx 2-3 hours. Use time; Up to 4 hours. Standby time: Up to 30 days. Compatible with Bluetooth enabled mobile phones. Controls for volume and answer/hang-up button. Visor clip & 12V Charger.

Code ABT350



BLUETOOTH HANDSFREE KIT

EXTRA-SMALL VERSION

Easy stand-alone solution. Bluetooth wireless V2.0+EDR. Includes visor clip install. Rechargeable 500Hrs standby. Includes 12V charger & USB. Super compact only 85x50mm.

Code ABT202







BLUETOOTH HANDSFREE KIT SUPER-SLIM VISOR

DELUXE HANDS-FREE

Advanced speech processing text-tospeech announcements with caller-ID or name with full phone-book sync feature. Super sleek design for a discreet installation on the windscreen visor giving excellent sound and mic positioning with controls at easy reach (volume, etc.). Advanced mic/speaker with echo cancellation and noise suppression for excellent audio quality.

Code **ABT304**









→ Bluetooth Solutions

♦ Car Handsfree - No Installation Type

BLUETOOTH HANDSFREE KIT

CAR DASH MOUNT

Bluetooth handsfree car kit with DSP echo cancellation

- Bluetooth V2.0 CSR BC5
- · Bluetooth profiles: HSP,HFP
- · Function range: 10 Metres
- · Charging Time: 4 hrs
- · Talk time: 10 hrs
- · Standby time: 168 hrs
- Dimension: 90x 47x15mm
- · Full DSP Echo cancellation
- · Call transfer between
- · Car kit and Phone

Code ABT500





BLUETOOTH AUX CONNECT

PLUGS INTO ANY AUX INPUT

Wirelessly connect to your car stereo 3.5mm Aux jack for handsfree operation. Also streams stereo audio. Line-In jack for through Aux audio connect when not in operation.

- · Full duplex phone answering device
- · Answer / Hangup button. Built-in microphone.
- · DSP: Echo cancellation and Noise suppressor
- · Direct 3.5mm connect or remote stand
- · Also stereo streaming compatible
- Bluetooth V2.0+EDR, Class II
- Range up to 10 metres
- · High capacity built in rechargeable battery
- · Charging time approx 2-3 hours
- · Use time: Up to 4 hours
- · Standby time: Up to 30 days
- · Compact modern style only 65mm

Code ABT510







BLUETOOTH BIKE INTERCOM

WITH PHONE HANDS FREE


Bluetooth stereo headset with microphone allows you to communicate with up to 2 other riders (or person riding pillion) equipped with their own ABT118 (no mobile phone required). The ABT118 will pair with bluetooth phones for hands free telephone calls or for listening to music stored on your phone. The ABT118 will also pair with bluetooth transmitters that are connected to CD/Mp3 players or GPS for audio directions.













Fax: 02-9798-0017



→ Car Solutions

↓ Cradles & Holders

DRIVESAFE 1200 - CAR HANDS FREE KIT


PHONE MODEL SPECIFIC HOLDERS WITH HANDS-FREE & ANTENNA SOCKET

Model specific cradle for holding securely your mobile phone. Includes contacts for electronic connection to facilitate both battery charging from car accessories plug power and also In-Built Hands-Free unit for answering your phone safely. Accessories plug has speaker and adjustable volume control. Cradle has inbuilt microphone and an antenna pickup module for optional external antenna. Includes windscreen suction cup arm assembly.

- FME Antenna Socket
- · Answer Button
- Volume Control
- · Bonus USB Power
- · With Windscreen Base

Brand	Suits	Socket	Code
Apple	iPhone 3G/3Gs	FME	DS129002
Apple	iPhone 4	FME	DS129020
Blackberry	9000	FME	DS125812
Blackberry	9300	FME	DS125838
Blackberry	9700	FME	DS125830
HTC	Desire	FME	DS125366
HTC	Desire HD	FME	DS125396
HTC	Desire S	FME	DS125420
HTC	Desire Z	FME	DS125390
HTC	Diamond3 Gold HD3 HD7	FME	DS125382
HTC	EVO 3D [Horizontal]	No	DS125433
HTC	Flyer	FME	DS125424
HTC	Google Nexus One	FME	DS125368
HTC	Incredibles, PG32310	FME	DS125426
HTC	Legend	FME	DS125372
HTC	Mini HD	FME	DS125376
HTC	Sensation [Horizontal]	No	DS125431
HTC	Sensation [Vertical]	FME	DS125430
HTC	Touch HD2	FME	DS125364
HTC	Wildfire	FME	DS125374
HTC	Wildfire S	FME	DS125422
Nokia	6120	FME	DS124298
Nokia	E51	FME	DS124326
Nokia	E52	FME	DS124446
Nokia	E71	FME	DS124376
Nokia	E72	FME	DS124432
Nokia	N900	FME	DS124476
Nokia	N95	FME	DS124264
Nokia	N95 8G	FME	DS124265
Nokia	N97	FME	DS124414
Samsung	Galaxy S2, I9100	FME	DS126456
Samsung	i9000 & Galaxy S	FME	DS126402
Samsung	i9020 i9023 Nexus S	FME	DS126430
_			













ADAPTOR PLATE MNT1201 ADAPTOR PLATES FOR

MOUNTING SOLUTIONS SNAP-BASE SYSTEM DS1200 Includes MNT1203 The following are optional mounting solutions

DASH MOUNT

MNT72

3M ADHESIVE

Accepts slight curve surface.





ARM BASE

MNT1203

REPLACEMENT

VENT MOUNT DELUXE

METAL BRACKETS Requires MNT1201 Adaptor Cellink has an extensive range of metal brackets to suit universal or specific vehicle atachment mounting solutions vehicle atachment mounting solution Metal brackets can mount to existing points on a specific vehicle, like the stereo, centre console, dash joint, giving a professional apearance and not having to scar the vehicle by having to drill holes, etc.

BASE MOUNTING OPTIONS

DS1200 Includes the Windshield suction clamp, but other compatible stands are available for replacement to suit your application.

DS1200 is adaptable MNT1201 to the metal brackets available from Cellink. Brackets are universal and there is also a range specific to vehicle models for a professional installation.

Description	Code
40x30mm Adaptor Plate	MNT1201
Dash Mount Sticker	MNT72
Air Vent Clip Bracket	MNT1202
Air Vent Clips Deluxe	MNT70
Windscreen Suction Cup	MNT1203
Gooseneck Suction Cup	MNT76







→ Car Solutions

↓ Cradles & Holders

DRIVESAFE 1300 - CAR POWER CRADLE

PHONE MODEL SPECIFIC HOLDERS WITH POWER

Model specific cradle for holding securely your mobile phone. Includes contacts for charging the battery and powering the phone. 65mm Diameter suction cup for holding the assembly to your windscreen. Bent elbow arm with adjustable angle to view your phones display. Cradle detaches for other optional fixture brackets.

- FME Antenna Socket
- · With Windscreen Base
- · Ideal Bluetooth Car Kit Companion

	·		
Brand	Suits	Socket	Code
Apple	iPhone 3G/3Gs	FME	DS139002
Apple	iPhone 4	FME	DS139020
Blackberry	9000	FME	DS135812
Blackberry	9300	FME	DS135838
Blackberry	9700	FME	DS135830
HTC	Desire	FME	DS135366
HTC	Desire HD	FME	DS135396
HTC	Desire S	FME	DS135420
HTC	Desire Z	FME	DS135390
HTC	Diamond 3, Gold, HD3, HD7	FME	DS135382
HTC	Evo 3D [Horizontal]	No	DS135433
HTC	Flyer	FME	DS135424
HTC	Google Nexus One	FME	DS135368
HTC	Incredibles, PG32310	FME	DS135426
HTC	Legend	FME	DS135372
HTC	Mini HD	FME	DS134376
HTC	Sensation [Horizontal]	No	DS135431
HTC	Sensation [Vertical]	FME	DS135430
HTC	Touch HD2	FME	DS135364
HTC	Wildfire	FME	DS135374
HTC	Wildfire S	FME	DS135422
Nokia	6120	FME	DS134298
Nokia	6720	FME	DS134406
Nokia	E51	FME	DS134326
Nokia	E52	FME	DS134446
Nokia	E71	FME	DS135376
Nokia	E72	FME	DS134432
Nokia	N900	FME	DS134476
Nokia	N95	FME	DS134264
Nokia	N95 8G	FME	DS134265
Nokia	N97	FME	DS134414
Samsung	Galaxy S2, I9100	FME	DS136456
Samsung	i9000 Galaxy S	FME	DS136402
Samsung	i9020 i9023 Nexus S	FME	DS136430

Available From Cellink Media Player **OPTIONAL BLUETOOTH** HANDS-FREE KITS SEE SEE **DS4200 DS4000**



IDEAL COMPANION TO BLUETOOTH CAR KITS

Drivesafe Bluetooth car kits offer wireless connectability to mobile phones for easy handsfree operation. Kits available include car stereo intergrator solutions to no-install mini-modules. See previous pages for Drivesafe.

BASE MOUNTING OPTIONS

DS1300 Includes the Windshield suction clamp, but other compatible stands are available for replacement to suit your application.

DS1300 is adaptable MNT1201 to the metal brackets available from Cellink. Brackets are universal and there is also a range specific to vehicle models for a professional installation.

Description	Code
40x30mm Adaptor Plate	MNT1201
Dash Mount Sticker	MNT72
Air Vent Clip Bracket	MNT1202
Air Vent Clips Deluxe	MNT70
Windscreen Suction Cup	MNT1203
Gooseneck Suction Cup	MNT76





Front Dash Airvent Clips Ideal for temporary installations

ARM BASE

MNT1202



ANTENNA

Cradle Includes

Passive Coupling

external antennas

for connecting

See Last Page...

SOCKET

FME









(**1**) Phone: 02-9798-9233



Fax: 02-9798-0017



↓ FM Transmitters

FM MODULATOR SD

SD/MMC & USB MP3 READER

Cigarette lighter plug for easy connection into any car 12V Socket. Full FM range of channels. Adopted frequency phase lock loop and 3D sound coding technology. Clear LCD ,displays track name and frequency. Supports SD/MMC card, MP3, USB flash memory directly. Last frequency and track memory. Includes 20 key remote control.

FMT220



CHARGER & FM KIT

FM MODULATOR FOR MP3

Universal installer unit suits a majority of MP3 CD/DVD Media players, etc. Includes FM Modulator Digital LCD Tune display PLL FM Stereo locked Accessories power unit for USB Charging 3.5mm or 2.5mm Stereo Line audio connection.

Code ADM150TC



FM MODULATOR iPOD

Connects to 12V cigarette lighter accessories sockert for easy plug and play solution. FM Stations 87.5 - 108MHz. Total of 206 channels with LCD Display. Supports various iPod players & iPhones for audio playback and charging. 3.5mm line input to support external connection MP3 and portable CD, DVD Flexible goose neck for best placement inside of vechicle. 3.5mm audio

Code ADM1401

line in cable.



iPOD iPHONE TO FM TRANSMITTER CRADLE

iPhone iPod & USB Charger

Accessories cigarette non-slip plug Metal adjustable goose neck. Angle adjust & lock joint. Cradle with rubber grip fingers. iPod/iPhone docking plug or 3.5mm stereo input. USB Socket for charging. Built-In FM transmitter Frequency adjustable 88-108MHz

CRA9003



FM MODULATOR PLUG

DIGITAL PLL VERSION

Simply plug the attached 3.5mm stereo lead into your MP3 media device. Tune your car radio in to your personal FM Station. That's it! Sound on the go! 88.1 - 89.3MHz selector to dodge interference. Compact simple economical FM Stereo. 3.5mm plug.

Code ADM100FT



FM MODULATOR

RCA-IN TRANSMITTED TO FM-OUT

Allows you to Tune-In to an MP3 player or other external media device via RCA so you can listen to your music on the go! Direct inject antenna lead PLL tuning. Switch between 88.1 and 88.3MHz. Direct 12Vdc in. Plugs inline to car antenna.



FM MODULATOR PLUG

ACCESSORIES PLUG TX

Simply plug the included 3.5mm stereo lead into your MP3 media device. Tune your car radio in to your personal FM Station, That's it! Sound on the go! 88.1/88.3/88.5 selector to dodge interference. Compact simple economical FM Stereo. 3.5mm lead inc.

Code AMPFMT35



STEREO LEADS

Plug A	Plug B	Length	Code
3.5mm M	3.5mm M	1.5M	AL721
3.5mm M	3.5mm M	1.2M	AL720
3.5mm M	3.5mm M	2.0M	ADM135W
3.5mm M	3.5mm M	3.0M	AL722
3.5mm M	3.5mm M	5.0M	AL723
3.5mm M	3.5mm F	2.0M	AL726
3.5mm M	3.5mm F	3.0M	AL727
3.5mm M	3.5mm F	5.0M	AL728
3.5mm M	2.5mm M	2.0M#	ADM125W
3.5mm M	3.5mm F x2	10cm	API89105
3.5mm M	RCA x2	1.2M	AL656

AL721 has 1x Right Angle plug. ADM125W is white (All others are black) ADM series has deluxe packaging.













↓ Cradles & Holders

ACCESSORIES SOCKET CRADLE WITH USB

Cigarette Socket Adaptor / USB with Phone Holder. 360 degree rotation for vertical or horizontal mode. Adjustable to hold for all types of mobile phones, smart phones, PDA, GPS & MP3/ MP4 devices. Turn this collar section to expand or contract the Cigarette lighter plug for 20 or 22mm sockets.

Code APH350



ACCESSORIES SOCKET CRADLE WITH USB

Single Socket Adaptor & Single USB Port with Phone Holder. Powers one 12V and one 5V accessory at the same time. 180 degree rotating function. Turn this collar section to expand or contract the Cigarette lighter plug for 20 or 22mm sockets.

Code APH250



DUAL ACCESSORIES SOCKET CRADLE

Twin Cigarette Socket Adaptor with Phone Holder. 360 degree rotation for vertical or horizontal mode. Adjustable to hold for all types of mobile phones, smart phones, PDA, GPS & MP3/ MP4 devices. Turn this collar section to expand or contract the Cigarette lighter plug for 20 or 22mm sockets.

Code APH300



DUAL ACCESSORIES SOCKET CRADLE

Twin Cigarette Socket Adaptor with Phone Holder. Powers two 12V accessories at the same time. 180 degree rotating function. Turn this collar section to expand or contract the Cigarette lighter plug for 20 or 22mm sockets.

Code APH200



USB CHARGE CABLES

SUITS MANY MODELS

USB Cable to mobile phone for data transfer, backup, and internet access, etc.

May require software freely available on the web



USB MAINS POWER

ASSORTED USB PLUGS

Powers/charges your USB device. Lightweight & compact, switchmode, multi-voltage (100-240Vac) travel charger. SAA Approved AC Charger. 5Vdc 1.0Amp USB.

Туре	Colour	Code
Compact Type	White	ADM105
USB A Female	White	USB900
USB A Female	Black	USB904
USB A Male	White	USB902
USB-Micro Male	Black	CTC1001
USB-Mini Male	Black	CTC1000
ADM105 Comp USB Socket.	act Type	-
		4

USB CAR CHARGERS

12V TO 5V ADAPTORS

Powers and charges USB devices.

Plug	Туре	Code
USB-A Female	White Plug	API89113
USB-A Female	Bend Plug	USBS30
USB-A Female	Flush Plug	USBM20
USB-A Female	Flush USB	ELI1004
USB-A Female x2	Flush Dual	ELI1003
Mini USB Male	Straight Cord	ELI5723
Mini USB Male	Curly Cord	ELI5724
Mini USB Male	Right Plug	ELI5725
Mini USB Male	Left Plug	ELI5726
Mini USB Male	Up Plug	ELI5727
Mini USB Male	Down Plug	ELI5728
Micro USB Male	650mA	ELI1001
Micro USB Male	2A	ELI1005





(**1**) Phone: 02-9798-9233



Email: sales@wagner.net.au



→ Car Solutions

♦ Cradles & Holders

WINDSCREEN MOUNT - PHONE CRADLE

HEAVY-DUTY SUCTION CUP

90mm Suction cup grip. Secures to windshield. Arm Angle Adjustment. Ball & Socket head. Heavy-Duty design. Universal cradle 100mm → 45mm.

Code CRA53



WINDSHIELD MOUNT

3x AXIS 6" ARM

70mm Suction cup grip secures to windshield. 150mm stand-off arm. Adjust & Locks in place Rotates, pivots, tilts. Universal cradle 100mm → 45mm fingers.

Code CRA50



WINDSHIELD MOUNT CRADLE - PHONE SPECIFIC

CHOOSE TO SUIT YOUR PHONE

Available in vertical and horizontal clips to suit popular models. Windscreen suction cup type. May come with goose neck or adjustable armature.

Suits: Nokia, LG, iPhone, iPad, Samsung, HTC, and more..

www.cellink.com.au

See www.cellink.com.au for your model phone.

WINDSHIELD MOUNT

PUSH-BUTTON ADJUST

90mm Suction cup grip secures to the windscreen. Arm angles are button release & adjust type. Heavy-Duty design universal cradle 105mm → 45mm.

Code CRA56



WINDSCREEN MOUNT - SLATE & TABLET PC

UNIVERSAL LOCKING JAWS

Adjustable claws hold various tablets slates, iPads, etc.

Felt & rubber grips. Position locking 90mm suction cup.

Adjustable grip: Max=300mm Min=200mm

Code CRA57





WINDSHIELD MOUNT

8" GOOSENECK

70mm Suction cup grip secures to windshield. 130mm bendable arm twists to all angles and will not sag. Universal cradle 110mm → 45mm fingers.

Code CRA51



WINDSCREEN MOUNT - LARGE CRADLE

GPS TYPE HEAD

90mm Suction cup grip. Secures to windshield. Arm Angle Adjustment. Ball & Socket head. Heavy-Duty design. Universal cradle 70 to 150mm Fingers.

Code CRA59 CRA54





WINDSHIELD MOUNT

10" GOOSENECK

75mm Suction cup grip secures to windshield. 150mm bendable arm twists to all angles and will not sag. Universal cradle 100mm → 45mm fingers.

Code CRA52















→ Car Solutions

♦ Cradles & Holders

UNIVERSAL CRADLE & PATCH CABLE

MOBILE ANTENNA PATCH

Padded Phone holder adjustable fingers. Inbuilt coupler with FME Male fly lead out for external antenna. Requires mount option & antenna.

Suit Apple iPhone 3G/3Gs Nokia, Blackberry, Motorola, Samsung, LG, HTC, Sony, etc. Multi-Band GSM, Next-G, 3G. Code

CAL9002



SNAP-BASE SUCTION CUP ARM

BALL-SOCKET JOINT

Fixed arm with elbow 120mm Adjustable angle, tilt, rotate.

Code

MNT1203

Suits DS1200, DS1300, CAL9002.



DEDICATED CRADLES

www.cellink.com.au

An extensive range covering modern popular Australian models of mobile phones. Compatible with the SNAP-BLOCK system.

See DS1300.

www.cellink.com.au



SNAP-BASE GOOSE NECK

SUCTION CUP

Windscreen mount with 70mm suction cup. 250mm long bendable arm.

Code

MNT76

Suits DS1200, DS1300, CAL9002.



SNAP-BASE VENT CLIPS

REQUIRES CRADLE

Clips on to air conditioning vents on the dash of your car. Excellent no-scratch solution for phone holder install.

Code

MNT1202

Suits DS1200, DS1300, CAL9002.



SNAP-BASE DASH STICK ON

BALL-IN-SOCKET MOUNT

Adjustable swivel in all directions. Quality M3 adhesive 30x50mm.

Code MNT72

Suits DS1200, DS1300, CAL9002.



SNAP-BASE VENT CLIPS DELUXE

BALL-SOCKET JOINT

Adjustable angle.

Code MNT70



Suits DS1200, DS1300, CAL9002.

SNAP-BASE ADAPTOR SUIT STANDARD BRACKET

SCREW MOUNT SYSTEM

Screw base with angle, tilt and rotate joint. Includes 3M adhesive foam tape for sticking to a flat surface.

Screw mounting holes 30x40mm for "Standard Mount".

Snap-Base system is adaptable to the metal brackets available from Cellink. These brackets are universal and there is also a range specific to vehicle models for a professional installation.

Code MNT1201

Suits DS1200, DS1300, CAL9002.











→ Car Solutions

♦ Cradles & Holders

VENT MOUNT MOBILE PHONE HOLDER

SUITS MOST PHONES

Easily attaches to the dash air vents to hold your mobile phone. Padded adjustable jaws push-grip for firm hold 35-60mm suits most sized mobiles. Black.

Code CRA40



BRACKETS TO SUIT YOUR VEHICLE

SEE SECTION 18...

Custom mounting solutions are available to suit specific car dash solutions. Too many to list here! Please see section 18 for more....



UNIVERSAL PHONE HOLDER TO BRACKETS

ADJUSTABLE CRADLE

Compatible with all our brackets on these pages. Padded adjustable jaws spring grip firm hold 40-47mm suits modern sized mobiles. Black. Requires screws.

Code CRA20



"Z" MOUNTING BRACKET

270° DOUBLE TILT

Fully adjustable dual elbow type stand-off bracket. Metal construction. Srew driver lock 65x50x30mm g 90mm

Code CSM81



UNI-JOINT MOUNTING BRACKET

ADHESIVE BACKED

Dual axis 180° x 360° Points any direction Position lock screws 45x45mm x 60mm 3M® for maximum grip

Code MNT50



CLAM SHELL BRACKET

180° TILT

Metal construction. Thumb-screw locking black enamel paint. Includes screws 60x55x20mm.

Code CSM₁₀



TILT/SWIVEL MOUNTING RIG

MULTI-BEND ARM

Heavy duty metal All positions 3x 360 rotations. 2x 180 elbows 145mm extension. Common 45x55mm base.

Code MNT32



GOOSE NECK

330mm FLEX SPRING

With wire through 15mm diameter neck 45mm round base to common square. 45x55mm base 40x30mm holes Black all metal.

Code MPB-GN













♦ Brackets

MOBILE PHONE BRACKET ARM 58mm

L Shaped bracket Tapered reach of 68mm from screw for mounting in dash gaps, etc.

Reach 80mm Phone 44x54mm

Code PB80



BENT BRACKET 70mm

L Shaped bracket Base 54x70mm Phone 68x70mm

Code MPB1777



BENT BRACKET 80mm

L Shaped bracket Base 70x80mm Phone 39x80mm

Code **PB28**



BENT BRACKET TAPERED

L Shaped bracket *Smaller base. Suits Magna and also "pocket mounts", etc. Base 70x*34mm

Phone 52x50mm

Code PB70



BENT BRACKET LONG 40+240mm

L Shaped bracket Suits Lexus, etc. Base 240x50mm

Phone 42x50mm

Code MPB1892



BENT BRACKET LONG 60+240mm

L Shaped bracket MG & Mercedes, etc. Base 243x75mm Phone 60x75mm

Code

MPB1222



BENT BRACKET LONG 40+240mm

L Shaped bracket Base 248x80mm Phone 39x80mm

Code PB27



DIN BRACKET

DIN size bracket Elbow stand-off 20mm Base 190x60mm Phone 39x60mm

Code PB65



BENT BRACKET 40+30mm

R/A Pocket mount Suit Toyota Camry, etc. Base 32x50mm

Phone 42x50mm

Code PB74



BENT BRACKET 50mm

L Shaped bracket Base 36x50mm Phone 41x50mm

Code MPB1400



ANGLED BRACKET

45 Base Plate Forward fascia Suit Statesman Kingswood, etc. Stand-Off 25mm Base 18x50mm Phone 50x50mm

Code

MPB1450



BACKING PLATE

Adapt brackets Mount solutions or behind support for bolts, etc.

Size MPB-BP1 55x50mm



SHORT PLATE

Use to raise the height of your phone bracket or Adapt brackets & Mount solutions or behind support for bolts, etc.

Size Code MPB-BP2 88x42mm



DIN SIDE BRACKET

General purpose mounting bracket with mutiple holes to suit universal applications. May fit down the side of a DIN car stereo.

Code MPB1405



BENT BRACKET UNIVERSAL

Asymmetrical bracket with tapered arm and multiple angle mounting holes.

Code MPB1404




TO SUIT SPECIFIC CAR MODELS

Specifically designed brackets to suit specific models of vehicles.

See Section 18















→ Bluetooth Solutions

↓ Audio Solutions

BLUETOOTH SPEAKERS

DAICHI STEREO AMPLIFIED 2-WAY

Bluetooth streaming audio HiFi sound Wirelessly connect your bluetooth Mobile phone, PDA, Laptop, computer, or any multi-media Bluetooth device for High quality stereo audio playback Excellent solution for Music listening or for laptop multimedia presentations Bluetooth offers wide compatibility with a host of multi-media devices Requires 240Vac power to operate. 2x 20 Watt RMS (Stereo), 1" Mylar Dome Tweeter 4" Mid-Woofer Shielded, Freq. 40Hz-20KHz ±3dB, S/N: 75dB Size: 150x233x312mm (ea.), Stereo RCA Line Input 3.5mm Lead Included Bluetooth V1.2 Class-II A2DP. Pairing default is 0000. Also compatible with DC-8BT Transmitter.

MODELS AVAILABLE

RCA-IN & BLUETOOTH

Colour Code AF21BTWH

RCA-IN [NO BLUETOOTH]

AF21BK Black White AF21WH

AMP MODULE ONLY (NO-BT)

Description Code AMP-AF21

COMPUTER BLUETOOTH 2.0 DONGLE

Type Code USB113 USB

BLUETOOTH TRANSMITTER

3.5mm stereo audio plug to transmitting A2DP (Stereo Sound) over Bluetooth to compatible matched devices. Inbuilt microphone.

Weight Size Pair Code 65x25x15mm 0000 DC-8BT



BLUETOOTH RECEIVER

"resi-linx" Mini Bluetooth Audio Receiver Module Kit. c/w Power Supply. Blister packed for POS display. Range up to 15m.

Code RL-BT110



BLUETOOTH AUDIO RECEIVER BOX

A2DP TO LINE-OUT

Hard wired to a stereo, etc. (RCA) Wireless Bluetooth 2.0 Stereo A2DP 90x80x30mm polished black Rechargeable batteries 240Vac Charger included 20-22KHz Stereo Audio 3.5mm Socket (lead req.) 0000 Code

Pair Size Code 0000 90x90x30mm DC5BT



¥ Bluetooth™

BLUETOOTH RECEIVER DELUXE

"resi-linx" Professional Bluetooth Audio Receiver Bluetooth Receiver Module. c/w Bluetooth Antenna and Power Supply. Range up to 25m

Code RL-BT120

www.resi-linx.com.au



BLUETOOTH CENTRE & AMPLIFIER

High powered (50W RMS per channel) In-Ceiling Amplifier with built-in Bluetooth Receiver and line level input. Play your audio from your personal device (iTouch, iPhone, iPad etc) wirelessly via Bluetooth. Ideal for both stand alone and multi room audio solutions. Includes BT antenna, power supply, TIM (Target Indicator Module) and Remote Control. See www.resi-linx.com.au for details.

Code RL-BT100

www.resi-linx.com.au



RL-BT100 INTERFACE

"resi-linx" Single Input Module for Bluetooth System. Use to send an Audio Source to the RL-BT100 Amplifier.

RL-BT430











→ Bluetooth Solutions

↓ Headset

BLUETOOTH EARSET

Bluetooth V1.2 Class 2 TX Power Range 5-10 Metres. Li-polymer Battery. Standby 250 Hours. Talk time 6 Hours.

Weight Size Code 54x24x20mm 11a CBH25



BLUETOOTH EARSET

Bluetooth V2.0 2.4GHz Class-2 240V/USB charger. Li-polymer Battery. Standby 250 Hours. Talk time 6 Hours.

Weight Size Code 48x22x15mm CBH80 11g



BLUETOOTH HEADSET MONO

Wireless Boom-Mic. Adjustable headband. 200 hrs standby. 6 hrs talk time. Recharges via USB. Left or right ear. Noise cancelation technology promotes your voice while reducing background noise.

Weight Size Code 150x47mm CBH39



BLUETOOTH HEADSET MONO

Wireless Boom-Mic. Adjustable head band. 230 hrs standby. 8 hrs talk time. Recharges via USB. Left or right ear.

Weight Size Code 184x58mm CBH36



BLUETOOTH EARSET

Bluetooth 1.2 and 2.0. Up to 10m. Talk 6 hours. Standby 200 hours. Comfortable to use with an adjustable earloop. Supplied with USB charger cable only.

Weight Size 6.5g 38x18x10mm CBH1009



BLUETOOTH HEADSET MONO

Wireless left or right headset. Boom-Mic Excellent handsfree. Voice dialing, etc. Li-polymer Battery with charger. Standby 250 Hours Talk time 6 Hours.

Colour Weight Code Silver 30g CBH35SL Black 30q CBH35BK



BLUETOOTH MEDIA HEADSET

Slim clip style stereo Bluetooth headset with full control of your music and call functions including play/pause, call mute, volume and track control (A2DP & AVRCP Bluetooth profile). With 3.5mm Jack, it allows you to use you favor earphone and headphone to enjoy music from your mobile phone & never missing an incoming call.

Code CBH1380



Foldable neck-band Stereo headphone set. Listen & control music from a multimedia phone or optional transmitter. Volume, FF/Rew, Answer, Hands-free mic inbuilt 240V/USB Charger Inc.

Weight Size 47g 136x60mm

Code **CBH879**


BLUETOOTH NECK BAND STEREO



BLUETOOTH HIFI STEREO

Foldable head-band, Stereo Full-size over ear unit. Listen & control music from a multimedia phone, etc. Volume, FF/Rew, Answer. Hands-free mic inbuilt. USB Charged.

Colour Weight Code CBH869SL Silver 155g Black 155g CBH869BK



BLUETOOTH EARMUFFS

Listen to music & Answer the phone!


Ear protection with 3.5mm aux input, built-in AM/FM Stereo Radio & Bluetooth cordless hands free to answer your phone. Requires 3x "AAA" Batteries.

Code ABA830

















♦ Headphones

PRO HIFI HEADPHONES

Superior sound Neodymium. 38mm driver. Closed ear design for comfort and isolation. Premium audio hifi sound deep extended warm bass clear open mids & highs for low fatigue listening. Strong built & flexible. Single-sided curly cord. Soft PU leather earpads 45x80mmØ Light 180g inc. cable. Plug 3.5mm 1.2M Curly Cord.

Code **CD68**

SEE MORE **HEADPHONES SECTION 6**

YOGA COMPACT HEADPHONES

Light weight portable design with excellent audio quality. Neodymium motor system gives improved low-end bass response open mids & sharp highs for long term listening pleasure. Soft pad Supra-aural open style. Quality and feel are excellent for light weight small size for premium audio on the move. Padded adjustable headband Soft PU leather earpads 15Hz-20KHz 107dB 32Ω 30mm Diam. Driver 1.2M Cord 3.5mm Plug 25x50mmØ cups 85g

Code CDS55



NEW Neckband type. Samarian Cobalt 30mm Super-Bass. Single sided 1M cord. 3.5mm stereo plug.

Code CV220



COBY SUPER BASS HEADPHONES

Featuring twin ports for enhanced acoustics and powerful bass response. Attractive modern design. Powerful 40mm Neodymium drivers. Single side 2M cord. Blister card. Gold plated Plug 3.5mm. 20Hz-22KHz 110dB 32Ω. With volume control.

Code CV130



COBY SLIMLINE HEADPHONES

Lightweight design 30mm Super Bass 3.5mm stereo plug

Code CVH47

BULK - NO PACKAGING

Code CVH48



COBY STEREO EARBUDS

Super Light Weight Mini Ear-bud design. Blister packaged. 3.5mm RA Plug.

CV-E05



COBY PREMIUM EARBUDS

Super light weight, mini earbud design. Digital stereo sound. Gold plated 3.5mm stereo plug. Wind-up carrying case included.

Code CVE20



DELUXE EARBUDS PREMIUM

WITH VOLUME CONTROL UNI-TONE

Comfortable Premium sound Q Bass port design Neodymium magnet 1.2M cord. 3.5mm Carry pouch.

Code SI 760



COBY RUBBER EARBUD

WITH VOLUME

Neodymium Drivers. Soft earbud design. Sound isolating type rubber inserts. Blister packaged. Volume control. White & Silver.

Code CVE91



CANAL PHONES OVER NECK

Good comfort fit & excellent value intra-aural head phones. Neodymium magnet with CCAW voice coil. 1.0M flex cable with Over-neck feed. 10mmØ driver unit. Carry pouch. 3.5mm R/A plug. Soft silicone buds. Two sizes supplied. 10Hz-20KHz 103dB

Colour Code Black CD1BK White CD1WH











→ Mini Hands Free

MINI HANDS FREE - MHF SERIES

WITH ANSWER BUTTON & MIC

Dedicated plugs to suit specific brands and model phones. Some are single ear piece and others stereo (pictured).

www.cellink.com.au



MINI HANDS FREE - HHF SERIES

INLINE ANSWER BUTTON

Flexible Earlobe Clip to hold securely to you ear with boom microphone. Dedicated plugs to suit specific brands and model phones.

www.cellink.com.au



MINI HANDS FREE - IHF SERIES

INLINE ANSWER BUTTON

Flexible Earlobe Clip to hold securely to you ear with boom microphone. Dedicated plugs to suit specific brands and model phones.

www.cellink.com.au



MINI HANDS FREE - MHB SERIES

INLINE ANSWER BUTTON

Flexible Earlobe Clip to hold securely to you ear with boom microphone. Dedicated plugs to suit specific brands and model phones.

www.cellink.com.au



MINI HANDS FREE - OEM

ORIGINAL EQUIPMENT MANUFACTURED

Many more styles available. Originals from manufacturers.

www.cellink.com.au



QUAD HANDSFREE ADAPTOR

WITH ANSWER BUTTON

3.5mm Quad plug adapts to 3.5mm stereo socket to suit stereo headphones. Includes tie clasp with answer button and microphone. Suits iPhone and others.

Code AHF9002



QUAD HANDSFREE EARBUDS

WITH VOLUME CONTROL

3.5mm Quad plug and stereo headphones Includes tie clasp with answer button and volume control. Suits iPhone and others.

Code MHF9003



QUAD HANDSFREE EARBUDS

INLINE MICROPHONE

3.5mm Quad plug and stereo headphones. Includes inline microphone. Suits iPhone and others

Type Code Original MHF9004 Cellink MHF9002



QUAD HANDSFREE EARBUDS

WITH VOLUME CONTROL

3.5mm Quad plug and stereo headphones. Includes inline microphone and volume control. Suits iPhone and others.

Type Code Original MHF9005 Cellink MHF9006



MINI HANDS FREE OEM

ORIGINAL EQUIPMENT MANUFACTURED

Many more styles available! Originals from manufacturers.

www.cellink.com.au



QUAD PLUG ADAPTOR

2.5mm PLUG - 3.5mm SOCKET Many more adaptors available. www.cellink.com.au

Code AHF4256





(L) Phone: 02-9798-9233



Fax: 02-9798-0017





GPS ACCESSORIES

www.cellink.com.au

Please visit our website Continually updated with the latest models and cross-references for a quick and easy solution for finding accessories to suit your GPS, PDA and mobile cell phone.or...



GIVE US A CALL!!! PROTECTIVE POUCH

Whether it's in the glovebox, a handbag or backpack, these pouches keep any sharp or abrasive items away from your valuable GPS unit. Easy access through a simple velcro flap means it's ready to go in seconds.

Suits	Size	Code
3.5"	25x70x140mm	POU5730
4 3"	20x80x120mm	POU5738



CARRY CASE

Cary and protect your valuable GPS device. Secured with a zipper closure and molded from high density EVA to give ultimate in portable GPS Satellite-Navigation protection.

Suits	Size	Code
3.5"	20x75x110mm	CAS5725
4.3"	25x90x110mm	CAS5739





TRANSFER CASE

Transfer your GPS device and accessories and protect them when not in use. Secured with a zipper closure and molded from high density EVA to protect securely. Also provides a separate compartment for leads, charger, etc

compartment for loads, on argor, oto.			
	Size	Description	Code
	25x90x160mm	Flat Profile	CAS5747
	40x80x130mm	With Pouch	POU5731
	50x90x130mm	With Pouch	POU5739
	50x90x130mm	3.5" Insert	POU5737



SUN VISOR

UNIVERSAL

Width 100-140mm Remove sun glare. Stay safe on the road with this simple sun visor. Suits many GPS, SatNav, etc. Designed to improve visibility when trying to read your GPS screen in bright conditions. Attaches easily to most units with self adhesive velcro dots.

Width	Code
100-140mm	SCC5724



SLIP CASE

Synthetic padded material like scuba skin is tear proof and scratch resistant. Ideal for protecting electronic screens from minor damage. Velcro close. Original Scala pouch available for 3.5" and 4.5' screen GPS devices. Elastic strap belt clip. Dimensions shown are Flat, so change depending on thickness of device.

Suits	Size	Code
3.5"	90x100mm	POU5701
4.3"	90x150mm	POU5700

SPORTS CASE

Made from soft neoprene that stretches to fit most GPS shapes and size. Original Scala case with zipper and elastric strap belt clip. Colour detailing.

Suits	Size	Colour	Code
3.5"	20x70x100mm	Blue	POU5703BL
3.5"	20x70x100mm	Red	POU5703RD
3.5"	20x70x100mm	Yellow	POU5703YL
4.3"	20x70x120mm	Black	POU5704BK
4.3"	20x70x120mm	Blue	POU5704BL
4.3"	20x70x120mm	Red	POU5704RD
4.3"	20x70x120mm	Yellow	POU5704YL



SOCK CASE

Soft thick coloured sock designed to help protect your portable GPS device from scratches whilst not in use. Measurement is flat, unstretched.

Colour	Size	Code
Black	65x100mm	POU5702BK
Red	65x100mm	POU5702RD

Suitable for either 3.5" or 4.3" GPS Devices.



♦ Chargers

USB MAINS CHARGERS

Keep your GPS device topped-up and ready for use any time. Light weight design with high charging efficiency. Cellink blister packaging.

Plug	Colour	Code
USB Male	White	USB902
USB Female	White	USB900
USB Female	Black	USB904
Mini-USB Male	Black	CTC1000
Micro-USB Male	Black	CTC1001



Available in Bulk (no packaging). Colour Code

Mini-USB Male Black BAC1000 Micro-USB Male Black BAC1001

USB CAR POWER ADAPTOR "ELI"

MINI USB [5B]

Туре	Code
Straight Cord	ELI5723
Curly Cord	ELI5724
Right Plug	ELI5725
Left Plug	ELI5726
Up Plug	ELI5727
Down Plug	ELI5728

MICRO USB [A]

Amps	Code
650mA	ELI1001
2A	ELI1005


STANDARD USB SOCKET Code













→ Antennas - Connectors - Accessories

♦ Patch Cables

MC LUCENT TO SMA R/P

Plug A MC Lucent Male R/A Plug B SMA R/P Female Cable RG174U Length 0.5M Code CAL711



SMK TS-9 R/A TO SMA

SMK TS-9 Plug A Male R/A Plug B SMA Female Cable RG316U Length 0.5M Code CAL817



SSMB TO SMA

SSMB Plug A Male R/A Plug B SMA Female Cable RG316U Length 0.5M Code CAL819



MC LUCENT TO FME



SMK TS-9 R/A TO FME

SMK TS-9 Plug A Male R/A Plug B FME Male Cable RG174U Length 0.5M Code CAL811



SSMB R/A TO FME

Plug A SSMB Male R/A Plug B FME Male Cable RG174U Length 0.5M Code CAL805

MC LUCENT TO SMA



SMK TS-9 TO FME

Plug A SMK TS-9 Male Plug B FME Male Cable RG174U Length 0.5M Code CAL821



SSMB TO FME

Plug A SSMB Male Plug B FME Male Cable RG174U Length 0.5M Code CAL809



MMCX R/A TO FME



SMK TS-9 TO SMA

SMK TS-9 Plug A Male Plug B SMA Female Cable RG316U Length 0.5M Code CAL822

CRC9 TO SMA

CRC9 Plug A Male R/A Plug B SMA Female Cable RG316U Length 0.5M Code CAL820



MCX TO SMA R/P

Plug A MCX Male Plug B SMA-R/P Female Cable RG174U Length 0.5M Code CAL710



SMB TO SMA

SMB Plug A Male Plug B Siving Female SMA Cable RG316U Length 0.5M Code CAL816



CRC9 TO FME

CRC9 Plug A Male R/A Plug B FME Male Cable RG174U Length 0.5M Code CAL802



MCX TO SMA

Plug A MCX Male Plug B SMA Female Cable RG174 Length 0.2M Code CAL714



Plug A SMB Male Plug B FME Male Cable RG316U Length 0.5M Code CAL815



TMC TO FME

Plug A TMC Male Plug B FME Male Length 0.5M Cable RG174U Code CAL804



MCX TO 'N'

Plug A MCX Male Plug B N Female Cable RG174U Length 0.2M Code CAL715



MMCX TO SMA

Plug A MMCX Male R/A Plug B SMA Female Length 0.5M Cable RG174U Code CAL808



ANTENNA CONNECTORS

ANTENNA COUPLERS ANTENNA CRADLES


Specific plugs to suit your mobile phone for external antenna connection. To suit your phone see...













♦ Adaptors & Connectors

ADAPTORS

SEE SECTION 07 PLUGS & SOCKETS For our full range Audio Video RF. etc.



TNC R/A

Please Enquire!


Right Angle Code TNC240



TNC/TNC

Female-Female

Code **TNC262**




TNC/MiniUHF

TNC Male

Mini-UHF M259 Female

TNC274



TNC/"N"

TNC Male "N" Female

Code **TNC278**




TNC/FME

TNC Female FME Female

Code




Male Male Code FMF120



FME/TNC

TNC Male TNC Male

Code FME130



FME/BNC

FME Male BNC Male


Code FME140



FME MALE / MINI-UHF MALE

FME Male Mini-UHF Male

Code FME150



FME FEMALE / MINI-UHF FEMALE


FME Female Mini-UHF Female



FME MALE /MINI-UHF Female

FME Male Mini-UHF Male


Code FME265



FME/"N"

FMF Male "N" Male

Code **FME160**



FME/PL259

FME Male UHF PL259 Male Code

FMF259

MiniUHF R/A

Right Angle Adaptor


Code M259RA



MiniUHF/PL259

Mini UHF Male **UHF Female**

Code MUF379



SMA/MiniUHF

Female-Female

Code SMA319



SMA FEMALE / SMA FEMALE

Female-Female

Code AD1102



SMA MALE / FME FEMALE

SMA Plug to **FMF Socket**

Code AD1103



SMA MALE / FME MALE

SMA Plug to to FME Plug

Code AD1112



SMA FEMALE / N FEMALE

SMA Socket to "N" Socket

Code AD1073



SMA FEMALE / N MALE

SMA Socket to "N" Plug

Code AD1071



SMA MALE / N MALE

SMA Plug to "N" Plug

Code AD1072



SMA MALE / N FEMALE

SMA Male "N" Female


Code AD1074



SMA / SMA FEMALE RND PANEL

Female to female Panel Mountable

Code SMA291



SMA / SMA FEMALE HEX PANEL

Female to female Hex Mount Type

Code SMA292



SMA R/A

Right Angle


Code SMA390



SMA MALE / TNC FEMALE

SMA Male TNC Female


Code SMA150



SMA FEMALE / TNC MALE

SMA Female TNC Male

Code SMA451



SMA FEMALE / TNC FEMALE

TNC Female SMA Female

Code SMA452



FME Female to SMA Female

Code AD1104 FME/N



"N" Socket to FME Socket

Code AD1075



FME FEMALE / FME FEMALE

FME Female to **FME Female**

Code AD1111



"N" MALE / "N" MALE

Male-Male Code


N130



"N" FEMALE / "N" FEMALE

Female-Female

Code N135



WALL-PLATES

SEE SECTION 07 PLUGS & SOCKETS

Clipsal Inserts for Audio Video RF. etc. Please Enquire!









Fax: 02-9798-0017







CRIMP PLUGS

SEE SECTION 07 PLUGS & SOCKETS

A complete range is available... Please Enquire!



TNC Crimp Male RG58

Code	TNC28	CHANN I
Type	Male	
Suit	RG58U	C Break PORTAL
		Children.



N Crimp Male RG58 LL195

Code	N127
Type	Female
Suit	LL195 RG58
	NGJO

LL195 RG58 (5mmØ)

N120

Male

Code

Type



TNC Crimp Female RG58

Code	TNC99	
Туре	Female	
Suit	RG58U	



KG213 (שווווווטו
Code	N112
Type	Male



RG213 (10mmØ)

10210 (
Code	N112
Type	Male



TNC Crimp Male RG174

Code	TNC7401
Type	Male
Suit	RG174



N Crimp Male LL400

LL400 (10mmØ) Code N113 Type Male LMR400 Suit Cable



TNC Crimp Female RG174

Code	TNC7415
Type	Female
Suit	RG174



N Crimp Female RG213

RG213 (10mmØ) Code N128 Type Female



SMA MALE RG58U

Code	SMA58	
Suit	RG58U	(?
Type	Male	()

N Crimp Female LL400

LL400 (10mmØ)

Code
Type
Suit

N129 Female LMR400 Cable



SMA FEMALE RG58U

Code	SMF58	
Type	Female	
Suit	RG58U	C Book Camer

N Crimp Male RG213 - Right Angle

Code
Type
Suit

N7302 Male R/A RG213



SMA MALE RG174

Code	SMA174
Type	Male
Suit	RG174





Male R/A LL400 **RG213**



SMA MALE RA RG174

Code	SMA174R
Suit	RG174
Type	Male R/A

N Chassis Solder Type





RARE PLUGS

Our complete and extensive range of plugs socket and jacks Please Enquire...



N Chassis Water Proof Type

Female Socket Solder Back Code N150



SMA REVERSE MALE CRIMP

SMA-Reverse RG58 Code SMA158 Type Male

N Chassis Crimp Type RG58 LL195

Female Socket Crimp RG58CU Code N152



SMA REVERSE FEMALE CRIMP

SMA-Reverse RG58		
Code	SMF158	
Type	Female	



N Chassis Crimp Type RG213 LL400

Twist-On Back		
Code	N154	
Type	Female	
Suit	RG213	




FME Crimp Male RG58

FME Male RG58 Code FME158

FME Crimp Female RG58

FME Female → RG58 FME100



FME Crimp Male RG174

Code	FME8015
Suit	RG174
Type	Male



FME Crimp Female RG174

Code	FME8001
Suit	RG174
Туре	Female



LUCENT MC-CARD PLUG

Lucent WiFi Crimp Suits MC Cards, etc. LMR100 RG174 Cable





Code	Suit
M259-174	RG174
M259-58	RG58



MINI-UHF SOCKET S259

Code	Suit
S259-174	RG174
S259-58	RG58



SPARE FERULES

Code FER58 RG58



STRAIN RELIEF BOOT

Suits RG58 Cable

Colour	Code
Black	58SRB-BK
Blue	58SRB-BU
Green	58SRB-GN
Red	58SRB-RD
White	58SRB-WH
Yellow	58SRB-YL



CJ500

5mm Coax cable joiner Screw terminating

Code	Collar
CJ500B	Black
CJ500W	White



CABLE REELS

SEE SECTION 13 CABLE & ACCESSORIES

We have more cable available... Please Enquire!




COMMUNICATIONS

SEE SECTION 19 COMMUNICATIONS ACCESSORIES

Antennae, Bases and Mounting solutions. Please Enquire!














Coax Cables - Premade

SMA → SMA LEADS

LOW-LOSS PATCH

LL195 50Ω Coax SMA Male to Male







"N" → SMA LEADS

LOW-LOSS PATCH

LL195 50Ω Coax SMA Male to "N" Male

Length	Coax	Code
0		
1.5M	LL195	CAL5060
3.0M	LL195	CAL5043
5.0M	LL195	CAL5044
5.0M	LL400	CAL5080
10M	LL195	CAL5045
10M	LL400	CAL5081
15M	LL195	CAL5046
15M	LL400	CAL5082
20M	LL195	CAL5047
20M	LL400	CAL5083
25M	LL400	CAL5084
30M	LL400	CAL5085





SMA-REVERSED LEADS

50Ω Coax SMA-RP Female to Male

Length	Coax	Code
3.0M	RG58u	CAL5013
3.0M	LL195	CAL5018
5.0M	RG58u	CAL5014
5.0M	LL195	CAL5019
10M	RG58u	CAL5015
10M	LL195	CAL5020
15M	RG58u	CAL5016
15M	LL195	CAL5021
20M	RG58u	CAL5017
20M	LL195	CAL5022
	-	





"N" → SMA-REVERSED LEADS

50Ω Coax SMA-RP Male to "N" Male

	_	0 1
Length	Coax	Code
3.0M	RG58u	CAL5023
3.0M	LL195	CAL5028
5.0M	RG58u	CAL5024
5.0M	LL195	CAL5029
10M	RG58u	CAL5025
10M	LL195	CAL5030
15M	RG58u	CAL5026
15M	LL195	CAL5031
20M	RG58u	CAL5027
20M	LL195	CAL5032
	-	



FME MALE → FEMALE

-1 -
de
_5063
_5064
_30
_31
_50
L51
L100
L101
L103



FME → "N" LEADS

50Ω Coax FME Female to "N" Male

Length	Coax	Code
1.5M	RG58u	CAL5061
1.5M	LL195	CAL5062
3.0M	RG58u	CAL5003
3.0M	LL195	CAL5008
5.0M	RG58u	CAL5004
5.0M	LL195	CAL5009
5.0M	LL400	CAL5090
10M	RG58u	CAL5005
10M	LL195	CAL5010
10M	LL400	CAL5091
15M	RG58u	CAL5006
15M	LL195	CAL5011
15M	LL400	CAL5092
20M	RG58u	CAL5007
20M	LL195	CAL5012
20M	LL400	CAL5093
25M	LL400	CAL5094
30M	LL400	CAL5095



"N" → "N" LEADS

50Ω Coax Male to Male

Length	Coax	Code
1.5M	RG58u	CAL5065
1.5M	LL195	CAL5066
3.0M	RG58u	CAL5033
3.0M	LL195	CAL5038
5.0M	RG58u	CAL5034
5.0M	LL195	CAL5039
5.0M	LL400	CAL5070
10M	RG58u	CAL5035
10M	LL195	CAL5040
10M	LL400	CAL5071
15M	RG58u	CAL5036
15M	LL195	CAL5041
15M	LL400	CAL5072
20M	RG58u	CAL5037
20M	LL195	CAL5042
20M	LL400	CAL5073
25M	LL400	CAL5074
30M	LL400	CAL5075



SMA → SMA PANEL MOUNT LEAD

Double nut for panel mounting the Female SMA













→ Antennas - Connectors - Accessories

V Coax Cable

50Ω RG316U COAX

Communications Cable. Very small diameter 2.5mmØ. PTFE Dielectrics. FEP Clear Jacket. Full Braided Shield Silver Plated Copper Multi Strand centre.

Code RG316U-50 X 50 Metres RG316U-1 7x0.17mmØ RG316U 50ohm COAX

50Ω RG174/U COAX 2.5mm

Multi-strand steel/copper (0.48mm) with braid tinned copper 90% shield. PE Dielectric (1.5mm). PVC Jacket Black (2.55mm). 100pF/M. 50 Metres. testing

Code RG174U-50 RG174U-1

0.48mmØ

RG174/U 50ohm COAX

2.55mmØ 1.5mmØ

0.7mm Ø

2.6mm Ø


Suit short run flexible. eg. GSM Accessories. *Available cut to length.

50Ω RG58AU COAX 5mm

Multi-strand with braided copper shield. Superior specifications to RG58U.

Code RG58AU RG58AU-1

RG58AU 50 ohm COAX



3mmØ

5mm Ø

*Available cut to length.

50Ω RG58CU COAX 5mm


Mobile communications and computer ethernet installations. Tinned Multi-Strand High-shielding.*Available cut to length.

Code RG58CU

RG58CU-1

<1.2mmØ

RG58CU 50 ohm COAX



3mmØ

↓ Crimp Tools & Cable Strippers **CRIMP TOOL RG58U / LL195**





COAX STRIPPERS

RG58 & RG174

Code HT332



MORE CRIMP TOOLS AVAILABLE

Comprehensive range of crimping tools are available. See Section 14 Tools



50Ω LL195 COAX 5mm LOW-LOSS

SOLID CORE DOUBLE SHIELDED

Low-Loss substitute to the common RG58 & RG142 coax cable Single Solid core of bare copper OD: 1.12mm ±0.03mm Gas Injected Foamed Polyethylene OD: 2.95mm ±0.10mm Shield 1: Bonded Aluminium Polyester Tape 100% Coverage Shield 2: Tinned Copper Wire 16x 0.12mm 88% Coverage Jacket: PVC Weather resistant, UV Resistant 4.95mm ±0.15mm

AKA: LMR200 Code

LL195 LL195-1

5mm Ø

7mm Ø

1.12mmØ 2.95mmØ

LL195 50 Ohm Coax

50Ω RG213U COAX 10mm

HEAVY DUTY with UV-Resistance. Tinned Multi-Strand High-shielding.

Code RG213U RG213U-1

*Available cut to length.

10.5mm! Ø <2.5mm Ø 50 ohm

50Ω LL400 COAX 10mm LOW-LOSS

SOLID CORE DOUBLE SHIELDED

Single Solid core of bare copper OD: 2.74mm ±0.03mm Gas Injected Foamed Polyethylene OD: 7.24mm ±0.15mm Shield 1: Bonded Aluminium Polyester Tape 100% Coverage Shield 2: Tinned Copper Wire 24x 0.16mm 95% Coverage Jacket: PVC Weather resistant, UV Resistant 10.3mm ±0.20mm

Length Code 1M³ LL400-1 50M LL400 100M LL402 305M LL403

10.3mmØ

50 Ohm LL400

2.74mmØ 7.24mmØ

*Available cut to length.

*Available cut to length.



(L) Phone: 02-9798-9233



Fax: 02-9798-0017

Email: sales@wagner.net.au

Web: www.wagner.net.au



↓ Antennas - Cellular / Data

CELLINK PANEL MOUNT ANTENNAS

NextG 850 & GSM-900

Requires drilled panel 14mm. Pre-Crimped FME Female on lead. 5dB 7dB Gain Length 300mm 500mm Type NEXT-G 850 / GSM900

Panel 1/2" Panel 1/2' Base 5M x RG58A/U 4M x LL195 Cable FMF Female **FMF** Female Plug Code ANT406 ANT447

ANT447 REPLACEMENT WHIP

Replacement whip to suit the ANT447 antenna. Super-Gain 7dB type.

Code WB6311



CELLINK PANEL MOUNT ANTENNA WITH CABLE GLAND

Rubber grommet base seal. Inverted cone base 30mm. Suit permanent install. Requires drilled panel 14mm. Pre-Crimped SMA Male on lead. Includes inline collar type weatherproof grommet for going through vehicle firewalls, etc.

Gain 7dB Length 500mm NEXT-G 850 / GSM900 Type Panel 1/2" 4M x LL195 Cable Plug SMA Male ANT448 Code

REPLACEMENT WHIP

Code WB6311

50cm Feed Grommet for firewall entry

CELLINK THRU-GLASS ANTENNA KITS

Double or Single tuned coil (Closed Type) Black anodized whip. Adjustable angle base Long life, premium grade materials used. Improved performance and true gain models. Pre-Crimped FME Female Plug. No tools req. 4 Metres Supplied of LL195 Super Low-Loss cable for best signal transfer.

9dB* Gain 5dB 9dB* Length 500mm 300mm 500mm 300mm NEXT-G850/GSM900/ GSM900-1800/ Type GSM1800/LTE/4G LTE4G/3G-2100 Base Thru-Glass Thru-Glass Thru-Glass Thru-Glass 4M x LL195 4M x LL195 4M x LL195 4M x LL195 Lead FME female FME female FME female FME female Plug ANT477 ANT475 ANT490 ANT485 Code



CELLINK THRU-GLASS ANTENNA - REPLACEMENT WHIP ONLY

REPLACEMENT WHIPS TO SUIT ANT400 SERIES

Screw-on whips with Through-glass type bases. Black anodized whip. Adjustable angle (tilt) base. Replace damaged on missing whips or change the reception band using existing cable install. Includes affixing tape. Length 400mm.

Gain NEXT-G850/GSM900/ GSM900-1800/ Band GSM1800/LTE/4G LTE4G/3G-2100 ANT475 ANT485 Suits Thru-Glass Coupler (Not Inc.) Base WB6308 WB6310 Code

AFFIXING TAPE

Description Extra Tape 45mm² ART45














↓ Antennas - Cellular / Data

CELLINK MINI-MAGNETIC-BASE ANTENNAS 4dB

SUPER-LIGHT OPEN-COIL TYPE SMALL BASE

Open-Spring type tuning coil. Black anodized low wind noise. High wind speed magnetic base. Rubber lined to protect duco'. Excellent robust solution for non-permanent installations. Pre-Crimped FME Female Plug. 3M of super low-loss cable.

Gain	4dB	4dB
Length	300mm	300mm
Type	NEXT-G 850	GSM 900
Base	Magnetic 28mm	Magnetic 28mm
Lead	3M x LL195	3M x LL195
Plug	FME female	FME female
Code	ANT363	ANT368



CELLINK MAGNETIC-BASE ANTENNA 7dB

LARGE BASE HIGH GAIN CLOSED COIL TYPE

Closed Coil type 7dB Gain Black anodized low wind noise. High wind speed magnetic base for a secure hold at high speed. Rubber lined to protect duco'. Compact temp install solution. Pre-Crimped FME Female Plug. 4M cable LL195 Super Low-Loss.

Gain	/QB
Length	520mm
Type	NEXT-G 850 / GSM900-1800 / LTE 4G
Band	850MHz - 1800MHz
Base	Magnetic 80mm
Lead	4M x LL195
Plug	FME female
Code	ANT481



CELLINK MAGNETIC-BASE ANTENNA 5dB

LARGE BASE HIGH GAIN CLOSED COIL TYPE

Closed Coil type 5dB Gain Black anodized low wind noise. High wind speed magnetic base for a secure hold at high speed. Rubber lined to protect duco'. Compact temp install solution. Pre-Crimped FME Female Plug. 4M cable LL195 Super Low-Loss.

Gain Length 520mm NEXT-G 850 / GSM900-1800 / LTE 4G Type Band 850MHz - 1800MHz Magnetic 50mm Base 4M x LL195 Lead Plug FME female ANT480 Code



CELLINK MAGNETIC-BASE ANTENNA 5dB

LARGE BASE HIGH GAIN CLOSED COIL TYPE


Closed Coil type 5dB Gain Black anodized low wind noise. High wind speed magnetic base for a secure hold at high speed. Rubber lined to protect duco'. Compact temp install solution. Pre-Crimped FME Female Plug. 4M cable LL195 Super Low-Loss.

Gain	5dB
Length	520mm
Type	GSM900-1800 / LTE 4G / 3G-2100
Base	Magnetic 50mm

4M x LL195 Lead Plug FME female ANT483 Code











↓ Antennas - Cellular / Data

GLASS-LIP WINDOW MOUNT

3dB GSM900 & NextG 850

Excellent temporary antenna solution that's quick install and effective fringe area improvement to boost reception. Simply hooks over upper-edge of an open vehicle window, then close the window to hold 24cm Robust Rubber-Ducky type. Secure base with Thumb-screw 3M x RG174A/U to FME Female.

ANT407



ON-GLASS ANTENNAS

SUCTION CAPS OR STICK-ON

Semi-permanent or temporary solution. 2.5dB 25x125mm. 2 Metres RG174A/U coax cable to Plug FME Female.

NextG 850, GSM900/1800, LTE 4G 825-960MHz + 1710-1800MHz

Code Type ANT491 Stick-On ANT495 Suction Cups

GSM900/1800, LTE 4G & 3G-2100

890-960MHz + 1710-2200MHz

ANT493 Stick-On ANT496 Suction Cups



UNDER-GLASS ANTENNA MOBILE PHONE & AVL-GPS

THRU-GLASS CELLULAR MULTI WITH OPTIONAL ACTIVE GPS

Benelec 02457 glass mount antenna. Suitable for ALL cellular bands Next-G 850, GSM900/1800, LTE 4G, 3G-2100. Optional GPS receiver inbuilt with active 28dB GPS signal amplifier. Designed to be mounted on the inside of the vehicles windscreen or a house window pane, etc. 195x35mm. Mobile phone unity gain dual band antenna. 820-960MHz & 1710-2200MHz. 3.0M x LL195 Coax to SMA-Male. Optional GPS has 2nd 2.5M x LL100 Coax to SMA-Male lead.

•	
Description	Code
Multi-Band Thru-Glass Antenna with GPS 28dB active boosted.	ANT514
Multi-Rand Thru-Glass Antenna passive without GPS	ANT515




GPS WINDOW ANTENNA


OPTIONAL NextG 850 GSM900/1800 LTE 4G, 3G-2100

140x75mm Transparent window discreet sticker type. Two full wave loops for high passive gain of 4.5dB. Clear polyester mylar. Mount on a windscreen. 3M 467 Epoxy adhesive. Active GPS Booster for High performance 27dB Phantom powered 3/5Vdc. Includes 3M RG174 coax. Terminates to FME plug. GPS 1575.42MHz ±2MHz. Optional cellular phone reception with a separate antenna connection. Dual band for Next-G 850 GSM900/1800 LTE and 3G-2100 at 4.5dB. Includes 1M RG58 coax Terminates to FME plug. Clear flexible with high performance in an innovative design.

Description Code GPS Active 27dB Booster GPS Active + Mobile Phone ANT921







DESK-TOP WIRELESS INTERNET ANTENNA



EXTERNAL ANTENNAS

INDOOR PATCH BROADBAND GSM900 & NEXT-G 3dB 825-960MHz & 1710-2200MHz Flat "Patch" Antenna. Double sided tape affix or Velcro.

1M x RG174A/U. Terminates FME Female. NextG 850 GSM900/1800, LTE 4G, 3G-2100

115x55x4mm Black 2.5dB

Code ANT497

NextG 850 GSM900/1800, LTE 4G, 3G-2100

ANT498



75x33x5mm Black 2.0dB Code

17-30 (Phone: 02-9798-9233

Fax: 02-9798-0017



↓ Antennas - Cellular / Data

AVL GPS & CELLULAR ANTENNA

CONCEALED ACTIVE - AVL GPRS NextG 850 GSM900/GSM1800 4G LTE 3G-2100

Unity gain, multi band concealed antenna suited for use in all cellular bands include GSM, GPRS, Next G, WCDMA, UMTS & PCS plus a built-in high performance active GPS antenna. Includes 2.5 metres of low loss cable and SMA male connectors for each feed. Designed to be mounted on the inside of the vehicle in concealed locations, optimised to operate in free space. 850MHz - 900MHz & 1800MHz - 2100MHz.

	· ·
Gain	3dB/5dB
Length	198x36mm
Type	AVL GPRS NextG 850 GSM900-1800 LTE 4G 3G-2100
Colour	Black
Lead	2.5Mx LL195 + LL100
Plug	2x SMA
Benelec	0294208
Code	ANT538



AVL GPS & CELLULAR SHARK FIN

TWO IN ONE HOOD MOUNT - AVL GPRS NextG 850 GSM900/GSM1800 4G LTE 3G-2100

Multi-band antenna operating in the 820-960MHZ and 1710-2500MHz bands for all mobile phone coverage plus also incorporates an active GPS antenna. ABS radome is ideally suited to applications where a low profile and rugged construction is required. Exits 2x leads LL195/LL100 5M each to both same plug type. GPS requires phantom power 3-5Vdc. Made in Australia.

 Plug
 Brand
 OEM
 Code

 SMA x2
 Benelec
 0294206
 ANT528

 Fakra x2
 Benelec
 0294206F
 ANT535



AVL GPS & CELLULAR SURFACE MOUNT

TRI-BAND GPS 26dB & GSM900

Low profile 20x115mmØ Both GPS and Cellular In one compact unit Cellular GSM900 0dB Cellular GSM1800 0dB Satellite GPS 5dBi Active GPS Booster 27dB Weatherproof Radome White polycarbonate 16mm Hold mount Up to 6mm Thick Grommet sealed Phantom powered 3.3Vdc to 5Vdc 20mA GPS lead 4.5M RG174 coax Terminates to SMA plug GPS 1575.42MHz ±2MHz 27dB with 2dB Noise max. GSM lead 4.5M RG58 Terminates to TNC Male Compact Size 20x115mmØ Benelec 0294303

Code ANT507



GPS ANTENNA SURFACE MOUNT

GPS 1575MHZ 26dB

Super compact 2.5"Ø Antenna 5dBi Gain Active GPS Booster High performance 27dB Designed for roof mount Low profile and compact Roof, trunk or bulkhead Weatherproof radome white 5/8" Hole Mount required Phantom powered 3.3/5Vdc Includes 4.5M RG174 coax Terminates to SMA plug GPS 1575.42MHz ±2MHz 27dB with 2dB Noise max. Compact Size 20x50mmØ

Benelec 0294104

Code ANT503



MAGNETIC GPS ANTENNA

MINI-EXTERNAL ACTIVE ANTENNA


1575.42MHz Bandwidth ±5MHz Peak Gain 3dBic (7cm° Ground pane) Coverage Gain -4dBic at ±90° RHCP LNA Gain 28dB Typical (Filtered) VSWR 2.0 with 3 Metres RG174 Terminated to SMAp (male) Magnetic base 100% Weather proof ABS 40x35x15mm

Benelec 0294105

Plug	SMA	SMA	USB	USB	Bluetooth
Lead	RG174 x4.5M	RG174 x3.0M			Rechargeable
Size	51x41x22mm	40x35x15mm	40x40x10mm	40x40x10mm	77x43x18mm
OEM	0294101	024105	CDX2951	SiRF	SiRF
Code	ANT501	ANT504	GPS101	GPS104	GPS200









↓ Antennas - Cellular / Data

6dB 1050MM WHIP & SPRING WIDE-BAND

NextG 850 & 3G-2100 GPRS GSM [825-960MHz & 2100MHz]

Fibreglass antenna with stainless steel heavy duty spring, 3.6M of special low loss cellfoil coax & FME connector. Available in black or white and is suitable for all vehicles and for marine environment.


Colour	Black	White
Length	1100mm	1100mm
Gain	6dB	6dB
Plug	FME	FME
Lead	3.6M	3.6M
Base	1/2"	1/2"
Mobileone	SS822B	SS822W
Code	ANT537BK	ANT537WH



7dB 740MM WHIP & SPRING WIDEBAND

NextG 850 / GSM900 / GSM1800 / LTE 4G / 3G-2100 [825-960MHz & 1710-2200MHz]

Dual-Band Broad-band antenna. Heavy duty fibreglass whip. Suits Mobile phones and Wireless Internet bands. NextG & GSM900 = 7dB. 3G & GSM1800 = 3dB. Ground independent. Bullbar, Car. Base station or boat. 70cm + Spring base. Requires ½" Bracket. Includes LL195 Low-Loss Cable 5.0M to FME Female.






7.5dB 1100MM WHIP & SPRING

Nextg 850 / GSM900 / GSM1800 / LTE 4G / 3G-2100 [825-960MHz & 1710-2200MHz]

Dual-Band Broad-band antenna. Heavy duty fibreglass whip. Suits Mobile phones and Wireless Internet bands. NextG850 & GSM900 = 7dB. GSM1800 & G3-2100 = 3dB. Ground independent. Bullbar, Car, Base station or boat. 70cm + Spring base. Requires 1/2" Bracket. Includes LL195 Low-Loss Cable 5.0M to FME Female.






7.5dB 1M WHIP WIDEBAND BASE STATION

825-960MHz & 1710-2200MHz

The antenna is light weight and fitted to a stainless steel studs. The ANT529 antenna does away with the need for three separate antennas whilst maintaining high gain across the cellular bands. Comes with N socket termination. 7.5dB 825-960MHz and 3.0dB 1710-2200MHz

Gain	7.5dB	7.5dB
Length	1070mm	1070mm
Type	NextG850 GSM900/	1800 LTE 4G 3G-2100
Base	"N"	"N"
Brand	Cellink	Cellink
Colour	Black	White
Code	ANT529BK	ANT529WH



9dB 1350MM CELLULAR ANTENNA WIDE-BAND BASE STATION

NextG850 & 3G-2100 [825-890MHz & 2100MHz]

Extra high gain fibreglass NextG/3G antenna with 20mm aluminium tube mounting section. Includes attached 10 Metres of special low loss coax & FME connector.

Pole or Mast mount. Optional CBS6 Spring for bullbar mounting, etc.

Gain	9dB	9dB
Length	1350mm	1350mm
Colour	Black	White
Lead	10M	10M
Plug	FME	FME
Mobileone	COL823B	COL823W
Code	ANT530BK	ANT530WH













↓ Antennas - Marine

BOAT WHIPS 1.8M WHITE 1" BASE

3dB 1800mm 6 FOOT RADOME

Salt water resistant white whip. Heavy duty Radome© fibreglass chrome plated brass fittings. Ground independent antenna 1" threaded base. Side cable entry.

Gain 3dBi 3dBi GSM900 NextG 850 GSM900 Type **GSM1800 LTE 4G** 3G-2100 820-960MHz 895-960MHz Band 1710-2500MHz Lead RG58CU x5M LL195 x5M Plug No Plug **FME** Code ANT604 ANT603



BASE STATION & MARINE 3G-2100MHz

9dB 57cm 3G-2100

2020-2150MHz 10W 570mm Heavy-Duty Fibre Glass with weather-proof fittings. Includes post mount kit and galvanized steel bolts. Suit home base station or Boat mast mounting. Note: No Cable supplied. Terminates to "N" Female.

REQUIRES "N" LEAD

Code ANT468

8

MARINE MAST MINI

NextG 850 / GSM900-1800 / LTE 4G / 3G-2100

3dB 25cm HEAVY-DUTY "N" Built tough for marine use in the 820-960MHz and 1710-2500MHz Next-G GSM900/1800 LTE 3G 4G. Requires low loss cable runs as utilized in mast mount applications. Terminates to "N" Type socket.

Code ANT609



MOUNTING STRAPS



CELLULAR PHONE MINI-MAST

19cm 3dB NextG 850 / GSM900-1800 / LTE 4G / 3G-2100

Next-G GSM900/1800 3G-2100 820-960MHz & 1710-2200MHz. Ideal fixed site solution. Requires mounting bracket 1/2" and 17mm mounting hole. Black ABS plastic. Weather resistant 3M LL195 Coax. SMA-Male Plug.

Size 188x30mmØ ANT513



BRACKETS

RIGHT-ANGLE Wall or mast mount 1/2" (17mm) hole. Size value denotes distance off wall or mast

Description Size Code Coated Steel WB40 135mm Stainless Steel 160mm WB41

MARINE DECK MOUNT BASE 1"

1" threaded Marine Base

i tilicaded Marine Dase			
Mount	Туре	Code	
Deck	Nylon	MAB1	
Deck	Stainless Steel	MAB3	
Deck	Brass Chrome Plated	MAB4	
Rail	Stainless	MAB5	









(L) Phone: 02-9798-9233






↓ Antennas - Directional

YAGI DIRECTIONAL - 3G-2100

15dB 2100MHz 3G 2050-2150MHz 30W 670mm Strong alloy long life. Highly directional 15dB yagi antenna transmits 30W max. 50Ω 590g 670mm. Suit 3G phone network & 2.1GHz communications. Terminates to "N" Female. Includes pole mount kit.

Code ANT467



YAGI DIRECTIONAL - GSM900

15dB 900MHz ANTENNA

890-960MHz Bandwidth Strong alloy long life Highly directional 15dB yagi antenna transmits 30W max. Impedance 50Ω input. Suit GSM cell networks. Aluminium. Length 1500mm. Terminates to "N" Female. Includes pole mount kit.

ANT460



N Connector Requires Cable



YAGI DIRECTIONAL NEXT-G 850

15dB 850MHz ANTENNA

825-890MHz Next-G Network Yagi Super directional. "N" Female terminal includes pole mount kit

ALUMINIUM

Code ANT465

STAINLESS STEEL

Code ANT437



N Connector Requires Cable



DIRECTIONAL ANTENNA WIDE BAND

NextG 850 GSM900/1800 LTE 3G 4G & WLAN

9.5dB 800-960MHz 11dB 1710-2500MHz Size 330x215x65mm Plug "N" Female. Power 100W Max Compact, low profile fibre glass Radome outdoor weather proof. Pole mounting kit. White. Requires lead.

Code ANT464



PANEL TYPE ANTENNA WIDE BAND

NextG 850 GSM900/1800 LTE 3G 4G & WLAN

Small unobtrusive profile. Wall mountable indoor use. ABS UV protected panel. Base plate is aluminium. Power 50 Watt Load 50 Ohm Size 210x180x44mm Plug "N" Type female 7dB 824-960MHz 10dB 1710-2500MHz


Code ANT472



WIRELESS INTERNET 3300-3800MHz

UNWIRED BASE STATION WHIP Outdoor wall or mast mount with hardware.

3.3-3.8GHz Band Type Unwired Gain 9dB Plug N Female Colour White Length 415mm Code ANT1203



WIRELESS INTERNET 3300-3800MHz

UNWIRED OMNI-DIRECTIONAL

3.3-3.8GHz Band Unwired Type 18dB Gain Plug N Female Colour White 265x265x30mm Size Code ANT1201

















↓ Mounting Brackets

GUTTER MOUNT

Chromium plated Metal for a tough long-life. Stainless steel Hardware. Grub screws hold gutter. Tilt/Locks adjustment. Suit most 1/2" mounts.

Code CBA36



GUTTER MOUNT STAINLESS STEEL

STAINLESS STEEL

Benelec Stainless Steel Metal Tough Long-life Stainless steel Hardware. Grub screws hold gutter Tilt/Locks adjustment Suit most 1/2" mounts.

Code GM5



BOOT-LIP MOUNT

"S" SHAPED BRACKET

Benelec Black Metal 1/2" Designed for gripping the trunk lip of a boot. Grub screws hold Rubber protected.

Code TLM5



GUTTER MOUNT DELUXE

This new heavy duty style is now suitable for many types of communication bases (Not Inc.). SSB. CB. LEOS. UHF. VHF. Mobile, etc... Tilts for garage access, etc.

Code GM12



MAST MOUNT

Pole to Pole solutions. Heavy duty. Weather resistant. Assorted Diameters (A&B). Suits ANT530, etc.



BB109 "A"



BB1	04 "B"		'B"	A	
"A"	"B"	Angle	Туре	Code	
50mm	40mm	90°	Stainless Steel	BB101	

Galvanised Stainless Steel BB103

43-62mm 32-110mm 90°/0° Stainless Steel BB109 More Pole-pole mounting solutions. See section 19.

MIRROR MOUNT 11/4"

Suit ~30mm Diam.

Stainless steel

Code MM5

Zinc Plated

Code MM4



BULL BAR BRACKET 2"

Suit mounting on 55mm (2") poles "U" bolts have non-slip teeth. Suit most 1/2" mount bases.

Code BB35

Stainless Steel

Code



BULL BAR BRACKET "LEGAL"

New heavy-duty strap type 316 Stainless steel made. Suit most antenna bases 16mmØ antenna base hole. Vertical & Horizontal. Strap for max 2" pole.

Code **BB32**



Z BRACKET

Stainless Steel

Code ZB36

Zinc Plated

Code 7B35



"L" BRACKETS

Suit wall or mast mounting solutions. Hole 16mmØ with 5.5mm cable entry. 25mm centre to back. Back plate 45x52mm.

25mm from wall

Size	Description	Code
25mm	Stainless Steel	ZB37

60mm from wall

Size	Description	Code
60mm	Stainless Steel	WB42

135mm from wall

Colour	Description	Code
Black	Coated Steel	WB40

160mm from wall

Size	Description	Code
160mm	Stainless Steel	WB41

Straight

Size	Description	Code
340mm	Stainless Steel	MMM1





90mm

90mm

60mm

(L) Phone: 02-9798-9233

0 32-55mm 32-55mm 90°/0° Stainless Steel BB104



Fax: 02-9798-0017





→ Carrying & Styling

♦ Slip-In Cases & Socks

ARMBAND LEATHER POUCH

iPHONE 3G/GS/4 iPOD iTOUCH

Enjoy music while working out in the Gym. Light weight and comfortable padded design. Adjustable Velcro® arm strap to ensure best and secure fitting. iPhone securely held with button latch. 115x65x12mm.

Code POU9004-501







SOCK CASE PHONE

SIX PACK OF SIX COLOURS

Keep your phone safe and snug with this fashionable and colourful range of socks. Comes in pack of 6 assorted colours. Will stretch to suit most types of phones ~60 to 80mm width 115mm high.

Code SOC1000





SOCK CASE MEDIUM GPS

SUIT GPS & OTHER SCREEN SIZES

Keep your GPS safe and snug with this protective range of socks. ~75 to about 120mm max width Measured flat then stretched (Double for circumference) and about 120mm high.


Colour Code POU5702BK Black POU5702RD



VELVET POUCH TABLET IPAD

DENSE TUFFLED PILE - DOUBLE LINED

Saves your valuable tablet PC from scratches. Pocket closes with bobble catch. Suits iPad/2, Xoom, Sony, LG, etc. Approx. 265x230mm





SOCK CASE TABLET IPAD

Keep your iPad or Tablet safe and snug with this fashionable and colourful range of socks. Stretches from about 160mm to 240mm max. Height is about 220mm

Colour	Code
Pink	SOC9030PK
Orange	SOC9030OR
Blue	SOC9030BL
Purple	SOC9030PU
Black	SOC9030BK
Grey	SOC9030GY
Green	SOC9030GN





VELVET POUCH

iPHONE 4 AND OTHERS

Velvet feel soft pouch. Protect your phone from minor scratches and light bumps. Designed to suit iPhone 3 & 4, HTC & Samsung touch phones, etc. Size approximate.

Colour Size Code White 115x65x12mm POU9004-311 115x65x12mm POU9004-307 Pink 115x65x12mm POU9004-312

www.cellink.com.au



LEATHER POUCH

SOFT LINED POUCH

Leather soft feel pouch. Protect your phone from minor scratches and light bumps. Quality accessory designed to suit iPhone 3 & 4, HTC & Samsung touch phones, etc. Size approximate.

Colour	Size	Code
Black	115x65x12mm	POU9004-332
Pink	115v65v12mm	POLIGO04-337















→ Carrying & Styling

↓ Leather Cases

SLIP POUCH WITH LATCH

iPHONE & OTHERS

Premium look and feel. High quality finish. Magnetic latch to keep phone secure.

Size 115x60x15mm 115x60x15mm Colour Black Brown Code POU9020-152 POU9020-154

www.cellink.com.au Other styles Available



iPHONE & OTHERS

Slim line design with premium look and feel. High quality finish. Magnetic closing flip to keep phone secure.

Size 115x190x14mm Code POU9020-104

www.cellink.com.au Other styles Available



CAS - FITTED CASES LEATHER

PREMIUM CELLINK

Premium grade genuine leather cases for general purpose phone protection to suit a comprehensive range of mobile phones. Belt clip. Clear facia. Quality zipper.

www.cellink.com.au



DLC - FLIP CASE PU LEATHER

REMOVABLE BELT CLIP

Attractive style in protecting your new valuable technology. Firm, padded, holster type cradle holds the phone secure. Padded Leather flip cover with magnetic catch holds closed. Long wearing PU-Leather. Button-Remove secure belt clip. Phone specific cases with pager-clip, soft leather, access cuts, packaged.





CELLINK FONE SATCHEL

WIDE HOLSTER

Suits smart phones, smaller PDAs, etc. Slightly wider than average sized holsters. PU Synthetic Leather Magnetic clasp lock. Elastic sides expand. Handy pager belt clip. Premium quality Scala.

Size 110x50x15mm Code CAS435



SLIP POUCH WITH FLIP

STURDY PADDED LEATHER - MAGNETIC FLAP

Quality design and construction vertical leather iPhone pouch. Magnetic latch to keep phone secure in pouch. Two in one side carrying solution with loop-through or clip on belt. Size 115x190x14mm Code POU9004-101

www.cellink.com.au Other styles Available

SLIP POUCH SLIM

iPhone slides into enclosed protective slim fitted hard leather case. Latching magnetic strap to secure iPhone in the pouch. Carrying flexibility with belt loop through on back.

Size Code 115x60x15mm POU9004-112



FITTED HARD CASE WALLET STITCHED

COLOUR INSET OPTION

Protective Flip/Wallet carry case. Made with Soft feel PU leather. Strong hold magnetic close flip. Includes two handy business card holders inside the front cover.

www.cellink.com.au





ALC - FITTED HARD CASE FLIP GENUINE LEATHER

SYNTHETIC - MAGNETIC LATCH

High quality genuine leather case. Protective Flip-Style wallet pouch with magnetic holding flip gives protection to the whole phone including the screen from any knocks, bumps and scratches with out hindrance to the phones overall use or features

www.cellink.com.au Other styles Available




VERTICAL LEATHER SLIP IN SIDE CARRY POUCH

Phone slides into enclosed protective slim fitted hard leather case. Carrying flexibility with belt pager clip.







Fax: 02-9798-0017



→ Carrying & Styling

↓ Leather Cases

SLIP IN POUCH WITH PULLING STRAP

Phone slides into enclosed protective slim fitted hard leather case. Latching magnetic strap to secure phone in the pouch. Easy phone pulling strap. Suits to iPhone, HTC, Nokia and many more.





FITTED PREMIUM LEATHER POUCH

Premium grade genuine leather cases for general purpose phone protection. Latching magnetic strap to secure phone in the pouch. Suits to HTC and many other.

Colour Size Code Black 112x55x15mm CLC5341



HORIZONTAL SIDE CARRY LEATHER POUCH


Premium Quality Leather Side Pouches Exclusive to Cellink. Blister packaging. Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy phone removal. Side holes for mini-hands-free, etc.

Code Size 100x53x21mm POU115 117x70x14mm POU108 125x67x15mm POU117



HORIZONTAL SIDE CARRY LEATHER POUCH

Premium Quality Leather Side Pouches with swirl clip. Blister packaging Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy phone removal. Side holes for mini-hands-free, etc.







UNIVERSAL VERTICAL PREMIUM LEATHER POUCH

Premium Quality Leather Side Pouches Exclusive to Cellink. Blister packaging Magnetic latch. Pager type belt clip. Black, hard durable genuine leather.



HORIZONTAL SIDE CARRY DELUXE LEATHER

Premium Quality Leather Side Pouches Exclusive to Cellink. Blister packaging Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy phone removal. Side holes for mini-hands-free, etc.

Code 115x60x15mm POU9020



VERTICAL PREMIUM LEATHER POUCH

Quality design and construction vertical leather iPhone pouch. Magnetic latch to keep phone



HORIZONTAL SIDE CARRY LEATHER POUCH

Premium Quality Leather Side Pouches Exclusive to Cellink. Blister packaging. Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy

phone removal. Side holes

for mini-hands-free, etc.		
Size	Code	
90x45x15mm	POU114	
100x45x20mm	POU4070	
100x50x20mm	POU352	
110x50x20mm	POU112	
115x50x20mm	POU111	



CELLINK FONE-SATCHEL STITCH

Premium pouch Executive design Polished black. Strong & durable soft inner lined suits most popular "Candy-Bar" shapes. Subtle scala emboss. Belt clip w/ grip. Magnetic fastener.

Size 100x50x25mm Code CAS116



MORE STYLES AVAILABLE

Go to our website and look up your model of mobile phone to see an extensive range of Premium Quality Leather Cases Exclusive to Cellink.











♦ Leather Cases

HORIZONTAL PREMIUM LEATHER SIDE POUCH

Premium Quality Leather Side Pouches Exclusive to Cellink. Deluxe packaging. Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy phone removal





VERTICAL LEATHER CROCODILE POUCH SMALL

Premium Quality Leather Side Pouches Exclusive to Cellink. Deluxe packaging. Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy phone removal.

Colour	Size	Code
Black	70X40X23mm	POU2510C
Brown	70X40X23mm	POU2510E



VERTICAL LEATHER CROCODILE POUCH MEDIUM

Premium Quality Leather Side Pouches Exclusive to Cellink. Deluxe packaging. Magnetic latch. Pager type belt clip. Black, hard

durable genuine leather. Bottom cut for easy phone removal.

Colour	Size	Code
Black	100X40X23mm	POU4040C
Brown	100X40X23mm	POU4040E





VERTICAL LEATHER CROCODILE POUCH LARGE

Premium Quality Leather Side Pouches Exclusive to Cellink. Deluxe packaging. Magnetic latch. Pager type belt clip. Black, hard durable genuine leather. Bottom cut for easy phone removal.

Colour	Size	Code
Black	118X40X23mm	POU4020C
Brown	118X40X23mm	POU4020E
Black	130X50X23mm	POU887C





♦ Sport Cases

LONSDALE® SPORTSWEAR POUCH

LONDON SPORTS FASHION BRANDED CASES

Horizontal phone holster with magnetic clip. Attractive fashionable synthetic material.

Description	Size	Code
Gloss Black	85x52x32mm	POU160
Gloss Black	100x52x25mm	POU161
Gloss Black	104x65x23mm	POU162
Dark Blue	85x52x32mm	POU145
Dark Blue	100x52x25mm	POU146
Brown	85x52x32mm	POU150
Brown	100x52x25mm	POU151

MOUNTAINEERING POUCH

WITH CARABINEER

Elastic nylon pouch. Metal carabineer hook. Suit smaller phones approximate size. 50mm tall 20mm wide.

Code POU103



MATTE BLACK SHINING BLACK DARK BLUE BROWN

DNSDALE

SCALA® FONE-POD


PADDED EVA SIDE POUCH Pager clip. Magnetic latch. Available in 4 Sizes to suit 95% of todays phones. Sizes are internal.

Code Size 90x45x15mm CAS114



FONE-SACK

Pearl blue material with silver & black detailing. Non-scratch, soft feel. Modern sports pouch design, heavily padded, with belt clip. Includes cloth amulet for neck or shoulder hanging with style! Suit necklace mini hands free, etc. Suit Small to medium sized phones and smaller clam-shell types of Approx size 100x50x25mm





FONE-STRAPE


UNIVERSAL HOLDER with LANYARD

Clear rubber band/strap that grips around most standard sizes phones. Includes quick-release neck strap. Not suitable for Flip-Phones. Very sporty, trendy & practical. One size fits all! Super stretchy!

Code CAS130













→ Carrying & Styling

♦ Hard Cases

FITTED HARD CASE BPC SERIES

BPC PROTECTIVE CASING

Pliant black plastic Mobile Phone Protective Case. Simply clip over your phone. They do not obstruct the use or hide any features access or deter from the phone style. These cases are superb as they fit in seconds, are almost invisible yet will protect your phone from scratches and minor bumps & knocks, etc. Some have belt clips. Protect with style.

www.cellink.com.au



Please Enquire or see www.cellink.com.au

CLEAR CRYSTAL CASE CPC SERIES

CPC PROTECTIVE CASING

New Crystal Clear Plastic Mobile Phone Protective Case Simply clip over your phone. They do not obstruct the use or hide any features access or deter from the phone style. These cases are superb as they fit in seconds and protect your phone from scratches and minor bumps & knocks, etc. Jewel case shell to suit your phone see www.cellink.com.au

www.cellink.com.au



Please Enquire or see www.cellink.com.au

FITTED HARD CASE CLOTH

VISIBLE WEAVE - FELT LINED

Cloth material textured fitted strong and sturdy hard case frame. iPhone slips into the case frame for a secure and firm fitting. Non obtrusive access to iPhone Ports and buttons. Internally lined with soft material to ensure your phone does not get scratched when inserting and removing from case.

www.cellink.com.au

ALC - FITTED HARD CASE WALLET

PU LEATHER - MAGNETIC CLASP



ALC - FITTED HARD CASE FLIP PU LEATHER

SLIP IN SURROUND - MAGNETIC CLOSE

Slip in protective vertical flip case. Padded leather hard flip with magnetic holding. Protection to whole phone including screen from any knocks, bumps and scratches with out hindrance to the phones overall use or features.















AI C9021BI







ALC - FITTED HARD CASE FLIP PU LEATHER

PU LEATHER - FELT LINED -**MAGNETIC LATCH**

Protective Flip-Style wallet pouch with magnetic Holding flip gives protection to the whole phone including the screen from any knocks, bumps and scratches with out hindrance to the phones overall use or features.









ALC9021BR



ALC9020WH



ALC9020BK





ALC9020BR

ALC9020PU













SCC SILICONE PROTECTIVE CASES

iPHONE 4, iPAD & MORE...

Soft feel silicon cases in assorted styles and colours. Protection against minor bumps and scatches.

www.cellink.com.au



TPU GEL CASES

Made from tough and flexible TPU material. All ports and buttons with opening's for easy access. High level of protection against bumps scratches.

www.cellink.com.au



BPC ONE PIECE HARD

One-piece hard plastic shell clips on phone protects from minor bumps and scratches. All ports and buttons with opening's for easy access. Light weight and slim fitting designs will not add bulk to the phone. Available in many styles and prints and colours. C

BPC TWO PIECE HARD

Two-piece rugged hard plastic shell clips onto phone for protection against bumps and scratches. Access to all ports and buttons.

Available in many styles and prints and colours.

www.cellink.com.au



SPECK ®

High quality one piece cases from Speck®. Unique fabric print patterns designs and also TPU cases.

www.cellink.com.au For details...











www.cellink.com.au/media/iphone4/ View entire online iPhone4 catalogue

www.cellink.com.au



(**1**) Phone: 02-9798-9233



Fax: 02-9798-0017





↓ Leather Cases

IPAD ZIPPER LEATHER BAG

iPad & 10" Tablets

Strong leather bag with zipper to keep your valuable item protected. Suits 10" tablets about 240x185x10mm. More: cellink.com.au

Code POU9030-114



IPAD ZIPPER POUCH

SOFT MATERIAL PADDED

Soft synthetic pouch with zipper to keep your valuable iPad protected. Holds 240x185x10mm.

POU9030-512



FLIP WALLET LEATHER CASE

Carry Flip Wallet Pouch Black Colour -With Card Pockets

Code POU9030-112



ZIPPER LEATHER CASE IPAD

Suits iPad

Strong leather cases with zipper to keep your valuable iPad protected. Holds 240x185x10mm.

Code POU9030-113



FLIP LEATHER CASE WITH HOLDER

TABLET HOLDER WITH FLIP

Hard case with protective flip to protect screen. Tough leather outer, soft felt inner. Some models open into stand format.







www.cellink.com.au Other styles Available

FLIP LEATHER CASE WITH KEYBOARD

BLUETOOTH SUIT iPAD2

Quality leather protective wallet with inbuilt bluetooth keyboard. Suit iPad2 only.

Code BKB9030



iPAD STANDS



ASSORTED STYLES More available.

www.cellink.com.au









↓ Screen Protector

SCREEN GUARD / PROTECTOR

CLEAR PLASTIC STRIPS

LCD Screen protector. Invisible clear guard. Protects against pens, marks and scratches. Anti-glare. Anti-static. No bubble adhesive. Phone & PDA specific.

- · Screen Crystal Clear
- Screen & Back Crystal Clear
- · Screen Matte Anti-glare
- · Screen & Back Matte Anti-glare
- · Screen Mirror
- · Screen & Back Mirror

www.cellink.com.au







For your model, see: www.cellink.com.au

↓ Carrying & Styling

HAND & NECK STRAPS



POINT-OF-SALE DISPLAY STAND

ROTATES 360°

An attractive way to display mobile phones and accessories in a shop counter display Suits a single phone Requires 1x "AA" Battery

Code HND910



FLASHING KEY RING

Key chain with a small 3cm ornament that blinks a glowing red colour when your phone rings.

Code FFR300



POS DISPLAY

7 LED TURNTABLE

Beautifully enhances any item on display or for enjoying home crystal. Multi-colour LED cycle mirrored rotating base. 3x AA Batteries or Optional power-pack 55x110mmØ

Code XLD8687



DA-SACK

"BUM-BAG"

Wrap around carry Accessories bag for carting your phone mini-hands-free and other items of person. Made from tough nylon No-tear in Dark Blue. Great holder for PDAs Phone MP3 & Accessories Approx. ~75x100x175mm

Code DASACK



TOUCH PHONE STAND


Suits most phones like iPhone, etc. and PSP, etc.

Colour Black

Code STN9020BK











→ Data & Memory Solutions

♦ Sim Card Accessories

SIM-CARD READER

USB → GSM

Includes software to backup and to transfer phonebook. Easy & faster than going through the mobile phone unit. Plugs direct into USB on Windows PC. Suit GSM Sim cards.





MICRO SIM ADAPTOR

MICRO-SIM TO NORMAL SIM

Pack of two plastic fit adaptors. Reusable.

SGP103




MICRO SIM CARD CUT

HELPS TRIM SIM CARD

Place sticker on full sized SIM card and then cut along the dotted line. Includes an adaptor to change a Micro-Sim card back to full sized SIM. Includes two stickers.

Code SGP101



Style/quantity may change depending on supplier.

NORMAL SIM TO MICRO SIM CUT DOWN TOOL

PUNCH OUT MICRO SIMS

Cut your existing sim card down to fit into micro sim card slots. Includes two micro sim car adaptor trays for inserting micro back into phones with the standard sim card size.

Code SGP102



Includes bonus SIM card adaptors.

SIM CARD HOLDERS & LOCKS

SPARE PARTS

Original replacement parts for certain model phones. Including SIM Card holder locks and gold plated contacts.



www.cellink.com.au

↓ Tools

UNIVERSAL TOOL KIT

PHILLIPS BLADE TORX

Universal collection of assorted specific tools for mobile phone repair. Includes 10 unique drivers. Torx, Snake-Eye, blade, etc. Antenna removers too.

Code HT880



TRI-WING MINI-DRIVER

3mm JEWELLERS

Suit Nintendo-WII Nokia and others. Security driver. Professional grade. Made in Japan tool. Sunflag 17-C



MINI DRIVERS TORX



SCREW DRIVER TORX

HAND DRIVERS T5 & T6

Popular security tips for Nokia, etc.

Size	Diam.	Made	Code
T5	1.4mm	Japan	HT5H
T6	1.8mm	Japan	HT6H
T6	1.8mm	Economy	HT1006
		,	

See Section 14 for more



MINI DRIVERS PENTALOBE

iPHONE 4 SCREW DRIVER 5 Point flower type.

Made Code Economy HT9021





iPOD iPHONE DISMANTLER KITS

SPECIALISED TOOLS TO OPEN

For replacing the battery, etc. iPod 1st & 2nd Gen & mini, etc Tools included depends on model.

Suits	Code
iPod	HT891
iPhone, 3GS	HT9002
iPhone 4	HT9022
iPhone 4	HT9001
iPad	HT9030







♦ Spare Parts

REPLACEMENT PARTS

PLUS MANY MORE!!!

We stock a comprehensive range of replacement parts.

MICROPHONES & BUZZERS & SPEAKERS SWITCHES & **CONTACTS PORTS & SOCKETS BUTTONS & FASCIAS**

www.cellink.com.au



FACIA & BACK HOUSING

Premium fit housings. Replaces damaged or update colour. See our website or contact us for a housing to suit your model of phone.

www.cellink.com.au



SPARE PARTS

BATTERY COVER

ORIGINAL & REPLACEMENT

Assorted styles and colours available. Some covers are batteries, some just covers.





www.cellink.com.au

LCD LENS / TOUCH SCREEN

ASSEMBLED OR SEPARATE

Direct replacement Spare parts LCD



www.cellink.com.au



FLEX RIBBON CABLE

www.cellink.com.au

LCD CONTACT STRIP





ORIGINAL & REPLACEMENT

Assorted styles and colours available.







BATTERIES

INTERNAL TYPES

iPhone, iPod, and other makes & models have internal batteries available as spare parts. Also available are opening tools.

BATTERY TERMINALS





www.cellink.com.au

POWER SWITCH & BUTTONS





www.cellink.com.au

CONNECTOR PORTS

Jacks & Sockets.

www.cellink.com.au



SPEAKER - EARPIECE







www.cellink.com.au





RINGER BUZZER

www.cellink.com.au







MICROPHONES

www.cellink.com.au





STYLUS PEN

SPECIFIC REPLACEMENT

Replace missing pens to suit your model phone and PDA, devices, etc. Fits in the holder. Too many to list here! Check your model at:

www.cellink.com.au





(L) Phone: 02-9798-9233



www.cellink.com.au



♦ Memory Cards

MICRO-SD

11x15mm

Size	Code
2Gb	TFC2048
4Gb*	TFC4096
8Gb*	TFC8192
16Gb*	TFC16GB
32Gb*	TFC32GB



MINI-SD

22x20mm

Size	Code
2Gb	MSD2048



SD ADAPTORS

Converts to "SD"

Type	Code
Micro-SD	SD151
Mini-SD	SD150



SD

32x24mm

Size	Code
2Gb*	SD2000
4Gb	SD4096
8Gb	SD8192

*Device must be SDHC compatible

SD ULTRA-II

15Mbps

Size	Code
2Gb	SD2048U
4Gb*	SD4096U
8Gb*	SD8192U
16Gb*	SD16GU
32Gb*	SD32GU



andis

SD VIDEO-HD

20Mbps

For high-speed streaming Portable Video recorders

Size	Code
4Gb	SD4GHD
8Gb	SD8GHD
16Gb	SD16GHD
32Gb	SD32GHD



SD EXTREME PRO

45Mbps Ultra High Speed

Full HD and 3D Video SD 3.0, UHS-I

Size	Code
8Gb	SD8PRO
16Gb	SD16PRO
32Gb	SD32PRO



MEMORY CARD READERS SD & MORE

USB2 ADAPTORS

Description	Code
SD & MMC	USB210
Micro-SD	USB197
*Sony Micro M2	USB198





CF EXTREME

60Mbps

Size	Code
8Gb	CF8192EX
16Gb	CF16GEX
32Gb	CF32GEX



CF ULTRA

30Mbps HIGH SPEED

Reliability to depend on.

Size	Code
4Gb	CF4096U
8Gb	CF8192U
16Gb	CF16GBU



CF EXTREME PRO

90Mbps PROFESSIONAL

100Mbps for the 128Gb version.

Size	Code
16Gb	CF16PRO
32Gb	CF32PRO
64Gb	CF64PRO
128Gb	CF128PRO



SONY® MICRO [M2]

15x12.5x1.2mmm

Size	Code
2GB	M2M2048
4Gb	M2M4096
8Gb	M2M8192
16Gb	M2M16GB



SONY® PRO-DUO

Sony or Sandisk supplied.

Size	Code
2Gb	DUO2048
4Gb	DUO4096
8Gb	DUO8192
16Gb	DUO16GB
32Gb	DUO32GB



SONY MEMORY STICK ADAPTOR

DUO ORIGINAL TYPE

Converts new to old, Small to large...

Description	Code
PRO-DUO to DUO	MS200
M2 to DUO	MS204



MEMORY CARD READERS UNIVERSAL

DELUXE STYLE Suits most digital media formats. Including Sony™, Kodak™, CF-II, M2, MicroSD, MiniSD, SD, MMC, RC-MMC, Sony MicroDuo(M2), MS, MS-Duo & XD. Windows™,

Mac™, etc. 90x70x15mm

Code USB186

MINI CARD READER

70x42x12mm

Colour Code Black USB199 White USB208



Reads most cards (Not CF) Inbuilt USB Hub (3x Output) 80x50x12mm

Code USB209







Styles may change.







♦ Data Cables

USB DATA CABLES

SUITS MANY MODELS

USB Cable to mobile phone for data transfer, backup, and internet access, etc. May require software freely available on the web.





MOBILE-ACTION PC SOFTWARE & DATA LEADS

FONE DATA SUITE SOFTWARE

Kit includes Cable & Software Suite Comprises a cable that plugs between your mobile phone and a computer via the USB port. Includes drivers and MA phone management software. Features depend on the model phone. Dedicated plugs to suit your phone.

www.cellink.com.au



IrDA INTERFACE

INFRARED CORDLESS

IrDA to USB Converter suits any IrDA device USB Input connection Kit includes www.mobileaction. com Bundled software for mobile phone control PhoneBook. RingTones, and managing, etc.

Туре	Code
IrDA	MA620

www.mobileaction.com

USB MINI & MICRO DATA LEADS

MINI-USB & MICRO USB

USB Cable to mobile phone for data transfer, backup, and internet access, etc. May require software freely available on the web. 1 Metre long cable length.

Plug 1	Plug 2	Colour	Code
USB Plug	Mini-USB	Black	CL960
USB Plug	Mini-USB	White	ADM85
USB Plug	Micro-USB	Black	MDC1001
USB Plug	Micro-USB	White	ADM95

BLUETOOTH TO COMPUTER

USB TX/RX DONGLE

Code USB113

SUPER-SMALL DONGLE

Code USB106





Styles may change.

MBK903

BLUETOOTH KEYBOARDS

Mini Bluetooth Keypad. Built in re-chargeable battery, Micro USB port charging. Working range 10M. Suitable for Window Mobiles(6.1+), Nokia, Symbian, S6o(V3.0+). iPhone 4

	,	,
Size	Colour	Code
115x61x9mm	Black	MBK9020
225x100x10mm	White	MBK9040
250x205x30mm	Black	BKB9030
285x120x6.7mm	White	MBK9031







HDMI-A TO HDMI-D MICRO CABLE


DIGITAL AUDIO/VIDEO + ETHERNET V1.4

Length	Code
1M	CL5501
1.5M	CL55015
2M	CL5502
3M	CL5503



MINI MICRO DVI ADAPTORS

Plug 1	Plug 2	Code
MINI-DVI	VGA	CA425
MINI-DVI	DVI	CA426
MINI-DVI	DVI & HDMI	CA427
MINI-DVI	HDMI	CA428
MINI-DP	DVI	CA429
MINI-DP	VGA	CA430
MINI-DP	HDMI	CA439
MINI-DP	DP	CA440
MINI-DP	HDMI DVI DP	CA441
MICRO-DVI	DVI	CA445
MICRO-DVI	VGA	CA446





AUDIO & VIDEO BREAKOUT LEADS

ANALOGUE RCA

Specific leads suited to certain multimedia devices for connection to TV.

www.cellink.com.au



USB MAINS POWER

ASSORTED USB PLUGS

Powers/charges your USB device. Lightweight & compact, switchmode, multi-voltage (100-240Vac) travel charger. SAA Approved AC Charger. 5Vdc 1.0Amp USB.

Туре	Colour	Code
Compact Type	White	ADM105
USB A Female	White	USB900
USB A Female	Black	USB904
USB A Male	White	USB902
USB-Mini Male	Black	CTC1000
USB-Micro Male	Black	CTC1001
USB A Twin	White	USB901
ADM105		LICE







USB CAR CHARGERS

12V TO 5V ADAPTORS

Powers and charges USB devices.

Plug	Туре	Code
USB-A Female	White Plug	API89113
USB-A Female	Bend Plug	USBS30
USB-A Female	Flush Plug	USBM20
Mini USB Male	Straight Cord	ELI5723
Mini USB Male	Curly Cord	ELI5724
Mini USB Male	Right Plug	ELI5725
Mini USB Male	Left Plug	ELI5726
Mini USB Male	Up Plug	ELI5727
Mini USB Male Micro USB Male	Down Plug	ELI5728
	Curley Cord 0.6A	ELI1001
Micro USB Male	Curley Cord 2.0A	ELI1005
Plug	Туре	Code
Mains or Car	USB A Twin	USB901
USB901 is Main	s & 12V Car cha	raer in 1




















Fax: 02-9798-0017



↓ iPhone & iPod

APPLE CERTIFIED [WHERE INDICATED]

"Made for iPod"® and "Works with iphone"® means that these electronic accessories have been designed to connect specifically to Apple iPod® and Apple iPhone®. Original Apple types are available. Apple certified to meet Apple performance standards. Replacement types also available and are not certified.









iPod, Made for iPod and Works with iPhone iPhone iPhone are trademarks of Apple.

USB TO iPOD iPHONE iPAD DOCK CONNECTOR

USB Plug to docking connector. 1.5M Cable white. Suit iPod, iPad, iPhone, etc' Code

Description Apple Original MDC9002 Apple Certified APL30







MDC9003 CL1018 MDC9008



iPOD iPHONE IPAD AUDIO VIDEO CABLE

AV & DATA-USB

Composite video output. Stereo audio output. 1.5 Metre Cable

Description Code Apple Certified API 35









iPOD iPHONE iPAD AV CABLE & ADAPTOR

USB & VIDEO CABLES

Composite video output. Stereo audio output. Separated cable and connector system. 1.5 metre cable.

Description Code Apple Certified APL40




iPHONE DOCK

USB2 DATA LINK

USB allows Sync and charging. Holds iPhone upright for viewing.









CAR CHARGER IPOD IPHONE IPAD

IN-CAR CHARGER

Suits iPod, iPad, iPhone.

Description Colour Code Apple Certified White







Description	Colour	Code
Replacement	Black	ELI9003
Replacement	White	ELI9002
Bulk	Black	BCC9003
Bulk	White	BCC9002

CAR CHARGER UNIVERSAL

APPLE CERTIFIED

Universal Mobile charger with various connectors for charging Apple iPod, iPad, iPhone, plus also Motorola, Nokia, Samsung, Sony Ericsson.



Code APL50



iPOD iPHONE iPAD CHARGING KIT

SAA Approved USB AC Charger DV 5V 1A. USB DC Charger via cigarette lighter. iPhone / iPod to USB Cable.

Description Code Apple Certified APL25



MAINS USB CHARGER

REQUIRES DOCK OR LEAD

SAA Approved AC Charger. 5V DC 1 Amp USB Socket. Requires Docking station or USB lead APL30, 35, 40, etc.

Description Code ADM105 Compact Standard USB900



iPOD iPAD iPHONE MAINS CHARGERS

CELLINK TRAVEL CHARGERS

Lightweight & compact, switch mode, multi-voltage (100-240Vac) travel charger. Excellent second unit or to directly replace the original charger for your mobile device. Designed to charge all popular battery types, Li-Polymer, Li-Ion, Ni-MH and Ni-Cd.

Туре	Colour	Code
Cellink	Black	CTC9003
Cellink	White	CTC9002
Bulk	Black	BAC9003
Rulk	\/\/hite	BACQ002









17-48 (Phone: 02-9798-9233



♦ iPhone & iPod

SOLAR CHARGER UNIVERSAL

INBUILT POLYMER LITHIUM-ION STORAGE BATTERY

Solar Charger with inbuilt storage battery and multiple adapters to suit most devices such as iPhone/iPod, MP3 Players, Mobile Phones, GPS, cameras, etc. Includes 5 adaptors and USB lead. 5.5V.

Capacity Output Code 1300mAh 5.5VDC-750mA SC10 3500mAh 5.5VDC-750mA SC20





UNIVERSAL EXTERNAL PHONE BATTERY

SUITS MANY BRANDS & MODELS

A lithium-polymer battery extends the power backup. Compact size and easy to use design. LED status indicator. 5.0V DC 600mA output. Kit includes mains charger and USB charger adaptor, Carry pouch and charger adaptor for Nokia, Samsung, LG, Motorola, Sony Ericsson, Apple. Size: 100x61x13mm.

Capacity	Volts	Colour	Code
4000mAh	5.0Vdc	Black	MPC1003
5000mAh	5.0Vdc	White	MPC1004



iPHONE 4 EXTENDER BATTERY

2AH ADD-ON EXTERNAL PACK

Officially authorised product by Apple. Made by Noontec. Ultra slim and stylish product design. High capacity battery 2000mAh provides double battery energy. Protective case for iPhone 4, 4S. Micro USB integration. Smart LED power state indicator. Easy access to all control and ports.

Colour Code BAT9029WH White Black BAT9029BK







iPHONE iPOD BATTERY EXTENDER

APPLE APPROVED ACCESSORIES

Rechargeable battery booster pack fits iPod & iPhone base socket to extend performance. Includes USB charging cable. 60x45x10mm. 3xLED batery status indicator.

Capacity Volts Colour Code 1500mAh 5Vdc White IP500W 1500mAh 5Vdc Black IP500B





(**(**) Phone: 02-9798-9233



↓ iPhone & iPod

iPOD iPHONE iPAD DOCKING STATION

NOONTEC ITALIAN DESIGN

New Italian design Apple approved docking station with IR remote control. Integrates iPad, iPhone and iPod with computer, Stereo and/or HDTV in style.

iPad, iPad2, iPhone 3, iPhone3G, iPhone4, iPhone4S, Suitable applications

iPod touch, iPod classic, iPod nano.

Operating methods Remote controller operation.

iPad, iPhone, iPod touch direct operation. Video output interface HDMI, 3.5mm interface to RCA CVBS+Audio R/L

USB connection Support USB2.0 USB power adaptor Power supply Size 128x112x25mm

Italian design represents integrity, flexibility and omnipotence Remote control operation with included IR remote control Charging function and/or USB 2.0 Computer connection TV Dock for iPhone, iPad with analogue or HDMI output Apple approved. Pass strict test RFI OTA designed by Apple

Code MDC9031



BOOK SHELF COMPACT

3.5mm AUDIO IN ACTIVE

Phoonte

Wooden Cabinet. 4" 18W Woofer. 1" Dome Tweeter. Amplifier built-in 18Wrms x2. 240Vac. 140x150x250mm

Colour Code Black Vinyl AF91BK Cherry Wood AF91CH



iPOD SPEAKER PORTABLE

BATTERY OR USB

Compact 50mm 2W speaker drivers. 3.5mm Stereo plug audio connector Removeable iPOD Classic cradle. Folds up for easy portability. 4x AA Batteries (Not Inc.) Powered by USB option.

Code SPK33645



BOOK SHELF ACTIVE 2-WAY

RCA TO 3.5mm LEAD INCLUDED

Wooden Cabinet. 4" 20W Woofer. 1" Dome Tweeter. Amplifier built-in 20Wrms x2. 240Vac. 150x235x315mm

Colour Code Black AF21BK AF21WH



MORE SEE SECTION 6

SPEAKERS & AUDIO ACCESSORIES



BOOK SHELF ACTIVE BLUETOOTH

BLUETOOTH WIRELESS BUILT-IN

Wooden Cabinet. 4" 20W Woofer. 1" Dome Tweeter. Amplifier built-in 20Wrms x2. 240Vac. 150x235x315mm

Colour Code AF21BTWH



MORE IPHONE IPOD IPAD

www.cellink.com.au

More catalogues available too...





